

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Identification of the substance or mixture

**Product name:** INDUSTREX LO Fixer and Replenisher  
**Product code:** 6620033  
**Pure substance/mixture** Mixture

#### Use of the Substance/Mixture

**Product Use:** Restricted to professional users, Photographic chemical.  
**Restrictions on use**

#### Company/Undertaking Identification

**Supplier:** Carestream Health Taiwan Limited, 4F-1, No. 129, Sec.2, Zhongshan N. Rd., Zhongshan Dist., Taipei, 10448, Taiwan R.O.C.

#### For further information, please contact:

**E-mail Address** - For environment, health and safety information, email: WW-EHS@carestreamhealth.com

#### Emergency telephone

00801-14-8954

### 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

|                                   |             |
|-----------------------------------|-------------|
| Acute toxicity - Oral             | Category 5  |
| Serious eye damage/eye irritation | Category 2A |

#### GHS Label elements, including precautionary statements



#### Warning

##### hazard statements

H303 - May be harmful if swallowed

H319 - Causes serious eye irritation

### **Precautionary Statements**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P312 - Call a POISON CENTER or doctor if you feel unwell

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

### **Other hazards which do not result in classification**

None known.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

| <b>Chemical Name</b> | <b>Weight %</b> |
|----------------------|-----------------|
| Water                | 40-50           |
| Ammonium thiosulfate | 30-40           |
| Sodium bisulfite     | 1-5             |
| Ammonium bisulfite   | 1-5             |
| Potassium acetate    | 1-5             |
| Ammonium acetate     | 1-5             |
| Sodium borate        | 1-2             |
| Aluminum sulfate     | 1-5             |
| Acetic acid          | 0.1-1.0         |

## **4. FIRST AID MEASURES**

### **Description of necessary first-aid measures**

|                       |  |
|-----------------------|--|
| <b>General advice</b> | IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.  |
| <b>Main Symptoms</b>  | Irritation   |
| <b>Eye contact</b>    | In case of contact, immediately flush eyes with plenty of water. Get medical attention immediately if symptoms occur.  |
| <b>Skin contact</b>   | Wash off immediately with soap and plenty of water for at least 15 minutes while removing all contaminated clothing and shoes. Get medical attention immediately if symptoms occur. Wash contaminated clothing before reuse. |
| <b>Inhalation</b>     | Move to fresh air. Get medical attention immediately if symptoms occur.  |
| <b>Ingestion</b>      | Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.   |

### **Most important symptoms/effects, acute and delayed**

|                     |   |
|---------------------|---|
| <b>Skin contact</b> | Repeated exposure may cause skin dryness or cracking. |
| <b>Eye contact</b>  | Expected to be an irritant based on components.       |

|                   |   |
|-------------------|---|
| <b>Inhalation</b> | Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea. Contact with strong acids liberates sulfur dioxide. May cause irritation of respiratory tract. |
| <b>Ingestion</b>  | May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.   |

Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Extinguishing media which shall not be used for safety reasons** None known based on information supplied.

### Specific hazards arising from the chemical

**Special Hazard** Dried product residue can act as a reducing agent. Reacts violently with oxidizing materials. May cause spontaneous heating and ignition when absorbed on combustible, porous material (e.g. rags, paper, sawdust, cotton, clothing).

### Special protective actions for fire-fighters

**Special protective equipment for fire-fighters** Wear self-contained breathing apparatus and protective suit.

### Other information

**Other information** None known.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes. For personal protection see section 8. Ensure adequate ventilation.

**Advice for emergency responders**  
For personal protection see section 8

### Environmental precautions

Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

### Methods and materials for containment and cleaning up

Prevent further leakage or spillage if safe to do so.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### Other information

See Section 12 for additional Ecological information.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

|   |   |
|---|---|
| <b>Advice on safe handling</b>          | Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling.       |
| <b>Prevention of fire and explosion</b> | Keep from contact with oxidizing materials, highly oxygenated or halogenated solvents, organic compounds containing reducible functional groups |

### Conditions for safe storage, including any incompatibilities

|  |  |
|--|--|
| <b>Technical measures/Storage conditions</b> | Keep container tightly closed in a dry and well-ventilated place.                  |
| <b>Materials to Avoid</b>                    | Acids. Strong bases. Sodium hypochlorite. Halogenated compounds. Oxidizing agents. |

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure limits**

| Chemical Name    | Taiwan                                     | China   | ACGIH TLV  | European Union                         |
|------------------|--|---|--|--|
| Sodium bisulfite | STEL 10 mg/m <sup>3</sup>                  |   | TWA: 5 mg/m <sup>3</sup>                             |  |
| Sodium borate    |  |   | STEL 6 mg/m <sup>3</sup><br>TWA: 2 mg/m <sup>3</sup> |  |
| Acetic acid      | STEL 15 ppm<br>STEL 37.5 mg/m <sup>3</sup> | TWA 10 mg/m <sup>3</sup><br>STEL 20 mg/m <sup>3</sup> | STEL 15 ppm<br>TWA: 10 ppm                           | TWA 10 ppm<br>TWA 25 mg/m <sup>3</sup> |

### Appropriate engineering controls

|                             |   |
|-----------------------------|---|
| <b>Engineering Measures</b> | Apply technical measures to comply with the occupational exposure limits. |
|-----------------------------|---|

### Individual protection measures, such as personal protective equipment (PPE)

#### **Personal Protective Equipment**

|                               |  |
|-------------------------------|--|
| <b>General Information</b>    | If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied. |
| <b>Respiratory protection</b> | None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.                             |
| <b>Eye Protection</b>         | Safety glasses with side-shields   |

**Skin and body protection** Wear protective gloves/ protective clothing.

**Hand Protection** Protective gloves

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state** liquid

**ph** 4.9

**Flash point:** Does not flash

**Boiling point/boiling range** > 100 °C

**Odor** Ammonia

**Color** colorless

**Autoignition temperature:** No information available

**Vapor Pressure** 24 mbar @ 20 °C

**Vapor density** 0.6

**Density** No information available

**Water Solubility** completely soluble

**Melting point/range:** No information available

**Specific Gravity** 1.30

**Bulk Density:** No information available

## 10. STABILITY AND REACTIVITY

### Reactivity

No dangerous reaction known under conditions of normal use.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Contact with strong acids liberates sulfur dioxide. Contact with sodium hypochlorite (bleach) may form chloramine (toxic gas).  
Contact with bases liberates flammable material and ammonia.

### Conditions to Avoid

Do not freeze.

### Materials to Avoid

Acids. Strong bases. Sodium hypochlorite. Halogenated compounds. Oxidizing agents.

### Hazardous Decomposition Products

Ammonia. Chloramine. Sulfur oxides.

## 11. TOXICOLOGICAL INFORMATION

Acute toxicity Product Information.

|                               |   |
|-------------------------------|---|
| <b>Skin contact</b>           | Repeated exposure may cause skin dryness or cracking.   |
| <b>Eye contact</b>            | Expected to be an irritant based on components.   |
| <b>Inhalation</b>             | Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea. Contact with strong acids liberates sulfur dioxide. May cause irritation of respiratory tract. |
| <b>Ingestion</b>              | May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.   |
| <b>Unknown acute toxicity</b> | 4.15% of the mixture consists of ingredient(s) of unknown toxicity  |
| <b>Oral</b>                   | 4,427.00 mg/kg  |
| <b>Dermal</b>                 | No information available  |
| <b>Inhalation</b>             |   |
| <b>Gas</b>                    | No information available  |
| <b>Mist</b>                   | No information available  |
| <b>Vapor</b>                  | No information available  |

#### Acute toxicity - Component Information

| Chemical Name        | Oral LD50  | Dermal LD50  | Inhalation LC50  |
|----------------------|--|--|--|
| Water                | 90,000 mg/kg ( Rat )   |  |  |
| Ammonium thiosulfate | > 2000 mg/kg ( Rat )   |  |  |
| Sodium bisulfite     | 1420 mg/kg ( Rat )   |  |  |
| Potassium acetate    | 3250 mg/kg ( Rat )<br>Oral LD50 Rat 3250 mg/kg (Source: NLM_CIP)   |  |  |
| Sodium borate        | 2660 mg/kg ( Rat )<br>Oral LD50 Rat 2660 mg/kg (Source: IUCLID)  | 2000 mg/kg ( Rabbit )<br>Dermal LD50 Rabbit >2000 mg/kg (Source: IUCLID) |  |
| Aluminum sulfate     | > 5000 mg/kg ( Rat )   |  |  |
| Acetic acid          | 3310 mg/kg ( Rat )   | 1060 mg/kg ( Rabbit )  | 11.4 mg/L ( Rat ) 4 h<br>Inhalation LC50 Rat 11.4 mg/L 4 h (Source: NLM_CIP) |
| Chemical Name        | Other applicable information   |  |  |
| Sodium borate        | Based on repeated-dose ingestion studies in animals, may cause adverse reproductive and developmental effects. However, the doses administered were many times those to which humans would normally be exposed.  |  |  |
| Aluminum sulfate     | Severe eye irritation<br>No skin irritation<br>Cell transformation assay: negative<br>Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea   |  |  |
| Acetic acid          | Severe eye irritation<br>Severe skin irritation<br>Acute overexposure to extremely high airborne concentrations of respiratory irritants has been associated with development of an asthma-like reactive airways syndrome (RADS) in susceptible individuals. Extremely high airborne concentrations are not generated during normal conditions of use but may occur following a spill. The potential to generate extremely high airborne concentrations in a spill situation depends upon physical factors such as the concentration of the solution, the volume of the spill, the surface area of the spill, the size of the room where the spill occurred, and the ventilation rate in the room. |  |  |

**Aggravated Medical Conditions** None known.

Subchronic toxicity  
no data available

### Chronic toxicity

#### **Chronic toxicity**

Prolonged exposure may cause chronic effects.

#### **Sensitization**

No information available.

#### **Neurological effects**

No information available.

#### **Target Organ Effects**

Eyes, Skin, Respiratory system.

### CMR Effects

#### **Carcinogenicity**

Contains no ingredient listed as a carcinogen.

#### **Reproductive toxicity**

Contains a known or suspected reproductive toxin. However, based on available data the product should not be classified for reproductive effects.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The environmental impact of this product has not been fully investigated

#### **Acute aquatic toxicity Product Information**

No information available

#### **Acute aquatic toxicity Component Information**

| Chemical Name     | Toxicity to algae   | Toxicity to fish  | Toxicity to daphnia and other aquatic invertebrates |
|-------------------|---|---|---|
| Sodium bisulfite  |   |   | 119: 48 h Daphnia magna mg/L EC50                   |
| Potassium acetate |   | 6800: 96 h Oncorhynchus mykiss mg/L LC50 semi-static  |   |
| Sodium borate     | 2.6 - 21.8: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 158: 96 h Desmodesmus subspicatus mg/L EC50 | 340: 96 h Limanda limanda mg/L LC50   | 1085 - 1402: 48 h Daphnia magna mg/L LC50           |
| Acetic acid       |   | 75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L LC50 static | 65: 48 h Daphnia magna mg/L EC50 Static             |

#### **Persistence and degradability**

Expected to be readily biodegradable

#### **Bioaccumulative potential**

No information available

| Chemical Name | log Pow |
|---------------|---------|
| Acetic acid   | -0.31   |

#### **Mobility in soil**

No information available

#### **Other adverse effects**

No information available

## 13. DISPOSAL CONSIDERATIONS

**Waste from Residues / Unused Products** Dispose of in accordance with local regulations.

**Contaminated packaging** Do not re-use empty containers. Dispose of in accordance with local regulations.

#### 14. TRANSPORT INFORMATION

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

ADR/RID Not regulated

IMDG/IMO Not regulated

ICAO/IATA Not regulated

ADN Not regulated

TDG Not regulated

For transportation information, go to: <http://ship.carestreamhealth.com>.

#### 15. REGULATORY INFORMATION

##### International Inventories

**EINECS/ELINCS** Complies

**TSCA** Complies

**DSL/NDSL** Complies

**ENCS** Complies

**IECSC** Complies

**KECL** Complies

**PICCS** Complies

**AICS** Complies

**NZIoC** Complies

##### Legend

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

#### 16. OTHER INFORMATION



|               |                         |
|---------------|-------------------------|
| Issuing date  | 2014-02-06              |
| Revision Date | 2014-05-08              |
| Revision Note | (M)SDS sections updated |

**Disclaimer**

**The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text**

**End of Safety Data Sheet**