



## Section 01 – Product and Company Identification

<b>Product Identifier</b>	Advance 12A (with 1% Sodium Hydroxide)
<b>Other Means of Identification</b>	Industrial bleach, hypo, bleach, Javel water, household bleach.
<b>Product Use and Restrictions on Use</b>	Disinfectant, sanitizer, odour control, water purification, textile bleaching, commercial laundry applications.
<b>Initial Supplier Identifier</b>	Advance Chemicals Ltd. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7
<b>Prepared By</b>	ClearTech Industries Inc. Technical Writer Phone: 1 (800) 387-7503
<b>24-Hour Emergency Phone</b>	Phone: 1 (306) 664 – 2522

## Section 02 - Hazard Identification

### GHS-Classification

<b>Skin Corrosion/Irritation</b>	Category 1B
<b>Serious Eye Damage/Irritation</b>	Category 1

### Physical Hazards

<b>Corrosive to Metals</b>	Category 1
----------------------------	------------

### Danger

### **Hazard Statements**

H314 – Causes severe skin burns and eye damage.  
H318 – Causes serious eye damage.  
H290 – May be corrosive to metals.  
EUH 031 – Contact with acids liberates toxic gas.

### Pictograms



### **Precautionary Statements**

P234 – Keep only in original container.  
P405 – Store locked up.  
P260 – Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P301 +P330 + P331 – IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 – IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin.  
P363 – Wash contaminated clothing before reuse.  
P304 + P340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P310 – Immediately call a POISON CENTER or doctor/physician.  
P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P390 – Absorb spillage to prevent material damage.  
P501 – Dispose of contents/container in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act

## Section 03 - Composition / Information on Ingredients

Chemical Name	CAS Number	Weight %	Unique Identifiers
Sodium Hypochlorite Water and/or ingredients not classified as hazardous under the Hazardous Products Regulations	7681-52-9	10-12% 88-90%	None

## Section 04 - First Aid Measures

<b>Inhalation</b>	Can release corrosive chlorine gas. Remove victim to fresh air. Give artificial respiration only if breathing has stopped. If breathing is difficult, give oxygen. DO NOT allow victim to move about unnecessarily. Seek immediate medical attention.
<b>Skin Contact / Absorption</b>	As quickly as possible, flush with lukewarm, gently flowing water for at least 30 minutes. Under running water, remove contaminated clothing, shoes and leather goods. Completely decontaminate clothing, shoes and leather goods before reuse, or discard. Obtain medical advice immediately.
<b>Eye Contact</b>	Flush immediately with lukewarm, gently flowing water for at least 30 minutes. Forcibly hold eyelids apart to ensure complete irrigation of eye tissue. If a contact lens is present, remove only if easy to do so. Seek immediate medical attention.
<b>Ingestion</b>	NEVER give anything by mouth if victim is rapidly losing consciousness, is unconscious or convulsing. Have victim rinse mouth thoroughly with water. Do NOT induce vomiting. Have victim drink 240 to 300 mL (8 to 10 oz.) of water to dilute material in stomach. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth and repeat administration of water. Quickly transport victim to an emergency care facility.
<b>Additional Information</b>	NOTE: This product can release toxic gas. Take proper precautions to ensure your own safety before assisting others. DO NOT allow victim to move about unnecessarily as symptoms of pulmonary edema can be delayed up to 48 hours after exposure.

## Section 05 - Fire Fighting Measures

<b>Suitable Extinguishing Media</b>	Sodium hypochlorite solutions do not burn. Extinguish fire using extinguishing agents suitable for the surrounding fire and not contraindicated for use with sodium hypochlorite. Cool exposed containers with water.
<b>Unsuitable Extinguishing Media</b>	DO NOT use dry chemical fire extinguishing agents containing ammonium compounds (such as some A:B:C agents), since an explosive compound can be formed.
<b>Specific Hazards Arising From the Chemical</b>	Chlorine, hydrogen chloride gas, oxygen gas and disodium oxide. NOTE: releases chlorine when heated above 35°C.
<b>Special Protective Equipment for Fire-Fighters</b>	Wear NIOSH-approved self-contained breathing apparatus and protective clothing. The decomposition products of sodium hypochlorite, such as chlorine and hydrogen chloride are extremely hazardous to health. Do not enter without wearing specialized

protective equipment suitable for the situation. Firefighter's normal protective equipment (Bunker Gear) will not provide adequate protection.

## Further Information

Sodium hypochlorite solutions will not accumulate static charge. Since these solutions do not burn, they will not be ignited by a static discharge. Sodium hypochlorite is not combustible (will not burn). It decomposes when heated, giving off corrosive chlorine gas and hydrogen chloride. Solutions decompose when exposed to sunlight, giving off oxygen gas. However, the amount of oxygen produced is not sufficient to cause combustion. Explosive decomposition may occur under fire conditions and closed containers may rupture violently due to rapid decomposition, if exposed to fire or excessive heat for a sufficient period of time.

## Section 06 - Accidental Release Measures

<b>Personal Precautions / Protective Equipment / Emergency Procedures</b>	Wear appropriate personal protective equipment. Ventilate area. Only enter area with PPE. Stop or reduce leak if safe to do so. Flush with water to remove any residue.
<b>Environmental Precautions</b>	Harmful to aquatic life in very low concentrations. May be dangerous if it enters water intakes. Prevent material from entering sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.
<b>Methods and Materials for Containment and Cleaning Up</b>	<p><b>SMALL SPILLS:</b> Soak up spill with absorbent material which does not react with spilled chemical. Put material in suitable, covered, labelled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product. Small spills of sodium hypochlorite solutions can be broken down by covering it with a reducing agent such as sodium thiosulfate, sodium metabisulfite, or a ferrous salt. With the sulfite or ferrous salt, add some dilute (2 M) sulfuric acid to speed up the reaction. Transfer the mixture into large containers of water and neutralize with soda ash (sodium carbonate).</p> <p><b>LARGE SPILLS:</b> Contact fire and emergency services and supplier for advice.</p>

## Section 07 - Handling and Storage

<b>Precautions for Safe Handling</b>	This material is a CORROSIVE liquid. Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Avoid generating mists. Prevent the release of mists into the workplace air. Inspect containers for damage or leaks before handling. Label containers. Never add water to a corrosive. Always add corrosives to water. When mixing with water, stir small amounts in slowly. Use cold water to prevent excessive heat generation. Never return contaminated material to its original container. Have suitable emergency equipment for fires, spills and leaks readily available.
<b>Conditions for Safe Storage</b>	Store in a cool, dry, well-ventilated area, out of direct sunlight and away from heat sources. Strong solutions (greater than 10% available chlorine) may slowly give off chlorine during storage, especially when warm (above 18°C). Vent caps may be required to prevent a build-up of pressure that could cause containers to burst. Always store in original labelled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible.
<b>Incompatibilities</b>	Keep away from incompatible materials, such as acids, metals, primary or aromatic amines, ammonia and ammonia salts. – see section 10 for more information

## Section 08 - Exposure Controls and Personal Protection

### Exposure Limit(s)

Component	Regulation	Type of Listing	Value
Sodium hypochlorite	AIHA	WEEL-STEL	2mg/m <sup>3</sup> (15 min)
Chlorine	ACGIH	TLV-TWA	0.5 ppm

## Engineering Control(s)

### **Ventilation Requirements**

Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions must be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.

### **Other**

Emergency shower and eyewash must be available and tested in accordance with regulations and be in close proximity.

## Protective Equipment

### **Eyes/Face**

Chemical goggles, full-face shield, or a full-face respirator is to be worn at all times when product is handled. Contact lenses should never be worn; they may contribute to severe eye injury.

### **Hand Protection**

Impervious gloves of chemically resistant material (rubber or PVC) should be worn at all times. Wash contaminated clothing and dry thoroughly before reuse.

### **Skin and Body Protection**

Body suite, aprons, and/or coveralls of chemical resistant material should be worn at all times. Wash contaminated clothing and dry thoroughly before reuse.

Guidelines for sodium hypochlorite, less than 30%:  
RECOMMENDED (resistance to breakthrough longer than 8 hours): Butyl rubber, Natural rubber, Neoprene rubber, Nitrile rubber, Polyethylene, Polyvinyl chloride, Viton(TM), Silver Shield/4H(TM) (polyethylene/ethylene vinyl alcohol), Tychem(TM) SL (Saranex(TM)).

There is evidence that this material can cause serious skin injury (e.g. corrosion or absorption hazard).

Recommendations are NOT valid for very thin natural rubber, neoprene, nitrile and PVC gloves (0.3 mm or less).

Resistance of specific materials can vary from product to product. Breakthrough times are obtained under conditions of continuous contact, generally at room temperature. Evaluate resistance under conditions of use and maintain clothing carefully.

Impervious boots of chemically resistant material should be worn at all times. No special footwear is required other than what is mandated at place of work.

### **Respiratory Protection**

No specific guidelines are available. Contact chemical manufacturer/supplier for advice. Respiratory protection guidelines for chlorine gas are available.

NIOSH RECOMMENDATIONS FOR CHLORINE CONCENTRATIONS IN AIR:

Up to 5 ppm:

(APF = 10) Chemical cartridge respirator\*; SAR\*.

Up to 10 ppm:

(APF = 25) SAR operated in a continuous-flow mode;\* Powered, air-purifying respirator with cartridge(s)\*.

(APF = 50) Chemical cartridge respirator with a full facepiece and cartridge(s); Air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted canister; SCBA with a full facepiece; Full facepiece SAR.

A NIOSH-approved respirator suitable for chlorine is recommended. Where a higher level of protection is required, use a self-contained breathing apparatus.

### **Thermal Hazards**

Not Available

## Section 09 - Physical and Chemical Properties

### Appearance

### **Physical State**

Liquid

### **Colour**

Clear, greenish-yellow solution.

<b>Odour</b>	Strong chlorine odour.
<b>Odour Threshold</b>	Not Available
<b>Property</b>	
<b>pH</b>	13-14
<b>Melting Point/Freezing Point</b>	~ -15°C (12% solution); -6°C (5% solution)
<b>Initial Boiling Point and Boiling Range</b>	Slowly decomposes above 40°C
<b>Flash Point</b>	Not Applicable
<b>Evaporation Rate</b>	Not Available
<b>Flammability</b>	Non-Flammable
<b>Upper Flammable Limit</b>	Not Applicable
<b>Lower Flammable Limit</b>	Not Applicable
<b>Vapour Pressure (mm Hg, 20°C)</b>	12.1 mmHg at 20°C (12.5 wt. %)
<b>Vapour Density (Air=1)</b>	Not Available
<b>Relative Density</b>	Not Available
<b>Solubility(ies)</b>	Completely soluble in water
<b>Partition Coefficient: n-octanol/water</b>	Log $P_{OW}$ = -3.42 (estimated)
<b>Auto-ignition Temperature</b>	Not Applicable
<b>Decomposition Temperature</b>	Slowly decomposes above 40°C
<b>Viscosity</b>	Not Available
<b>Explosive Properties</b>	Pressure buildup in containers could result in an explosion when heated or in contact with acidic fumes. Vigorous reaction with oxidizable organic materials may result in a fire.
<b>Specific Gravity (Water=1)</b>	1.17 at 20°C (12% trade)
<b>% Volatiles by Volume</b>	Not Available
<b>Formula</b>	NaOCl
<b>Molecular Weight</b>	74.44 g/mol

## Section 10 - Stability and Reactivity

<b>Reactivity</b>	Sodium hypochlorite solutions decompose slowly at normal temperatures releasing low concentrations of corrosive chlorine gas. Decomposition is influenced by temperature, concentration, pH, ionic strength, exposure to light and the presence of metals, such as copper, nickel or cobalt, metal oxides, e.g. rust and other impurities, such as acids and amines. Hypochlorites react with urea to form nitrogen trichloride which explodes spontaneously in air.
<b>Stability</b>	Unstable at temperatures above 40°C, in sunlight, and in contact with acid.

<b>Possibility of Hazardous Reactions</b>	Hazardous polymerization will not occur. Reacts exothermically with acids. Reacts with ammonia, amines and ammonia salts to produce chloramines. Decomposes on heating to produce chlorine gas.
<b>Conditions to Avoid</b>	Heat, sunlight, acidic conditions, the presence of metals and other impurities.
<b>Incompatible Materials</b>	Primary amines, aromatic amines, ammonium salts, ammonia, urea, phenylacetonitrile, acids, metals, reducing agents, ethyleneimine, methanol, formic acid, furfuraldehyde, ethanediol, sodium EDTA solution.
<b>Hazardous Decomposition Products</b>	Chlorine (by reaction with acids), oxygen (by reaction with nickel, copper, tin, manganese, iron), sodium chloride, sodium chlorate, with increased temperature.

## Section 11 - Toxicological Information

### Acute Toxicity

Component	Oral LD <sub>50</sub>	Dermal LD <sub>50</sub>	Inhalation LC <sub>50</sub>
Sodium Hypochlorite (12%)	48.3 g/kg (mouse)	83.3 g/kg (rabbit)	43.7 g/m <sup>3</sup> (rat, 4hr)

### Chronic Toxicity – Carcinogenicity

Component	IARC
Sodium Hypochlorite	Group 3: Not classifiable as to its carcinogenicity to humans. [hypochlorite salts]

<b>Skin Corrosion/Irritation</b>	Very dilute solutions have caused negligible irritation, while more concentrated solutions have caused corrosive injury to skin and eyes.
<b>Ingestion</b>	Burning of the mouth and throat, abdominal cramps, nausea, vomiting, diarrhea, shock. May lead to convulsions, coma, and even death.
<b>Inhalation</b>	Irritant of the nose and throat, causing coughing, difficulty breathing, and pulmonary edema.
<b>Serious Eye Damage/Irritation</b>	Very dilute solutions have caused no irritation. More concentrated solutions have caused corrosive injury, which did not heal within 21 days.
<b>Respiratory or Skin Sensitization</b>	Negative results (0/20 guinea pigs sensitized) have been obtained for 8% sodium hypochlorite solution in a skin sensitization test. Insufficient details are available to evaluate a report of a positive result (positive reactions in 2/10 animals) obtained using 6% sodium hypochlorite (pH 11.2) with the guinea pig ear swelling test for non-immunological contact urticaria.
<b>Germ Cell Mutagenicity</b>	The available information does not suggest that sodium hypochlorite is mutagenic.
<b>Reproductive Toxicity</b>	There is insufficient information available to draw conclusions.
<b>STOT-Single Exposure</b>	May cause respiratory irritation.
<b>STOT-Repeated Exposure</b>	Not Available
<b>Aspiration Hazard</b>	Prolonged or repeated overexposure causes lung damage.
<b>Synergistic Materials</b>	Not Available

## Section 12 - Ecological Information

### Ecotoxicity

Component	Toxicity to Algae	Toxicity to Fish	Toxicity to Daphnia and Other Aquatic Invertebrates
Sodium Hypochlorite	EC <sub>50</sub> (Red algae, 96hr): 46mg/L	LC <sub>50</sub> (Salmo gairdneri, 48hr): 0.07mg/L	LC <sub>50</sub> (Daphnia magna, 48hr): 0.032mg/L
Sodium Hydroxide	Not Available	LC <sub>50</sub> (Gambusia affinis, 96hr): 125mg/L	EC <sub>50</sub> (Ceriodaphnia dubia, 48hr): 40.38mg/L

<b>Biodegradability</b>	Not Available
<b>Bioaccumulation</b>	No evidence to support any rating.
<b>Mobility</b>	Not Available
<b>Other Adverse Effects</b>	Not Available

## Section 13 - Disposal Considerations

<b>Waste From Residues/Unused Products</b>	Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.
<b>Contaminated Packaging</b>	Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.

## Section 14 - Transport Information

<b>UN Number</b>	UN 1791
<b>UN Proper Shipping Name</b>	HYPOCHLORITE SOLUTION
<b>Transport Hazard Class(es)</b>	8
<b>Packaging Group</b>	III
<b>Environmental Hazards</b>	Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.
<b>Special Precautions</b>	Not Available
<b>Transport in Bulk</b>	Not Available

<b>TDG</b>	
<b>Other</b>	Secure containers (full and/or empty) with suitable hold down devices during shipment and ensure all caps, valves, or closures are secured in the closed position.

**TDG PRODUCT CLASSIFICATION:** This product has been classified on the preparation date specified at section 14 of this MSDS / SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and/or published test data regarding the classification of this product are listed in the references at section 16 of this MSDS / SDS.

## Section 15 - Regulatory Information

**NOTE: THE PRODUCT LISTED ON THIS SDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS SDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.**

## Section 16 - Other Information

<b>Preparation Date</b>	August 4, 2016
-------------------------	----------------

**Note:** The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

### Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the Canadian Association of Chemical Distributors (CACD) Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data

Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

**References:**

- 1) CHEMINFO
- 2) TOXNET
- 3) eChemPortal
- 4) ECHA
- 5) Transportation of Dangerous Goods Canada
- 6) HSDB
- 7) PAN

**Advance Chemicals Ltd. - Locations**

Corporate Head Office: 1500 Quebec Avenue, Saskatoon, SK, S7K 1V7  
Phone: 1(306) 664 – 2522  
Fax: 1(888) 281-8109

[www.cleartech.ca](http://www.cleartech.ca)

**24 Hour Emergency Number - All Locations – 1(306)664-2522**