

Page: 1 Printed: 02/04/2014

Revision: 02/03/2014 Supersedes Revision: 10/15/2013

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Code:

QS 106 B

**Product Name:** 

Quik-Shield 106 B

Trade Name:

Quik-Shield

Company Name:

SWD URETHANE

539 S. Drew St.

Mesa, AZ 85210,

Web site address:

www.swdurethane.com

**Emergency Contact:** 

CHEMTREC (800) 424-9300

# 2. HAZARDS IDENTIFICATION

Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 5
Skin Corrosion/Irritation, Category 1A

Serious Eye Damage/Eye Irritation, Category 2B

Aquatic Toxicity (Acute), Category 3
Acute Toxicity: Oral, Category 5

Skin Corrosion/Irritation, Category 1B Skin Corrosion/Irritation, Category 1C





GHS Signal Word:

Danger

GHS Hazard Phrases:

H302 - Harmful if swallowed.

H313 - May be harmful in contact with skin.

H316 - Causes mild skin irritation. H320 - Causes eye irritation.

H402 - Harmful to aquatic life. H303+313 - May be harmful if swallowed or in contact with

skin.

H314 - Causes severe skin burns and eye damage.

**GHS Precaution Phrases:** 

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P330 - Rinse

mouth

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases:

No phrases apply.

**GHS Storage and Disposal** 

No phrases apply.

Phrases:



Page: 2

Printed: 02/04/2014 Revision: 02/03/2014 Supersedes Revision: 10/15/2013

Potential Health Effects (Acute and Chronic):

Inhalation:

Causes respiratory tract irritation. Material is extremely destructive to the tissue of the

mucous membranes and upper respiratory tract. Harmful if inhaled. Skin: May be harmful

if absorbed through skin. May cause skin irritation.

Skin Contact:

May be harmful if absorbed through the skin. Causes skin irritation. Causes skin burns.

Causes burns. Skin Absorption: Toxic if absorbed through skin.

Eye Contact:

Causes eye irritation. Causes eye burns. Causes burns.

Ingestion:

Harmful if swallowed. Harmful if swallowed.

Small intestine. Large intestine. Additional Information.

RTECS: QJ6950000

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS # Hazardous Components (Chemical Name)

Concentration

NA

Halogenated Phosphate

40.0 -60.0 %

NA

Amine Catalyst

2.0 -10.0 %

### 4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

In Case of Inhalation:

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

In Case of Skin Contact:

Wash off with soap and plenty of water. Consult a physician. Take off contaminated clothing and shoes immediately. In case of skin contact, flush with copious amounts of

water for at least 15 minutes. Call a physician.

In Case of Eye Contact:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital. In case of contact with eyes, flush with

copious amounts of water for at least 15 minutes. Assure adequate flushing by

separating the eyelids with fingers. Call a physician. In case of contact, immediately flush

eyes with copious amounts of water for at least 15 minutes.

In Case of Ingestion:

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Do NOT induce vomiting. If swallowed, wash out mouth with water

provided person is conscious. Call a physician immediately.

Signs and Symptoms Of

Exposure:

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Material is extremely destructive to tissue of the

mucous membranes and upper respiratory tract, eyes, and skin. Cough,

Headache. Nausea.

Skin rash. Damage to the liver. Asthma. Gastrointestinal disturbances. Inhalation may

result in spasm, inflammation and edema of the larynxand bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and

vomiting. Prolonged or repeated exposure can cause: Central nervous system

depression.

Note to Physician:

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.



Page: 3

Printed: 02/04/2014
Revision: 02/03/2014
Supersedes Revision: 10/15/2013

### 5. FIRE FIGHTING MEASURES

Flash Pt:

No data.

**Explosive Limits:** 

LEL: No data.

UEL: No data.

Autoignition Pt:

No data.

Suitable Extinguishing Media:Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Suitable: For

a. Obe Water spray, any shermoar, sarborr aloxide, or alocher resistant ream. Cartage. Fer

small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide.

For large fires, apply water from as far as possible.

Fire Fighting Instructions:

Wear self contained breathing apparatus for fire fighting if necessary. Protective

Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Emits toxic fumes under fire conditions.

Flammable Properties and

No data available.

Hazards:

### 6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case

Material Is Released Or Spilled: Personal precautions.

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure

adequate ventilation.

Environmental precautions.

Do not let product enter drains.

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in

suitable, closed containers for disposal. Evacuate personnel to safe areas.

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL. PROCEDURE(S) OF

PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

Methods for cleaning up.

Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Wear respirator, chemical safety goggles, rubber boots, and heavy rubber

gloves.

Ventilate area and wash spill site after material pickup is complete.

### 7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Avoid inhalation of vapor or mist.

Normal measures for preventive fire protection. User Exposure: Avoid contact with eyes,

skin, and clothing.

Precautions To Be Taken in

Storing:

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Suitable: Keep

away from heat and open flame. Store in a cool, dry place. Hygroscopic.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS # Partial Chemical Name

**OSHA TWA** 

**ACGIH TWA** 

Other Limits

NA

Halogenated Phosphate

No data.

No data.

No data.

NA

Amine Catalyst

No data.

TLV: 0.05 ppm STEL: 0.15 ppm No data.

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.



Page: 4

Printed: 02/04/2014 Revision: 02/03/2014 Supersedes Revision: 10/15/2013

Respiratory Equipment

(Specify Type):

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government

standards such as NIOSH (US) or CEN (EU). (EU). Hand: Compatible chemical-resistant gloves. is not required. Where protection is desired, use multi-purpose combination (US)

or type ABEK (EN 14387) respirator cartridges.

Eye Protection:

Face shield and safety glasses. Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU). Chemical safety goggles.

Protective Gloves:

Handle with gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Hand: Compatible chemical-resistant gloves. Eyes: Chemical safety goggles.

Other Protective Clothing:

Choose body protection according to the amount and concentration of the dangerous

substance at the work place. Complete suit protecting against chemicals.

**Engineering Controls** (Ventilation etc.):

Use only in a chemical fume hood. Safety shower and eye bath. Mechanical exhaust

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Wash contaminated clothing before reuse.

Discard contaminated shoes. Wash thoroughly after handling.

EXPOSURE LIMITS, RTECS. Country Source Type Value. USA ACGIH TWA 0.05 PPM

[X] Liquid

Remarks: Skin. STEL 0.15 PPM EXPOSURE LIMITS. USA TWA 0.05 ppm USA STEL 0.15 ppm

## 9. PHYSICAL AND CHEMICAL PROPERTIES

[ ] Solid

**Physical States:** 

Appearance and Odor:

[ ] Gas

Viscous.

Musty.

**Melting Point:** 

No data.

**Boiling Point:** 

No data. No data.

Autoignition Pt:

Flash Pt:

No data.

Explosive Limits:

LEL: No data.

UEL: No data.

Specific Gravity (Water = 1): No data.

Vapor Pressure (vs. Air or

No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.

**Evaporation Rate:** 

No data. No data.

Solubility in Water: Percent Volatile:

No data.

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.



Page: 5

Printed: 02/04/2014 Revision: 02/03/2014

Supersedes Revision: 10/15/2013

### 10. STABILITY AND REACTIVITY

Stability:

Unstable [ ] Stable [X]

Conditions To Avoid -

No data available.

Instability:

Incompatibility - Materials To Strong oxidizing agents, acids, Mineral acids, acids (organic, sodium hypochlorite).

Avoid:

Corrodes metal.

Hazardous Decomposition Or formed under fire conditions. Carbon oxides.

Byproducts:

Phosphorous oxides, Hydrogen chloride gas,

Thermal decomposition 244 °C nitrogen oxides (NOx), Carbon monoxide, Carbon

dioxide, Nitrogen oxides, Ammonia, Nitric acid.

Possibility of Hazardous

Will occur [ ]

Will not occur [X]

Reactions:

Conditions To Avoid -

No data available.

Hazardous Reactions:

#### 11. TOXICOLOGICAL INFORMATION

Toxicological Information:

No data available.

CAS# NA:

Irritation or Corrosion:

Acute toxicity, LD50, Oral, Rat, 3600. MG/KG.

Results:

Behavioral: Somnolence (general depressed activity).

Behavioral: Tremor.

Lungs, Thorax, or Respiration:Other changes.

- National Technical Information Service, Vol/p/yr: OTS05, 7713

Acute toxicity, LD50, Intravenous, Mouse, 56.00 MG/KG.

Results:

Behavioral: Food intake (animal).

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

- U.S. Army Armament Research & Development Command, Chemical Systems Laboratory, NIOSH Exchange Chemicals., Aberdeen Proving Ground,, Aberdeen

Proving Ground, MD 21010, Vol/p/yr: NX#, 5768

Skin corrosion/irritation, Skin sensitization, Skin, Rabbit, 0.000, Mild.

Results:

Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Lacrimation.

Behavioral: Tremor.

Lungs, Thorax, or Respiration: Cyanosis. Skin - rabbit - Mild skin irritation - 24 h.

Serious eye damage/eye irritation:

Skin - rabbit - Corrosive.

Eyes - rabbit - Severe eye irritation.

Carcinogenicity/Other

Carcinogenicity.

Information:

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.



Page: 6

Printed: 02/04/2014 Revision: 02/03/2014

Supersedes Revision: 10/15/2013

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
NA	Halogenated Phosphate	n.a.	n.a.	n.a.	n.a.
NA	Amine Catalyst	n.a.	n.a.	n.a.	n.a.

### 12. ECOLOGICAL INFORMATION

No data available.

Persistence and Degradability: No data available. Biodegradability:

Bioaccumulative Potential:

No data available.

Mobility in Soil:

No data available.

#### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Product.

Observe all federal, state, and local environmental regulations. Contact a licensed

professional waste disposal service to dispose of this material.

Contaminated packaging.

Dispose of as unused product. Offer surplus and non-recyclable solutions to a licensed disposal company. APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION. This combustible material may be burned in a chemical incinerator

equipped with an afterburner and scrubber.

#### 14. TRANSPORT INFORMATION

**GHS Classification:** 

Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed

Acute Toxicity: Skin, Category 5 - Warning! May be harmful in contact with skin Skin Corrosion/Irritation, Category 1A - Danger! Causes severe skin burns and eye

damage

Serious Eye Damage/Eye Irritation, Category 2B - Warning! Causes eye irritation

Aquatic Toxicity (Acute), Category 3 - Harmful to aquatic life

Acute Toxicity: Oral, Category 5 - Warning! May be harmful if swallowed

Skin Corrosion/Irritation, Category 1B - Danger! Causes severe skin burns and eye

damage

Skin Corrosion/Irritation, Category 1C - Danger! Causes severe skin burns and eye

damage

#### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** 

**DOT Hazard Class:** 

**UN/NA Number:** 

#### LAND TRANSPORT (Canadian TDG):

**TDG Shipping Name:** 

**UN Number:** 

Hazard Class:

TDG Classification:

#### LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name:

Not dangerous goods.

UN Number:

Hazard Class:



Page: 7 Printed: 02/04/2014

Revision: 02/03/2014 Supersedes Revision: 10/15/2013

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name:

Not dangerous goods.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name:

UN Number: 2927 Hazard Class: 6.1 Packing Group: II. Non-Hazardous for Air

Transport: Non-hazardous for air transport. Not dangerous goods.

#### 15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name)

S. 302 (EHS)

S. 304 RQ

S. 313 (TRI)

NA

Halogenated Phosphate

No

No

No

NA

Amine Catalyst

Amine Catalyst

No

No

No

CAS#

Hazardous Components (Chemical Name)

Other US EPA or State Lists

NA

NA

Halogenated Phosphate

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory, 8D

TERM; CA PROP.65: No; CA TAC, Title 8: No; MA

Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 3195; NY Part

597: No; PA HSL: No; SC TAP: No; WI Air: Yes

CAS#

Hazardous Components (Chemical Name)

International Regulatory Lists

NA

Halogenated Phosphate

Canadian DSL: Yes; Canadian NDSL: No

NA

Amine Catalyst

Canadian DSL: Yes; Canadian NDSL: No

Regulatory Information:

This product contains no chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 40

CFR part 372.

#### **16. OTHER INFORMATION**

Revision Date:

02/03/2014

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

While the information and recommendations in this publication are given to the best of our knowledge, and information at the date of publication, nothing herein is to be construed as a warranty, expressed or otherwise. In all cases, it is the responsibility of the user to determine the applicability of such information, and recommendations or the suitability of any product for its own particular purpose.

The product may present hazards and should be used with caution. While certain hazards are described in this Safety Data Sheet, no guarantee is made that these are the only hazards that exist. Hazards, toxicity and behavior of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behavior should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED SWD EMPLOYEE SHALL PROVIDE, OR MAKE AVAILABLE, DATA SHEETS FOR SWD PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS.

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.



Page: 8 Printed: 02/04/2014

Revision: 02/03/2014

Supersedes Revision: 10/15/2013

WITHOUT THE WRITTEN PERMISSION OF SWD. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET OR QUESTIONS REGARDING THIS DATA SHEET SHOULD BE DIRECTRED TO SWD AT 800-828-1394.

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.