

Walter Kidde Portable Equipment Inc.

1394 South Third Street Mebane, NC 27302 919-304-5911

MATERIAL SAFETY DATA SHEET Kidde BC Fire Extinguisher

RODUCT AND COMPANY IDENTIFICATION		
Kidde BC Fire Extinguisher		
N/A		
N/A It is a mixture		
BCM Fire extinguishing powder REGULAR STEARATED dry chemical powder		
KIDDE DE MEXICO		
Av. División del Golfo 3308 Nte. 87019 Cd. Victoria, Tamaulipas, MÉXICO		
+52 (1) 313-03-03 / +52 (1) 313-03-01		
September 5, 2001		

		SECTION 2 - COMPOSITION AND INFORMATION ON INGREDIENTS				
CHEMICAL NAME	CAS N°	% w/w	OSHA PEL mg/m ³	ACGIH TLV mg/m ⁹	TOXICITY	
Sodium bicarbonate	144-55-8	90 - 94	NONE	15	NONE	
Mica	12001-26-2	2-5	5	10	NONE	
Attapulgus clay	8031-18-3	0-2	NONE	NONE	NONE	
Amorphous silica	7631-86-9	0.1 - 0.5	6	10	NONE	
Calcium Stearate	66071-81-6	1-3	NONE	NONE	NONE	

SEC	TION 3 F	PHYSICAL AND CHE	MICAL CHA	RACTERISTICS	
Boiling point, °C:	N/A	Specific gravity (H ₂ 0=1)		Viscosity @ 20°C:	N/A
Vapor pressure, mm Hg:	N/A	Percent volatile by volume:	N/A	Melting point, °C:	270
Vapor density (Air=1):	N/A	Evaporation rate (Butyl acetate=1)	. N/A	Solubility in water:	16.4 g/100g
Reactivity in water:	Unreactive	Appearance and odor:	Odorless, fine off white powder		

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA			
Flash point: N/A	Flammable limits in N/A air, % by volume	Auto-ignition N/A temperature:	
Extinguishing media:	N/A - The product is a fire extinguishing agent		
Unusual fire and explosion hazards:	NONE		
Special fire fighting procedures:	The material is a fire extinguishing agent and will not burn. However, if other materials are involved, use standard chemical fire fighting procedures and consider the hazards of those materials. In enclosed areas, fire fighters must wear self-contained breathing apparatus and full protective equipment		

SECTION 5 REACTIVITY DATA					
Stability:	Stable	Conditions to avoid:	Extreme heat	Hazardous polymerization:	Will not occur
Incompatibility (ma avoid):	iterials to	Strong acids. Do not mix with ABC type dry chemical extinguishing agents.			
Hazardous decomp products:	osition	Carbon dioxide.			

SECTION 6 - HEALTH HAZARD DATA			
Threshold limit value:	ACGIH TLV for particulates not otherwise classified: 10 mg/m³ OSHA PEL for nuisance dust limit total: 15 mg/m³		
Routes of entry:	Inhalation: YES; may be irritant to the respiratory tract. Eye contact: YES; mildly irritant for a short period. Skin contact: YES; may be mildly kritating. Ingestion: NOT an expected route of entry.		
Signs and symptoms of overexposure:	Acute: Translent cough, shortness of breath, Irritation of airways. Chronic: This product is not known to cause chronic illness.		
Medical conditions generally aggravated by exposure:	Asthma, emphysema, bronchitis or other respiratory illness.		
Chemical listed as carcinogen or potential:	NTP program; No IARC monographs: No OSHA: No		
Emergency and first aid procedures:	Eye contact: Flush with large amounts of water for at least 15 minutes. If irritation persists, seek medical attention. Skin contact: Wash with soap and water. If irritation persists, seek medical attention. Inhalation: Move victim to fresh air. Seek medical attention if discomfort continues. Ingestion: Rinse mouth, drink large amounts of water and induce vomiting Seek medical help.		

SECTION 7 - SPECIAL PRECAUTIONS AND SPILL / LEAK PROCEDURES		
Precautions to be taken in place away from acidic compounds. Wash after handling. Do not cu weld or drill on or near product containers. Treat empty containers were full.		
Other precautions:	Do not mix with acidic materials.	
Steps to be taken in case materials is released or spilled:	Sweep up or vacuum. Store in covered containers. Do not reuse. In case of large spills, use rubber gloves, chemically resistant suit and boots, hard hat and air purifying respirator.	

	Total and a second larger with least state and fortunal regulations
	Dispose of in compliance with local, state and federal regulations.
Manha diemoral malhadi	To the second se
Waste disposal method:	Components are non hazardous, sanitary landfill disposal may be acceptable
,	Companients are non nazaluvas, sameny landini disposal may be acceptable

SECTION 8 - SPECIAL PROTECTION INFORMATION			
Respiratory protection: Dust mask where dustiness is prevalent or TLV exceeded. Mechanical respirator if exposure is prolonged.			
Ventilation:	Use adequate ventilation. Use fan or vent to outside.		
Protective gloves:	Wear rubber gloves for coutine industrial use.		
Eye protection:	Recommended as mechanical barrier for prolonged exposure. Safety glasses or chemical type goggles.		
Other protective equipment:	If irritation occurs, long sleeves and impervious gloves should be worn.		
Work / Hyglenic practices:	Use good personal hygiene and good housekeeping practices. Avoid breathing of dust. Wash with soap and water.		

SECTION 9 - REGULATORY INFORMATION						
HAZARDOUS MATERIAL IDENTIFICATION SYSTEM RATINGS						
HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0						
HAZARD INDEX: 0 Minimal hazard; 1 Slight hazard; 2 Moderate hazard; 3 Serious hazard; 4 Severe hazard						
SHIPPING INFORMATION						
DOT Shipping Name:	Fire Extinguishers	DOT Hazard Class:	2.2 (Nonflammable			
	Compressed Gas)					
DOT ID Number:	UN1044	Packing Group:	N/A			

GENERAL KEYS:

N/A: Not applicable. NDA: No data available.

The information herein is given in good faith. It is based on available data and is believed to be true and accurate, but no warranty, expressed or implied, is made. Therefore, WALTER KIDDE PORTABLE EQUIPMENT INC. assumes NO responsibility for damage or injury from the use of the product described herein.