



MATERIAL SAFETY DATA SHEET

KEM CANADA MFG.
4 BLAIR DRIVE
BRAMPTON, ONTARIO
L6T 2H5
TEL# (905) 456-9444

EMERGENCY # CANUTEC (613) 996-6666
"USE IN CASE OF CHEMICAL EMERGENCY ONLY"

W.H.M.I.S. CLASSIFICATION: D2B, E

MATERIAL REFERENCE NO: 526800

SECTION I - MATERIAL IDENTIFICATION AND USE

MATERIAL NAME/I.D.: KEMTREET CSL 268

| CHEMICAL NAME : NOT APPLICABLE | CHEMICAL FAMIL



MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 526800

SECTION IV - FIRE AND EXPLOSION HAZARD OF MATERIAL

FLAMMABILITY: NON-FLAMMABLE			
IF YES, UNDER WHICH CONDITIONS:			
MEANS OF EXTINCTION: AS FOR SURROUNDING MATERIALS.			
SPECIAL PROCEDURES: WEAR FULL PROTECTIVE EQUIPMENT INCLUDING SELF-			
CONTAINED BREATHING APPARATUS FOR ALL CHEMICAL FIRES.			
FLASH POINT (C) AND METHOD: NONE (TCC)			
HAZARDOUS COMBUSTION PRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE,			
OXIDES OF NITROGEN.			
UPPER EXPLOSION LIMIT	LOWER EXPLOSION LIMIT	AUTOIGNITION TEMP (C)	
NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	
EXPLOSION DATA SENSITIVITY			
TO CHEMICAL IMPACT			
NOT APPLICABLE	NOT APPLICABLE	NOT APPLICABLE	
SENSITIVITY TO STATIC DISCHARGE:			
NOT APPLICABLE			

SECTION V - REACTIVITY DATA

CHEMICAL STABILITY: STABLE			
IF NO, UNDER WHICH CONDITIONS:			
INCOMPATIBILITY TO OTHER SUBSTANCES: YES			
IF SO, WHICH ONES: ACIDS, STRONG OXIDIZERS AND STRONG ACIDS.			
REACTIVITY AND UNDER WHAT CONDITIONS: NOT ESTABLISHED			
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.			
HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION CAN			
RELEASE OXIDES OF CARBON AND NITROGEN.			

SECTION VI - HEALTH HAZARD DATA

ROUTE OF ENTRY:			
SKIN CONTACT: YES	SKIN ABSORPTION: NO	EYE CONTACT: YES	
INHALATION: YES	INGESTION: YES		



MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 526800

|EFFECTS OF ACUTE EXPOSURE TO MATERIAL: |
|EYES-CONTACT CAN CAUSE MILD TO MODERATE IRRITATION. |
|SKIN-CONTACT CAN CAUSE IRRITATION |
|INHALATION-EXCESSIVE INHALATION OF MISTS OR VAPOURS CAN CAUSE |
| IRRITATION OF RESPIRATORY TRACT. |
|INGESTION-CAN CAUSE IRRITATION OF GASTROINTESTINAL TRACT, NAUSEA, |
| VOMITING. |
|

|EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: |
|EYES: EXCESSIVE AND REPEATED CONTACT MAY CAUSE EYE DAMAGE. |
| |
| |
|

|LD 50 OF MATL. |LC 50 OF MATL. |EXPOSURE LIMIT(S) |IRRITANCY OF MATL |
| 15,600 (CALC.) | NOT AVAILABLE | NOT AVAILABLE | SKIN AND EYE |

|SENSITIZATION OF MATERIAL | SYNERGISTIC MATERIALS |
| NOT AVAILABLE | NOT AVAILABLE |

|CARCINOGENICITY, REPRODUCTIVE EFFECTS, TERATOGENICITY, MUTAGENICITY |
|NONE KNOWN |
| |
| |
|

SECTION VII - PREVENTIVE MEASURES

|PERSONAL PROTECTIVE EQUIPMENT: |

| GLOVES: RUBBER OR PLASTIC |
|RESPIRATORY: NONE REQUIRED |
| EYE: SAFETY GLASSES |
| FOOTWEAR: IMPERMEABLE |
| CLOTHING: IMPERMEABLE |
| OTHER: EYE WASH AND SAFETY SHOWER |
|ENGINEERING CONTROLS (EG VENTILATION, ENCLOSED PROCESS): GENERAL |
| IS SUFFICIENT. |

|LEAK AND SPILL PROCEDURE: CONTAIN SPILL. TRANSFER TO SUITABLE |
|CONTAINER FOR RECLAIM OR DISPOSAL. ABSORB RESIDUE ONTO INERT |
|ABSORBENT AND SCOOP INTO CONTAINER FOR DISPOSAL. |
| |
|

|WASTE DISPOSAL: |
| DISPOSE OF IN ACCORDANCE WITH FEDERAL, PROVINCIAL AND LOCAL |
| REGULATIONS. |
|



MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 526800

SECTION VIII - FIRST AID MEASURES

PROCEDURES:
EYES-FLUSH WITH RUNNING WATER FOR 15 MINUTES. IF IRRITATION PERSISTS GET MEDICAL ATTENTION.
SKIN-FLUSH AFFECTED AREA WITH RUNNING WATER FOR 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. LAUNDER CLOTHING BEFORE REUSE.
INHALATION-REMOVE TO FRESH AIR.
INGESTION-If INGESTED, DO NOT INDUCE VOMITING. GIVE LARGE AMOUNTS OF WATER TO DILUTE STOMACH CONTENTS. DO NOT GIVE FLUIDS IF PERSON IS UNCONSCIOUS OR CONVULSING. GET MEDICAL ATTENTION.

SOURCES USED: RAW MATERIAL SUPPLIER'S MATERIAL SAFETY DATA SHEETS

ADDITIONAL INFORMATION: NONE

SECTION IX - TDG SHIPPING INFORMATION

SHIPPING NAME	CLASS	UN NO.	PACKING GROUP
NOT REGULATED			

HANDLING PROCEDURES AND EQUIPMENT: AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH THOROUGHLY AFTER HANDLING.

STORAGE REQUIREMENTS: STORE IN A COOL, DRY AREA.

SPECIAL SHIPPING INFORMATION: HEATED

SECTION X - HMIS HAZARD RATING INFORMATION

FLAMMABILITY	REACTIVITY	HEALTH
0	0	1

SECTION XI - PREPARATION DATE OF MSDS

PREPARED BY: TECHNICAL DEPARTMENT TELEPHONE # (905) 456-9444
REVIEWED: OCTOBER 10, 2009

DISCLAIMER:

THE INFORMATION CONTAINED HEREIN IS COMPILED FROM SOURCES BELIEVED TO BE RELIABLE. THE MANNER AND CONDITIONS OF USE AND HANDLING MAY INVOLVE OTHER AND ADDITIONAL CONSIDERATIONS. WE ACCEPT NO RESPONSIBILITY FOR THE ACCURACY, SUFFICIENCY, RELIABILITY OR FOR ANY LOSS OR INJURY RESULTING FROM THE USE OF THE INFORMATION.