

MATERIAL SAFETY DATA SHEET

Section 1. Product and Company Identification

Product Name: Nail Tek Anti-Fungal Kit (Anti Fungal) DATE: 9/13/2012
 Formula: 87-9596 REV. 00
 Item#: 55589 (824069); 55519 (824129), NK33000

Manufacturer: American International Industries
 2220 Gaspar Ave
 Los Angeles, CA 90040
 Chem-Tel: (800) 255-3924

Section 2. Composition / Information on Ingredients

Composition:

Component	CAS #	%	Exposure Limits
Isopropyl Alcohol	67-30-0	20 - 30%	ACGIH TVL/TWA: 400 ppm ACGIH TVL/STEL: 500 ppm OSHA PEL/TWA: 400 ppm OSHA TEL STEL: 500 ppm
Benzyl Alcohol	100-51-6	35 - 45%	None Established
Water (Aqua, Eau)	7732-18-5	30 - 40%	None Established
Acetic Acid	64-19-7	1 - 5%	None Established
Miconazole Nitrate	22832-87-7	1 - 5%	None Established
Laureth-4	5274-68-0	1 - 5%	None Established

Section 3. Hazardous Identification

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Eyes, skin or inhalation

Eye: A primary route of exposure that will cause eye irritation characterized by excessive tearing, redness and blinking.

Skin: Irritating due to defatting action on skin. Causes redness, pain, drying and cracking of the skin.

Ingestion: Gastro intestinal distress, call a physician.

Inhalation: May cause nose and throat irritation.

Target Organs: This material or its emissions may affect mucous tissue and/or aggravate mucous membrane disfunction.

MATERIAL SAFETY DATA SHEET

Health Hazards (Resulting From Misuse or Overexposure): < 1000ppm chronic overexposure can be irritating to mucosal membranes. Prolonged overexposure may cause coughing, headaches, shortness of breath, dizziness, intoxication, anesthesia, drowsiness, unconsciousness, and other central nervous system effects, including death.

Section 4. First Aid Measures

First Aid for Eye: Immediately rinse with clean water for 20-30 minutes. Retract eyelids often. Obtain emergency medical attention.

First Aid for Skin: Remove contaminated clothing. Wash skin thoroughly with mild soap/water. Flush with lukewarm water for 15 minutes. If sticky, use waterless cleaner first. Get medical attention if irritation develops.

First Aid for Inhalation: If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person quiet, and get medical attention.

First Aid for Ingestion: In case of accidental ingestion, consult a physician.

Section 5. Fire Fighting Measures

Flash Point (°F/°C): 27.78°C (82°F) Tag Closed Cup

Flammable Limit (vol%): LEL: 2.00%
UEL: 12.7%

Auto-ignition Temp. (vol%): Not available

Extinguisher Media: Foam, dry chemical, carbon dioxide

Special Fire Fighting Procedures:: Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode. Fight fires from a safe distance/protected location. Heat may build pressure/rupture closed containers, spreading fire. Water may be ineffective in firefighting due

Unusual Fire and Explosion Hazards: Flammable. Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Never use a welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.

Section 6. Accidental Release Measures

MATERIAL SAFETY DATA SHEET

Spill or Release Procedures: Release causes immediate fire/explosion hazard. Liquids/vapors may ignite. Evacuate/limit access. Equip respondents with proper protection. Extinguish all ignition sources. Stop release, prevent flow sewers/public waters. Restrict water use for cleanup. Notify fire/environmental authorities. Impound/recover large land spill. Blanket with fire fighting foam. Soap up small spill with inert solids. Use suitable disposal containers. On water, material is soluble and may float or sink. May biodegrade. Contain and minimize dispersion; collect. Disperse residue. Report per regulatory requirements.

Waste Disposal Methods: Contaminated product/soil/water may be RCRA/OSHA hazardous waste due to potentially low flash point. Landfill solids at permitted sites. Use registered transporters. Burn concentrated liquids in systems compatible with water soluble wastes. Avoid flameouts. Assure emissions comply with applicable regulations. Dilute aqueous waste. May biodegrade. Avoid overloading/poisoning plant biomass. Assure affluent complies with applicable regulations.

Section 7. Handling and Storage

Handling & Storing: Taken in Handling and Storage: This liquid is volatile and gives off invisible vapors. Either the liquid or vapor may settle in low areas or travel some distance along the ground or surface to ignition sources where they may ignite or explode.

Section 8. Exposure Controls / Personal Protective Equipment

Ventilation System: Local exhaust

Respiratory Protections (Specific Type): If workplace exposure limit(s) of product or any component is exceeded (see Section I), a NIOSH/MSHA approved respiratory protection equipment as specified in the NIOSH/OSHA 1981 Occupational Health Guidelines for Chemical Hazards..

Skin Protection: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Neoprene and nitrile rubber are recommended materials.

Eye Protection: Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

Other Protective Clothing and Hygienic Work Practices: Emergency eye wash fountain should be available. Impervious clothing and boots.

Good Manufacturing Practices. Wash hands and other exposed areas with mild soap and water before eating drinking, smoking, and when leaving work.

Section 9. Physical and Chemical Properties

Appearance @ 25°C: Clear Liquid

Viscosity (RVT): Not applicable

MATERIAL SAFETY DATA SHEET

Odor @ 25°C:	Ester sweet	Vapor Pressure:	44mmHg @ 20°C
pH	Not applicable	Vapor Density:	2.1 (air=1)
Specific Gravity:	0.96	Evaporation Rate:	2.83 (NBA = 1)
Ignition:	Not applicable		
Melting Point:	Not applicable		
Boiling Point:	83°C (181°F)		
Solubility in Water	Negligible		

Section 10. Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage. Heat and sunlight can contribute to instability.

Hazardous Decomposition Products:

Incomplete combustion may yield carbon monoxide and carbon dioxide, other toxic gases and acrid fumes.

Incompatibility (Materials to Avoid):

Strong oxidizers, open flame/sparks, aluminum metal, nitroform, oleum.

Hazardous Polymerization:

Will not occur.

Conditions to Avoid: High temperatures. Strong oxidizing conditions.

Section 11. Toxicological Information

Acute Oral Toxicity: No data available

Acute Toxicity to Invertebrates:

No data available

Acute Toxicity to Algae:

No data available

Irritation - Skin: No data available

Irritation - Eye: No data available

Sensitization: No data available

Mutagenicity: None

Sub-chronic Toxicity: None

MATERIAL SAFETY DATA SHEET

Section 12. Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish:

No data available

Acute Toxicity to Invertebrates:

No data available

Acute Toxicity to Algae:

No data available

Bioconcentration: No data available

Toxicity to Sewage Bacteria:

No data available

Chemical Fate Information:

Biodegradability: No data available

Chemical Oxygen Demand:

No data available

Section 13. Disposable Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved incinerator or disposed in a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section 14. Transportation Information

<DOT Information>

Proper Shipping Name (49CFR 172.101):	Alcohols, n.o.s.
Hazard Class:	3
UN/NA:	UN1987
Packing Group:	III


Section 15. Regulatory Information

Regulatory information available upon request.

MATERIAL SAFETY DATA SHEET

Section 16. Other Information

Additional information available upon request.



American International Industries

Material Safety Data Sheet

Section 1. Chemical Product and Company Identification

Common Name	Nail Tek Anti Fungal Nail Kit Renew	Item Number: 55589 (824069): 87-9483
Supplier	American International Industries 2220 Gaspar Avenue Los Angeles, CA 90040	Bulk Number: 30-9725
Synonym	Cuticle Oil	Validation Date: 09-13-12
Trade Name	Nail Tek RENEW	Revision: 00
		Chem-Tel: (800) 255-3924

Section 2. Composition, Information on Ingredients

Name	CAS#	% by Weight	Exposure Limits - PPM	
			ACGIH-TWA	OSHA-PEL
1) Carthamus Tinctorius (Safflower) Oil	8001-23-8	35 – 45	Not Hazardous	
2) Prunus Amygdalus Dulcis (Sweet) Almond Oil	8007-69-0	35 – 45		
3) Prunus Armeniaca (Apricot) Kernel Oil	72869-69-3NA	5 – 20		
4) Simmondsia Chinensis (Jjoba) Oil	61789-91-1NA	5 – 10		
5) Glycine Soja (Soybean) Oil	8001-22-7NA	1 – 5		
6) Melaleuca Alternifolia (Tea Tree) Leaf Oil	8022-72-8NA	0.5 – 5		
7) Citrus Grandis (Grapefruit) Peel Oil	8016-20-4	1 – 5		
8) Tocopheryl Acetate (Vitamin E)	7695-91-2	0.1 – 1		
9) Methylparaben	99-76-3	0.01 – 0.4		
10) BHT	128-37-0	0.01 – 0.05		
11) Green 6 CI 61565	128-80-3	<0.1		

Continued on Next Page

Section 3. Hazards Identification

Physical State and Appearance	Green Liquid
Emergency Overview	This product does not contain any hazardous ingredients.
Routes of Entry	Eye contact. Inhalation. Ingestion.
Potential Acute Health Effects	<p><i>Eyes</i> Avoid contact with eyes.</p> <p><i>Skin</i> None</p> <p><i>Inhalation</i> Do not inhale.</p> <p><i>Ingestion</i> Do not swallow or put into mouth, nose or ears.</p>
Potential Chronic Health Effects	No Known Carcinogen
Medical Conditions Aggravated by Overexposure: Overexposure/Signs/Symptoms See Toxicological Information/ (section 11)	Due to the small quantity of material in each package, this product is unlikely to cause adverse symptoms.

Section 4. First Aid Measures

Eye Contact	Flush immediately with plenty of water, having individual roll eyes for at least 15 minutes. If irritation persists call Physician.
Skin Contact	None
Inhalation	Not available
Ingestion	Not available
Notes to Physician	Not available

Continued on Next Page

Section 5. Fire Fighting Measures

Flammability of the Product	None Allocated
Auto-Ignition Temperature	Not established
Flash Points	Not Flammable
Flammable Limits	Not Flammable
Products of Combustion	Noncombustible
Fire Hazards in Presence of Various Substances	Not Flammable
Explosion Hazards in Presence of Various Substances	Not Flammable
Fire Fighting Media and Instructions	Carbon Dioxide (CO2), Dry Chemical, Foam, Halon and Water Spray (for cooling).
Protective Clothing (Fire)	Not Applicable
Special Remarks on Fire Hazards	Not Applicable
Special Remarks on Explosion Hazards	Not Applicable

Section 6. Accidental Release Measures

Small Spill and Leak	Mop and flush with water and a mild detergent. Floors can be slippery when wet.
Large Spill and Leak	Mop and flush with water and a mild detergent. Floors can be slippery when wet.

Section 7. Handling and Storage

Handling	All employees who handle this material should be trained to handle it safely. Observe label precautions. Wash thoroughly after using this product. Open containers slowly on a stable surface. Keep container closed when not in use. Empty containers may contain residual amounts of this product therefore; follow applicable State or local household hazardous waste laws.
Storage	Store product in a dry, cool location away from sources of heat and direct sunlight. Inspect all incoming containers to ensure product isn't damaged. Make sure proper fire extinguishers are available.

Continued on Next Page

Section 8. Exposure Controls, Personal Protection

Engineering Controls Ensure that eyewash stations and safety showers are proximal to the work station location. Do not cut, weld, drill or grind on or near containers.

Personal Protection

Eyes	Not applicable
Body	Not applicable
Respiratory	Not applicable
Hands	Not applicable
Feet	Not applicable

Protective Clothing (Pictograms)

Personal Protection in Case of a Large Spill Not applicable

Product Name	Exposure Limits - PPM	
	ACGIH-TWA	OSHA-PEL
1) Carthamus Tinctorius (Safflower) Oil		
2) Prunus Amygdalus Dulcis (Sweet) Almond Oil		
3) Prunus Armeniaca (Apricot) Kernel Oil		
4) Simmondsia Chinensis (Jojoba) Oil		
5) Glycine Soja (Soybean) Oil		
6) Melaleuca Alternifolia (Tea Tree) Leaf Oil		
7) Citrus Grandis (Grapefruit) Peel Oil		
8) Tocopheryl Acetate (Vitamin E)		
9) Methylparaben		
10) BHT		
11) Green 6 CI 61565		

Consult local authorities for acceptable exposure limits.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Green Liquid
Molecular Formula	Not applicable
PH (1% Soln/Water)	Not applicable
Boiling/Condensation Point	Not applicable
Melting/Freezing Point	Not available
Critical Temperature	Not available
Specific Gravity	0.9131
Vapor Pressure	Not available
Vapor Density	Not applicable
Volatility	Not flammable

Odor	Fragranced
Taste	Not Available
Color	Green

Continued on Next Page

Odor Threshold	Not available
Evaporation Rate	Not applicable
VOC	Not available
Viscosity	Not available
Log K _{ow}	Not available
Iconicity (in Water)	Not available
Dispersion Properties	Not available
Solubility	Insoluble
Physical Chemical Comments	Not available

Section 10. Stability and Reactivity

Stability and Reactivity	Stable
Conditions of Instability	Do not store over 120 Degrees F (48 Deg C).
Incompatibility with Various Substances	None known
Hazardous Decomposition Products	None
Hazardous Polymerization	Will not occur

Section 11. Toxicological Information

Toxicity to Animals	No data available as yet.
Chronic Effects on Humans	No known carcinogen
Other Toxic Effects Humans	Not available
Special Remarks on Toxicity to Animals	No additional remarks
Special Remarks on Chronic Effects on Humans	Not available
Special Remarks on Other Toxic Effects on Humans	No additional remarks

Continued on Next Page

Section 12. Ecological Information


Environmental Stability	Stable
Ecotoxicity	Not available
BOD5 and COD	Not available
Biodegradable /OECD	Not available
Mobility	Not available
Products of Degradation	Not available

Toxicity of the Products of Biodegradation	Not available
Special Remarks on the Products of Biodegradation	All work practices must be aimed at eliminating environmental contamination.

Section 13. Disposal Considerations

Waste Information	HOUSEHOLD WASTES: Follow applicable local and state household waste regulations. The regulations of U.S. EPA's Resource Conservation or Recovery Act are not applicable to household consumers. NON-CONSUMER WASTES: Waste disposal must follow U.S. Federal, State and Local regulations or Local Foreign Government applicable regulations.
Waste Stream	Not available
Consult your local or regional authorities.	

Section 14. Transport Information

DOT Classification	Toilet Preps	
	None Allocated	
Marine Pollutant	None known	
Special Provision for Transport	Not applicable	
ADR/RID Classification	Not available	
IMO/IMDG Classification	None Allocated	
ICAO/IATA Classification	None Allocated	

Section 15. Regulatory Information

HCS Classification	None Allocated
U.S. Federal Regulations	Not available

Continued on Next Page


International Regulations	
EINECS	Not available
DSDL (EEC)	Not applicable
International Lists	Not available
State Regulations	No products were found. California prop. 65: No products were found.

Section 16. Other Information

Hazardous Material Information System (USA)



National Fire Protection Association (U.S.A)



References Not available

Other Special Considerations Not available

Validated by Company on 11/30/2002 Verified by Company

Printed 6/12/2003

Nail Tek-Prima Technologies, Inc. 1-631-366-0500 Monday – Friday, 9:00 am – 5:00 pm EST

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.