



MATERIAL SAFETY DATA SHEET

KEM CANADA MFG.
4 BLAIR DRIVE
BRAMPTON, ONTARIO
L6T 2H5
TEL# (905) 456-9444

EMERGENCY # CANUTEC (613) 996-6666
"USE IN CASE OF CHEMICAL EMERGENCY ONLY"

W.H.M.I.S. CLASSIFICATION:
B2, D1B, D2A, E

MATERIAL REFERENCE NO: 578700

SECTION I - MATERIAL IDENTIFICATION AND USE

MATERIAL NAME/I.D.: KEMTREET RT 787	
CHEMICAL NAME : NOT APPLICABLE	CHEMICAL FAMILY : ALKALINE BLEND
CHEMICAL FORMULA: MIXTURE	MOLECULAR WEIGHT: NOT APPLICABLE
SYNONYMS: NONE	
MATERIAL USE: RETURN LINE TREATMENT	

SECTION II - HAZARDOUS INGREDIENTS OF MATERIAL

HAZARDOUS INGREDIENTS	APPROX. % CONCENT.	TLV PPM	C.A.S. N.A. U.N. NUMBERS	LD 50 ORAL, RAT	
MORPHOLINE	3.0-7.0	20	110-91-8	1450 MG/KG	
CYCLOHEXYLAMINE	5.0-15.0	10	108-91-8	156 MG/KG	

SECTION III - PHYSICAL DATA FOR MATERIAL

PHYSICAL STATE: LIQUID			
ODOUR AND APPEARANCE: CLEAR, AMBER LIQUID; AMINE ODOUR.			
ODOUR THRESHOLD (PPM)	SPECIFIC GRAVITY	VAPOUR PRESSURE (MM)	
0.1	0.985	NOT AVAILABLE	
VAPOUR DENSITY (AIR=1)	EVAPORATION RATE	SOLUBILITY IN WATER	
NOT ESTABLISHED	NOT ESTABLISHED	(20øC) COMPLETE	
BOILING POINT (C)	FREEZING POINT (C)	% VOLATILE (BY WEIGHT)	
100 (EST.)	NOT AVAILABLE	100	
pH (10% SOLUTION)	DENSITY (G/ML)	COEF.OF WATER/OIL DISTR	
10.5-11.5	NOT APPLICABLE	NOT AVAILABLE	



MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 578700

SECTION IV - FIRE AND EXPLOSION HAZARD OF MATERIAL

FLAMMABILITY: FLAMMABLE			
IF YES, UNDER WHICH CONDITIONS: VAPOURS MAY BE FLAMMABLE.			
MEANS OF EXTINCTION: ALCOHOL FOAM, CO2, WATER FOG.			
SPECIAL PROCEDURES: WEAR FULL PROTECTIVE GEAR INCLUDING SELF-			
CONTAINED BREATHING APPARATUS. VAPOURS ARE HEAVIER THAN AIR AND MAY			
TRAVEL TO IGNITION SOURCE AND FLASH BACK.			
FLASH POINT (C) AND METHOD: MINIMUM 31.7 (C)			
HAZARDOUS COMBUSTION PRODUCTS: MAY EVOLVE NITROGEN OXIDES, SMOKE,			
SOOT, CARBON DIOXIDE, CARBON MONOXIDE, AMMONIA, FORMALDEHYDE,			
ACETALDEHYDE.			
UPPER EXPLOSION LIMIT LOWER EXPLOSION LIMIT AUTOIGNITION TEMP (C)			
NOT AVAILABLE NOT AVAILABLE NOT AVAILABLE			
EXPLOSION DATA SENSITIVITY RATE OF BURNING EXPLOSIVE POWER			
TO CHEMICAL IMPACT			
NOT AVAILABLE NOT AVAILABLE NOT AVAILABLE			
SENSITIVITY TO STATIC DISCHARGE: NOT AVAILABLE			

SECTION V - REACTIVITY DATA

CHEMICAL STABILITY: STABLE			
IF NO, UNDER WHICH CONDITIONS:			
INCOMPATIBILITY TO OTHER SUBSTANCES: YES			
IF SO, WHICH ONES: AVOID CONTACT WITH STRONG ACIDS, OXIDIZING AGENTS			
REACTIVE METALS, NITRITES AND HALOGEN COMPOUNDS.			
REACTIVITY AND UNDER WHAT CONDITIONS: NO			
HAZARDOUS POLYMERIZATION WILL NOT OCCUR.			
HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION MAY EVOLVE			
NITROUS OXIDES, CARBON MONOXIDE, CARBON DIOXIDE, AMMONIA,			
FORMALDEHYDE, ACETALDEHYDES.			

SECTION VI - HEALTH HAZARD DATA

ROUTE OF ENTRY:			
SKIN CONTACT: YES SKIN ABSORPTION: YES EYE CONTACT: YES			
INHALATION: YES INGESTION: YES			



MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 578700

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:
EYES-MAY CAUSE SEVERE IRRITATION, INTENSE WATERING. PROLONGED CONTACT MAY CAUSE PERMANENT EYE INJURY.
SKIN-MAY CAUSE IRRITATION, INFLAMMATION, POSSIBLE BURNS.
INHALATION-MAY CAUSE IRRITATION OF NOSE, EYES AND THROAT, COUGHING, DIFFICULTY IN BREATHING. EXCESSIVE INHALATION MAY CAUSE BRONCHITIS, PULMONARY EDEMA AND CHEMICAL PNEUMONITIS.
INGESTION-MAY CAUSE IRRITATION AND BURNING SENSATION OF LIPS, MOUTH AND THROAT, PAIN IN SWALLOWING, GASTRO-INTESTINAL IRRITATION, ABDOMINAL PAIN, NAUSEA AND VOMITING.

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: CAN CAUSE KIDNEY AND/OR LIVER DAMAGE.

LD 50 OF MATL.	LC 50 OF MATL.	EXPOSURE LIMIT(S)	IRRITANCY OF MATL
NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	TOXIC

SENSITIZATION OF MATERIAL	SYNERGISTIC MATERIALS
NOT AVAILABLE	NOT AVAILABLE

CARCINOGENICITY, REPRODUCTIVE EFFECTS, TERATOGENICITY, MUTAGENICITY
REPRODUCTIVE EFFECTS-CYCLOHEXYLAMINE CAUSES PATERNAL EFFECTS IN ANIMAL STUDIES AT MODERATE TO HIGH DOSAGES.
MUTAGENICITY-CYCLOHEXYLAMINE CAUSES SOME CHROMOSOMAL ABBERATIONS IN ANIMALS. SEVERAL OTHER INVESTIGATIONS HAVE NEGATIVE RESULTS.
TERATOGENICITY-CYCLOHEXYLAMINE CAUSES POST-IMPLANT MORTALITY IN ANIMALS FROM DOSAGES NEAR THE LC50.
MORPHOLINE MAY REACT WITH NITRITES TO FORM N-NITROSAMINES (KNOWN CARCINOGENS)

SECTION VII - PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT:

GLOVES: BUTYL RUBBER
RESPIRATORY: NIOSH APPROVED FOR ORGANIC VAPOURS
EYE: FACE SHIELD OR SAFETY GOGGLES
CLOTHING: LONG SLEEVED SHIRTS, TROUSERS, BUTYL RUBBER BOOTS AND APRON.
OTHER: EYE WASH AND SAFETY SHOWER
ENGINEERING CONTROLS (EG VENTILATION, ENCLOSED PROCESS): MECHANICAL RECOMMENDED TO MAINTAIN CONCENTRATION BELOW TLV.

LEAK AND SPILL PROCEDURE: WEAR RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT. STOP LEAKS AND CONTAIN SPILL. RECLAIM IF POSSIBLE.
SMALL SPILLS-WIPE UP OR MOP UP AND PLACE IN DISPOSAL CONTAINER.
LARGE SPILLS-ABSORB ONTO NON-COMBUSTIBLE ABSORBENT AND PLACE IN APPROVED CONTAINER FOR DISPOSAL. DO NOT ALLOW LIQUID TO FLOW INTO WATERWAYS. PRODUCT IS EXPECTED TO BE TOXIC TO AQUATIC LIFE.

WASTE DISPOSAL: DISPOSE IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.



MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 578700

SECTION VIII - FIRST AID MEASURES

| PROCEDURES: EYES-IMMEDIATELY FLUSH EYES WITH RUNNING WATER FOR 15 |
| MINUTES. IF PAIN OR IRRITATION PERSIST, SEEK MEDICAL ASSISTANCE. |
| SKIN-REMOVE CONTAMINATED CLOTHING AND FLUSH AFFECTED AREA WITH |
| WATER FOR 15 MINUTES. IF PAIN OR IRRITATION PERSIST, SEEK MEDICAL |
| ASSISTANCE. LAUNDRY CLOTHING BEFORE REUSE. |
| INHALATION-MOVE VICTIM TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE |
| OXYGEN. GET MEDICAL ATTENTION. |
| INGESTION, IF SWALLOWED-DO NOT INDUCE VOMITING. GIVE WATER OR MILK. |
| IF VOMITING OCCURS, GIVE FLUIDS AGAIN. GET IMMEDIATE MEDICAL |
| ATTENTION. |

| SOURCES USED: RAW MATERIAL SUPPLIER'S MATERIAL SAFETY DATA SHEETS |

| ADDITIONAL INFORMATION: NONE |

SECTION IX - TDG SHIPPING INFORMATION

SHIPPING NAME	CLASS	UN NO.	PG
CORROSIVE LIQUID, FLAMMABLE, N.O.S.	8(3)	2920	II
(CYCLOHEXYLAMINE, MORPHOLINE)			

| HANDLING PROCEDURES AND EQUIPMENT: HANDLE AND USE IN WELL VENTILATED |
| AREAS. AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER |
| HANDLING. |

| STORAGE REQUIREMENTS: STORE IN A COOL, DRY WELL VENTILATED AREA IN |
| ORIGINAL CONTAINER, AWAY FROM INCOMPATIBLE MATERIALS. KEEP CONTAINER |
| CLOSED WHEN NOT IN USE. |

| SPECIAL SHIPPING INFORMATION: NONE |

SECTION X - HMIS HAZARD RATING INFORMATION

FLAMMABILITY	REACTIVITY	HEALTH
3	0	2

SECTION XI - PREPARATION DATE OF MSDS

| PREPARED BY: TECHNICAL DEPARTMENT TELEPHONE # (905) 456-9444 |
| REVIEWED: OCTOBER 10, 2009 |

DISCLAIMER:

THE INFORMATION CONTAINED HEREIN IS COMPILED FROM SOURCES BELIEVED TO BE RELIABLE. THE MANNER AND CONDITIONS OF USE AND HANDLING MAY INVOLVE OTHER AND ADDITIONAL CONSIDERATIONS. WE ACCEPT NO RESPONSIBILITY FOR THE ACCURACY, SUFFICIENCY, RELIABILITY OR FOR ANY LOSS OR INJURY RESULTING FROM THE USE OF THE INFORMATION.