# MATERIAL SAFETY DATA SHEET



# 1. Product and Company Identification

**Material name** Sekisui RapidTesta hs Adenovirus Extraction Reagent

Version # 01

Issue date 09-04-2012

**Revision date** Supersedes date

CAS# Mixture Kit number 425868

Product use Component of the Sekisui RapidTesta hs Adenovirus kit. For In Vitro Diagnostic use only.

**Manufacturer information** 

**Corporate Headquarters** Sekisui Diagnostics, LLC

31 New York Avenue, Framingham, MA 01701 USA

www.sekisuidiagnostics.com Phone: 800-332-1042 Americas 1-760-476-3962

**Emergency Telephone** 

**Numbers** 

Europe, Middle East & Africa +1-760-476-3961

Asia Pacific +1-760-476-3960

Access code 333512

### 2. Hazards Identification

Liquid. Physical state

**Appearance** Clear. Colorless liquid.

Physical and health hazard information on reagent mixtures have not been determined. **Emergency overview** 

**OSHA** regulatory status This product is not hazardous according to OSHA 29CFR 1910.1200.

Potential health effects

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact. **Eyes** Splashes may irritate and cause redness.

Skin Prolonged skin contact may cause redness, irritation and dry skin.

Inhalation Vapors and mist may irritate throat and respiratory system and cause coughing.

Ingestion May cause discomfort if swallowed.

**Chronic effects** No data available.

Signs and symptoms Ingestion may cause irritation and malaise.

Potential environmental effects The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## 3. Composition / Information on Ingredients

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

### 4. First Aid Measures

First aid procedures

Eye contact In case of contact, immediately flush eyes with fresh water for at least 15 minutes while holding

the eyelids open. Remove contact lenses if worn. Get medical attention if irritation persists.

1/5

Skin contact For skin contact flush with large amounts of water while removing contaminated clothing. Get

medical attention if irritation develops and persists.

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Ingestion If material is ingested, immediately contact a poison control center. Notes to physician Provide general supportive measures and treat symptomatically.

General advice Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Sekisui RapidTesta hs Adenovirus Extraction Reagent CPH MSDS NA 905981 Version #: 01 Revision date: - Issue date: 09-04-2012

## 5. Fire Fighting Measures

Flammable properties This product is not flammable.

Extinguishing media

Suitable extinguishing

media

Extinguish with water spray, carbon dioxide, dry chemical or material appropriate for the

surrounding fire.

Unsuitable extinguishing

media

None known.

Protection of firefighters

Specific hazards arising from the chemical

When heated to decomposition, may produce hydrazoic acid fumes.

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

**Hazardous combustion** 

products

Fire will generate toxic and irritating gases. Carbon monoxide and carbon dioxide.

### 6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during

clean-up. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing.

**Environmental precautions** Do not allow to enter drains, sewers or watercourses. This mixture contains a small amount of

sodium azide which can react with copper, lead, brass or solder in plumbing systems and form

potentially explosive metal azides. Follow proper disposal procedures.

**Methods for containment** 

Methods for cleaning up

Absorb spillage with non-combustible, absorbent material.

Absorb spill with vermiculite or other inert material. Dispose of waste in accordance with all

applicable federal, state, local and provincial environmental regulations, per Section 13.

Other information Clean up in accordance with all applicable regulations.

## 7. Handling and Storage

Handling Avoid contact with skin and eyes. Wash thoroughly after handling. In case of insufficient

ventilation, wear suitable respiratory equipment. Handle and open container with care.

Storage Store at 2 to 30°C (36 to 86°F). Store in a closed container away from incompatible materials.

### 8. Exposure Controls / Personal Protection

Occupational exposure limits No exposure limits noted for ingredient(s).

**Exposure guidelines** 

Follow standard monitoring procedures.

**Engineering controls** 

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety

shower.

Personal protective equipment

Eye / face protection

Wear approved safety glasses or goggles.

Skin protection Wear lab coat or other protective garments. Remove contaminated clothing promptly. Respiratory protection

General hygiene considerations

Under normal conditions, respirator is not normally required.

Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical & Chemical Properties

**Appearance** Clear. Colorless liquid.

**Physical state** Liquid. **Form** Liquid.

Color Colorless, clear. Odor Not available. **Odor threshold** Not available. Ηq 7.5 - 7.7Vapor pressure Not available.

Sekisui RapidTesta hs Adenovirus Extraction Reagent 905981 Version #: 01 Revision date: - Issue date: 09-04-2012

Not available. Vapor density Not available. **Boiling point** Not available. Melting point/Freezing point Solubility (water) Soluble.

Specific gravity Not available. Not available. Flash point Not available. Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air, lower, % by volume

Not available. **Auto-ignition temperature** 

# 10. Chemical Stability & Reactivity Information

Chemical stability Material is stable under normal conditions.

Conditions to avoid Protect against direct sunlight.

Incompatible materials Strong oxidizing agents. Acids. Heavy metals.

**Hazardous decomposition** 

products

None.

Possibility of hazardous

reactions

Contact with acids liberates toxic gas.

# 11. Toxicological Information

Sensitization No data available.

**Acute effects** May cause discomfort if swallowed.

Local effects May cause eye irritation on direct contact.

**Chronic effects** No data available. Not classified. Carcinogenicity

**Epidemiology** No epidemiological data is available for this product.

Not classified. Mutagenicity Not classified. Reproductive effects

May cause eye irritation on direct contact. Symptoms and target organs

**Further information** No other specific acute or chronic health impact noted.

## 12. Ecological Information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. **Environmental effects** 

Not classified. **Aquatic toxicity** 

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulation / **Accumulation** 

Not available.

Mobility in environmental

media

The product is soluble in water.

## 13. Disposal Considerations

**Disposal instructions** Dispose in accordance with all applicable regulations. This preparation contains a small amount

> of sodium azide which can react with copper, lead, brass or solder in plumbing systems and form potentially explosive metal azides. If preparation enters drain, flush with a large volume of water to

prevent azide build-up.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Sekisui RapidTesta hs Adenovirus Extraction Reagent Version #: 01 Revision date: - Issue date: 09-04-2012

## 14. Transport Information

### DOT

Not regulated as a hazardous material by DOT.

#### **IATA**

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### **TDG**

Not regulated as dangerous goods.

# 15. Regulatory Information

**US federal regulations** This product is not hazardous according to OSHA 29CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

This mixture is a component of an in vitro diagnostic device regulated by the U.S. Food and Drug

Administration.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)

None

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

No

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance (40 CFR 355, Appendix A)

Section 311/312 (40 CFR

370)

**Drug Enforcement** 

Not controlled

Administration (DEA) (21 CFR

1308.11-15)

Canadian regulations

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS

This product does not contain a chemical known to the State of California to cause cancer, birth

contains all the information required by the CPR.

WHMIS status Non-controlled

Inventory status

State regulations

Country(s) or region Inventory name

On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

defects or other reproductive harm.

### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

### **US. Massachusetts RTK - Substance List**

Not regulated.

### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

# US. Pennsylvania RTK - Hazardous Substances

Not regulated.

### Mexico regulations This safety data sheet was prepared in accordance with the Official Mexican Standard

(NOM-018-STPS-2000).

Sekisui RapidTesta hs Adenovirus Extraction Reagent

### 16. Other Information

**Recommended restrictions** 

Use in accordance with supplier's recommendations.

**Further information** 

HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings

Health: 0 Flammability: 0 Physical hazard: 0

NFPA ratings

Health: 0 Flammability: 0

Instability: 0

Disclaimer

The information above is provided in good faith. It is believed to be accurate and represents the best information currently available to us. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER TYPE, EXPRESSED OR IMPLIED, WITH RESPECT TO PRODUCTS DESCRIBED OR DATA OR INFORMATION PROVIDED, AND WE ASSUME NO LIABILITY RESULTING FROM THE USE OF SUCH PRODUCTS, DATA OR INFORMATION. Users should make their own investigations to determine the suitability of the information for their particular purposes, and the user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material, and must be familiar with and follow generally accepted safe handling procedures. In no event shall Sekisui Diagnostics be liable for any claims, losses, or damages of any individual or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if

Sekisui Diagnostics has been advised of the possibility of such damages.

Sekisui RapidTesta hs Adenovirus Extraction Reagent 905981 Version #: 01 Revision date: - Issue date: 09-04-2012