

Safety Data Sheet



NON-Hazardous Substance, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: **603-LINE DULUX WEATHERSHIELD EXTERIOR GLOSS**

Synonyms:

DLX WSHD EXT GL BLK 10L
DLX WSHD EXT GL BLK 1L
DLX WSHD EXTR GL BLK 20L
DLX WSHD EXT GL BLK 4L
DLX WSHD EXT GL VW 10L
DLX WSHD EXT GL VW 15L
DLX WSHD EXT GL VW 1L
DLX WSHD EXT GL VW 20L
DLX WSHD EXT GL VW 2L
DLX WSHD EXT GL VW 4L
DLX WSHD GL WHITE 500ML
DLX WSHD EXT GL DEEP 10L
DLX WSHD EXT GL DEEP 15L
DLX WSHD EXT GL DEEP 1L
DLX WSHD EXT GL DEEP 2L
DLX WSHD EXT GL DEEP 4L
DLX WSHD EXT GL MISS BROWN 10L
DLX WSHD EXT GL MISS BROWN 1L
DLX WSHD EXT GL MISS BROWN 4L
DLX WSHD EXT GL UDTB 10L
DLX WSHD EXT GL UDTB 1L
DLX WSHD EXT GL UDTB 2L
DLX WSHD EXT GL UDTB 4L
DLX WSHD EXT GL SLATE 10L
DLX WSHD EXT GL SLATE 1L
DLX WSHD EXT GL SLATE 4L
DLX WSHD EXT GL BRUN GREEN 10L
DLX WSHD EXT GL BRUN GREEN 1L
DLX WSHD EXT GL BRUN GREEN 4L
DLX WSHD EXT GL INDIAN RED 10L
DLX WSHD EXT GL INDIAN RED 1L
DLX WSHD EXT GL INDIAN RED 4L
DLX WSHD EXT GL TRU RED 1L
DLX WSHD EXT GL TRU RED 4L
DLX WSHD EXT GL BLD YELLOW 10L
DLX WSHD EXT GL BLD YELLOW 1L
DLX WSHD EXT GL BLD YELLOW 4L
DLX WSHD EXT GL ORANGE 1L
DLX WSHD EXT GL ORANGE 4L
DLX WSHD EXT GL BLUE 10L
DLX WSHD EXT GL BLUE 1L
DLX WSHD EXT GL BLUE 4L
DLX WSHD EXT GL EBTB 10L
DLX WSHD EXT GL EBTB 15L
DLX WSHD EXT GL EBTB 1L
DLX WSHD EXT GL EBTB 2L

Product Code

60300070-10L
60300070-1L
60300070-20L
60300070-4L
60304912-10L
60304912-15L
60304912-1L
60304912-20L
60304912-2L
60304912-4L
60304912-500ML
60304914-10L
60304914-15L
60304914-1L
60304914-2L
60304914-4L
60313589-10L
60313589-1L
60313589-4L
60316101-10L
60316101-1L
60316101-2L
60316101-4L
60332908-10L
60332908-1L
60332908-4L
60333797-10L
60333797-1L
60333797-4L
60350101-10L
60350101-1L
60350101-4L
60384472-1L
60384472-4L
60384473-10L
60384473-1L
60384473-4L
60384474-1L
60384474-4L
60387662-10L
60387662-1L
60387662-4L
60387663-10L
60387663-15L
60387663-1L
60387663-2L

Bar Code

9300611481634
9300611466143
-
9300611466150
9300611465948
9300611465955
9300611465924
9300611001306
9300611466136
9300611465931
9400513114811
9300611465986
9300611505644
9300611465962
9300611477033
9300611465979
9300611466075
9300611466051
9300611466068
9300611466013
9300611465993
9300611477040
9300611466006
9300611500632
9400513114293
9300611002273
9300611466044
9300611466020
9300611466037
9300611530004
9300611466082
9300611466099
9300611466693
9300611466709
9300611472748
9300611466716
9300611466723
9300611466730
9300611466747
9300611466655
9300611466631
9300611466648
9300611466686
9300611505675
9300611466662
9300611505651

Product name: 603-LINE DULUX WEATHERSHIELD EXTERIOR GLOSS

SDS No: DLXGHSEN001176

Issued: 24 April 2015

Version: 1.0

Page: 1 of 7

Safety Data Sheet



DLX WSHD EXT GL EBTB 4L
DLX WSHD EXT GL TCOTTA 10L
DLX WSHD EXT GL TCOTTA 1L
DLX WSHD EXT GL TCOTTA 4L

60387663-4L
60388543-10L
60388543-1L
60388543-4L

9300611466679
9300611501042
9300611501028
9300611501035

Recommended use: Surface coating. Applied by brush, roller or spray.

Supplier: Dulux Australia, a division of
DuluxGroup (Australia) Pty Ltd
ABN: 67 000 049 427
Street Address: 1956 Dandenong Road
Clayton VIC 3168
Australia
Telephone: 13 25 25

Emergency telephone number: Australia – 1800 033 111 New Zealand – 0800 734 607

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of Safe Work Australia.

Poisons Schedule (Aust): Not applicable

DANGEROUS GOODS CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the “Australian Code for the Transport of Dangerous Goods by Road & Rail” and the “New Zealand NZS5433: Transport of Dangerous Goods on Land”.

3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO.	PROPORTION
Ingredients determined to be non-hazardous	-	100%

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye contact: If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. If vomiting occurs give further water. Seek medical advice.

Safety Data Sheet



PPE for First Aiders: Wear overalls, safety glasses and impervious gloves. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Non-combustible material.

Fire fighting further advice: Not combustible, however following evaporation of aqueous component residual material can burn if ignited. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Wipe up with absorbent (clean rag or paper towels). Allow absorbent to dry before disposing with normal household garbage.

LARGE SPILLS

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of sewers or waterways has occurred advise local emergency services.

Dangerous Goods – Initial Emergency Response Guide No: Not applicable.

7. HANDLING AND STORAGE

Handling: Avoid skin and eye contact and inhalation of vapour, mist or aerosols.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

National occupational exposure limits: No value assigned for this specific material by Safe Work Australia or Department of Labour New Zealand.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Safety Data Sheet



Engineering measures: Natural ventilation should be adequate under normal use conditions. Keep containers closed when not in use.

Personal protection equipment: B: OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Wear overalls, safety glasses and impervious gloves. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

If risk of inhalation of exists, wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid skin and eye contact and inhalation of vapour, mist or aerosols. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form / Colour / Odour: Coloured, viscous liquid with a mild, characteristic odour.

Solubility:	Miscible with water.
Specific Gravity (20 °C):	1.0 - 1.4
Relative Vapour Density (air=1):	>1
Vapour Pressure (20 °C):	N Av
Flash Point (°C):	N App
Flammability Limits (%):	N App
Autoignition Temperature (°C):	N App
Melting Point/Range (°C):	N Av
Boiling Point/Range (°C):	N Av
% Volatile by Volume:	N Av
pH:	8 - 10
Viscosity:	N Av

(Typical values only - consult specification sheet)

N Av = Not available

N App = Not applicable

10. STABILITY AND REACTIVITY

Reactivity: No reactivity hazards are known for the material.

Chemical stability: This material is thermally stable when stored and used as directed.

Hazardous reactions: No known hazardous reactions.

Conditions to avoid: Elevated temperatures and sources of ignition.

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Safety Data Sheet



11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Inhalation: Where this material is used in a poorly ventilated area, at elevated temperatures or in confined spaces, vapour may cause irritation to mucous membranes and respiratory tract, headache and nausea.

Skin contact: Contact with skin may result in irritation.

Ingestion: No adverse effects expected however large amounts may cause nausea and vomiting.

Eye contact: May be an eye irritant.

Acute toxicity

Inhalation: This material has been classified as non-hazardous.

Skin contact: This material has been classified as non-hazardous.

Ingestion: This material has been classified as non-hazardous.

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes.
Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser.
Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as non-hazardous.

Specific target organ toxicity (single exposure): This material has been classified as non-hazardous.

Chronic Toxicity

Mutagenicity: This material has been classified as non-hazardous.

Carcinogenicity: This material has been classified as non-hazardous.

Reproductive toxicity (including via lactation): This material has been classified as non-hazardous.

Specific target organ toxicity (repeat exposure): This material has been classified as non-hazardous.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: No information is available to complete an assessment.

Long-term aquatic hazard: No information is available to complete an assessment.

Ecotoxicity: No information available.

Safety Data Sheet



Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)
The Stockholm Convention (Persistent Organic Pollutants)
The Rotterdam Convention (Prior Informed Consent)
Basel Convention (Hazardous Waste)
International Convention for the Prevention of Pollution from Ships (MARPOL)

This material/constituent(s) is covered by the following requirements:

- All the constituents of this material are listed on the *Australian Inventory of Chemical Substances (AICS)*.

16. OTHER INFORMATION

Literary reference

This Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd (chemdata.com.au) on behalf of its client.

Reason(s) For Issue: 5 Yearly Revision. Format change.

Safety Data Sheet



Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since DuluxGroup (Australia) Pty Ltd and DuluxGroup (New Zealand) Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.