

Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

- Product Name** • **Oxygen (19.5 - 23.5%), Helium (Balance)**
Product Code • M-23322/E-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified use(s)** • Please provide product use

1.3 Details of the supplier of the safety data sheet

- Manufacturer** • Air Liquide
2700 Post Oak Blvd.
Houston, TX 77056
United States
www.us.airliquide.com
sds@airliquide.com
- Telephone (Technical)** • 713-896-2896
Telephone (Technical) • 800-819-1704

1.4 Emergency telephone number

- Manufacturer** • 800-424-9300 - CHEMTREC
Manufacturer • +1 703-527-3887 - Outside United States

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

- CLP** • Compressed Gas - H280
DSD/DPD • Not classified

2.2 Label Elements

CLP

WARNING



Hazard statements • H280 - Contains gas under pressure; may explode if heated

Precautionary statements

- Prevention** • P202 - Do not handle until all safety precautions have been read and understood.
P261 - Avoid breathing gas.

- Response** ● P271 - Use only outdoors or in a well-ventilated area.
● P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
● P313 - Get medical advice/attention.
- Storage/Disposal** ● Protect from sunlight when ambient temperature exceeds 125°F (52°C)
● P403 - Store in a well-ventilated place.

DSD/DPD

- Risk phrases** ● No label element(s) required

2.3 Other Hazards

- CLP** ● Contact with gas or liquefied gas will cause burns, severe injury and/or frostbite. According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

- DSD/DPD** ● Contact with gas or liquefied gas will cause burns, severe injury and/or frostbite. According to European Directive 1999/45/EC this preparation is not considered dangerous.
-

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

- OSHA HCS 2012** ● Compressed Gas - H280

2.2 Label elements

OSHA HCS 2012

WARNING



- Hazard statements** ● Contains gas under pressure; may explode if heated - H280

Precautionary statements

- Prevention** ● Do not handle until all safety precautions have been read and understood. - P202
● Avoid breathing gas. - P261
● Use only outdoors or in a well-ventilated area. - P271
- Response** ● IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340
● Get medical advice/attention. - P313
- Storage/Disposal** ● Protect from sunlight when ambient temperature exceeds 125°F (52°C)
● Store in a well-ventilated place. - P403

2.3 Other hazards

- OSHA HCS 2012** ● Contact with gas or liquefied gas will cause burns, severe injury and/or frostbite. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.
-

Canada

According to WHMIS

2.1 Classification of the substance or mixture

- WHMIS** ● Compressed Gas - A


2.2 Label elements

WHMIS

- Compressed Gas - A

2.3 Other hazards**WHMIS**

- Contact with gas or liquefied gas will cause burns, severe injury and/or frostbite. In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

2.4 Other information**Section 3 - Composition/Information on Ingredients****3.1 Substances**

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

3.2 Mixtures

Composition			
Chemical Name	Identifiers	%	Classifications According to Regulation/Directive
Oxygen	CAS:7782-44-7 EC Number:231-956-9 EU Index:008-001-00-8	19.5% TO 23.5%	EU DSD/DPD: Annex I: O; R8 EU CLP: Annex VI: Ox. Gas 1, H270; Press. Gas - Comp., H280 OSHA HCS 2012: Ox. Gas 1; Press. Gas. - Comp.
Helium	CAS:7440-59-7 EINECS:231-168-5	Balance	EU DSD/DPD: Not Classified EU CLP: Self Classified: Press. Gas - Comp, H280 OSHA HCS 2012: Press. Gas - Comp.; Simp. Asphyx.

See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures**4.1 Description of first aid measures****Inhalation**

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

- If frostbite has occurred, seek medical attention immediately; do NOT rub the affected area(s) or flush them with water. In order to prevent further tissue damage, do NOT attempt to remove frozen clothing from frostbitten areas. If frostbite has not occurred, immediately and thoroughly wash contaminated skin with soap and water.

Eye

- If eye tissue is frozen, seek medical attention immediately; if tissue is not frozen, immediately and thoroughly flush the eyes with large amounts of water for at least 15

minutes, occasionally lifting the upper and lower eyelids. If irritation, pain, swelling, lacrimation or photophobia persist, get medical attention as soon as possible.

Ingestion

- If frostbite has occurred, seek medical attention immediately; do NOT rub the affected area(s) or flush them with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

4.4 Other information

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO GASES WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT. At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after overexposure to this gas mixture must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of the label and the MSDS to physician or other health professional with victim(s).

Section 5 - Firefighting Measures

5.1 Extinguishing media

- Suitable Extinguishing Media**
- Use extinguishing agent suitable for type of surrounding fire.
SMALL FIRES: Dry chemical or CO₂.
LARGE FIRES: Water spray or fog.

- Unsuitable Extinguishing Media**
- No data available

5.2 Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards**
- Containers may explode when heated.
Ruptured cylinders may rocket.

- Hazardous Combustion Products**
- No data available

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Wear positive pressure self-contained breathing apparatus (SCBA).
Move containers from fire area if you can do it without risk.
FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.
FIRE INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.
FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out.
FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices; icing may occur.
FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Ventilate the area before entry. Do not walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

- Keep unauthorized personnel away. Keep out of low areas. Stay upwind. Do not direct water at spill or source of leak. **LARGE SPILL:** Consider initial downwind evacuation for at least 500 meters (1/3 mile)

6.2 Environmental precautions

- No special environmental precautions necessary.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Stop leak if you can do it without risk.
Ventilate the area.
Allow substance to evaporate.
If possible, turn leaking containers so that gas escapes rather than liquid.
Use water spray to reduce vapors; do not put water directly on leak, spill area or inside container.
Isolate area until gas has dispersed.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Use only with adequate ventilation. Ventilate closed spaces before entering. Be aware of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Store in a cool, dry, well-ventilated place. Protect cylinders against physical damage. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not allow area where cylinders are stored to exceed 52C (125F).

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines

- Currently there are no applicable exposure limits established for this material.

Exposure Control Notations

Portugal

•Helium (7440-59-7): **Simple Asphyxiants:** (Simple Asphyxiant)

Ireland

•Helium (7440-59-7): **Simple Asphyxiants:** (Asphyxiant)

Spain

•Helium (7440-59-7): **Simple Asphyxiants:** (simple asphyxiant)

8.2 Exposure controls

Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment**Respiratory**

- In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear safety glasses.

Skin/Body

- Wear leather gloves when handling cylinders.

Environmental Exposure Controls

- Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

Section 9 - Physical and Chemical Properties**9.1 Information on Physical and Chemical Properties**

Material Description			
Physical Form	Gas	Appearance/Description	Colorless gas with no odor.
Color	Colorless	Odor	Odorless
Odor Threshold	Data lacking		
General Properties			
Boiling Point	-268.94 C(-452.092 F) Helium	Melting Point	-272 C(-457.6 F) Helium
Decomposition Temperature	Data lacking	pH	Not relevant
Specific Gravity/Relative Density	Data lacking	Water Solubility	Data lacking
Viscosity	Data lacking	Explosive Properties	Data lacking
Oxidizing Properties:	Not an oxidizer.		
Volatility			
Vapor Pressure	Data lacking	Vapor Density	0.3654 to 1 Air=1
Evaporation Rate	Data lacking		
Flammability			
Flash Point	Data lacking	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Not flammable.		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity**10.1 Reactivity**

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Excess heat.

10.5 Incompatible materials

- Flammable and combustible materials, especially greases and oils. Reacts violently with phosphine, hydrazine, ethers, alcohols, hydrogen sulfide, and hydrocarbons.

10.6 Hazardous decomposition products

- None

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components		
Oxygen (19.5% TO 23.5%)	7782-44-7	Reproductive: Inhalation-Rat TCl ₀ • 10 pph 9 Hour(s)(22D preg); <i>Reproductive Effects:Specific Developmental Abnormalities:Respiratory system</i> ; <i>Reproductive Effects:Effects on Newborn:Physical</i>

GHS Properties	Classification
Acute toxicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin corrosion/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-RE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-SE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Toxicity for Reproduction	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Respiratory sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met

Potential Health Effects

Inhalation

Acute (Immediate)

- Contact with rapidly expanding gas may cause burns or frostbite.

Chronic (Delayed)

- No data available

Skin

- Acute (Immediate)**
 - Contact with gas or liquefied gas will cause burns, severe injury and/or frostbite.
- Chronic (Delayed)**
 - No data available

Eye

- Acute (Immediate)**
 - Contact with gas or liquefied gas will cause burns, severe injury and/or frostbite.
- Chronic (Delayed)**
 - No data available

Ingestion

- Acute (Immediate)**
 - Ingestion can cause burns similar to frostbite.
- Chronic (Delayed)**
 - No data available

Key to abbreviations

TC= Toxic Concentration

Section 12 - Ecological Information**12.1 Toxicity**

- Material data lacking.

12.2 Persistence and degradability

- Material data lacking.

12.3 Bioaccumulative potential

- Material data lacking.

12.4 Mobility in Soil

- Material data lacking.

12.5 Results of PBT and vPvB assessment

- PBT and vPvB assessment has not been conducted for this material.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations**13.1 Waste treatment methods**

- Product waste**
 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- Packaging waste**
 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1956	Compressed gas, n.o.s (Helium, Oxygen)	2.2	NDA	NDA
TDG	UN1956	COMPRESSED GAS, N.O.S. (Helium, Oxygen)	2.2	NDA	Potential Marine Pollutant

IMO/IMDG	UN1956	COMPRESSED GAS, N.O.S. (Helium, Oxygen)	2.2	NDA	NDA
IATA/ICAO	UN1956	Compressed gas, n.o.s (Helium, Oxygen)	2.2	NDA	NDA

14.6 Special precautions for user

- Cylinders should be transported in a secure position, in a well-ventilated vehicle. The transportation of compressed gas cylinders in automobiles or in closed-body vehicles can present serious safety hazards. If transporting these cylinders in vehicles, ensure these cylinders are not exposed to extremely high temperatures (as may occur in an enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated during transportation.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Not relevant.

Section 15 - Regulatory Information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****SARA Hazard Classifications** • Pressure(Sudden Release of)

State Right To Know				
Component	CAS	MA	NJ	PA
Helium	7440-59-7	Yes	Yes	Yes
Oxygen	7782-44-7	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Helium	7440-59-7	Yes	No	Yes	Yes	No
Oxygen	7782-44-7	Yes	No	Yes	Yes	No

Inventory (Con't.)		
Component	CAS	TSCA
Helium	7440-59-7	Yes
Oxygen	7782-44-7	Yes

Canada**Labor****Canada - WHMIS - Classifications of Substances**

- Oxygen 7782-44-7 A, C
- Helium 7440-59-7 A

Canada - WHMIS - Ingredient Disclosure List

- Oxygen 7782-44-7 Not Listed
- Helium 7440-59-7 Not Listed

Environment**Canada - CEPA - Priority Substances List**

- Oxygen 7782-44-7 Not Listed
- Helium 7440-59-7 Not Listed

China

Environment

China - Ozone Depleting Substances - First Schedule

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

China - Ozone Depleting Substances - Second Schedule

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

China - Ozone Depleting Substances - Third Schedule

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

Other

China - Annex I & II - Controlled Chemicals Lists

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

China - Dangerous Goods List

• Oxygen	7782-44-7	(compressed or refrigerated liquid)
• Helium	7440-59-7	(compressed or refrigerated liquid)

China - Export Control List - Part I Chemicals

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

Europe

Other

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

• Oxygen	7782-44-7	O; R8
• Helium	7440-59-7	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

• Oxygen	7782-44-7	O R:8 S:(2)-17
• Helium	7440-59-7	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

• Oxygen	7782-44-7	S:(2)-17
• Helium	7440-59-7	Not Listed

Germany

Environment**Germany - TA Luft - Types and Classes**

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

Germany - Water Classification (VwVwS) - Annex 1

• Oxygen	7782-44-7	ID Number 743, not considered hazardous to water
• Helium	7440-59-7	Not Listed

Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

Germany - Water Classification (VwVwS) - Annex 3

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

Other**Germany - Specifically Regulated Chemicals in TRGS**

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

Portugal**Other****Portugal - Prohibited Substances**

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

United Kingdom**Environment****United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air**

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

Other**United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review**

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

United Kingdom - List of Dangerous Substances in Water

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

United States**Labor****U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals**

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

Environment**U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

United States - California**Environment****U.S. - California - Proposition 65 - Carcinogens List**

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Oxygen	7782-44-7	Not Listed
----------	-----------	------------

• Helium	7440-59-7	Not Listed
----------	-----------	------------

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Relevant Phrases (code & full text)

- H270 - May cause or intensify fire; oxidizer
- R8 - Contact with combustible material may cause fire.

Last Revision Date

- 08/September/2014

Preparation Date

- 08/September/2014

Disclaimer/Statement of Liability

- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

Key to abbreviations

NDA = No Data Available