

Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • Carbon Dioxide (5%), Nitrous Oxide (50%), Air (Balance)
Product Code • M-7658SL/E-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Please provide product use.

1.3 Details of the supplier of the safety data sheet

Manufacturer • Air Liquide
2700 Post Oak Blvd.
Houston, TX 77056
United States
www.us.airliquide.com
sds@airliquide.com
Telephone (Technical) • 713-896-2896
Telephone (Technical) • 800-819-1704

1.4 Emergency telephone number

Manufacturer • 800-424-9300 - CHEMTRAC
Manufacturer • +1 703-527-3887 - Outside United States

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP • Oxidizing Gases 1 - H270
Compressed Gas - H280
Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336
DSD/DPD • Oxidizing (O)
Toxic (T)
Harmful (Xn)
R8, R67

2.2 Label Elements

CLP

DANGER



Hazard statements • H270 - May cause or intensify fire; oxidizer
H280 - Contains gas under pressure; may explode if heated
H336 - May cause drowsiness or dizziness

Precautionary statements

Prevention • P220 - Keep/Store away from clothing and other combustible materials.
P244 - Keep reduction valves free from grease and oil.
P261 - Avoid breathing gas.
P271 - Use only outdoors or in a well-ventilated area.

Response • P370+P376 - In case of fire: Stop leak if safe to do so.
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

Storage/Disposal • P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



Risk phrases • R8 - Contact with combustible material may cause fire.
R67 - Vapours may cause drowsiness and dizziness.

Safety phrases • S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S53 - Avoid exposure - obtain special instructions before use.

2.3 Other Hazards

CLP

- Inhalation of carbon dioxide can increase respiration and heart rate.
According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

DSD/DPD

- Inhalation of carbon dioxide can increase respiration and heart rate.
According to European Directive 1999/45/EC this material is considered dangerous.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

- Oxidizing Gases 1 - H270
Compressed Gas - H280
Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336

2.2 Label elements

OSHA HCS 2012

DANGER



Hazard statements • May cause or intensify fire; oxidizer - H270
Contains gas under pressure; may explode if heated - H280
May cause drowsiness or dizziness - H336

Precautionary statements

Prevention • Keep/Store away from clothing and other combustible materials. - P220
Keep reduction valves free from grease and oil. - P244
Avoid breathing gas. - P261
Use only outdoors or in a well-ventilated area. - P271

Response • In case of fire: Stop leak if safe to do so. - P370+P376
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340
Call a POISON CENTER or doctor/physician if you feel unwell. - P312

Storage/Disposal • Store in a well-ventilated place. Keep container tightly closed. - P403+P233
Store locked up. - P405
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

OSHA HCS 2012

- Inhalation of carbon dioxide can increase respiration and heart rate. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

- Compressed Gas - A
- Oxidizing - C

2.2 Label elements

WHMIS




- Compressed Gas - A
- Oxidizing - C

2.3 Other hazards

WHMIS

- Inhalation of carbon dioxide can increase respiration and heart rate.
In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

2.4 Other information



Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

3.2 Mixtures

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Nitrous oxide	CAS:10024-97-2	50%	NDA	EU DSD/DPD: Self Classified - O R8; Xn R48 EU CLP: Self Classified - Ox. Gas 1, H270; Press. Gas - Comp., H280; STOT SE 3: Narc., H336 OSHA HCS 2012: Ox. Gas 1; Press. Gas - Comp.; STOT SE 3: Narc.
Carbon dioxide	CAS:124-38-9	5%	Inhalation-Rat LC50 • 470000 ppm 30 Minute(s)	EU DSD/DPD: Not Classified EU CLP: Self Classified - Press. Gas - Comp., H280 OSHA HCS 2012: Press. Gas - Comp.; Simple Asphyxiant
Air	CAS:132259-10-0	Balance	NDA	EU DSD/DPD: Not Classified EU CLP: Self Classified - Press. Gas - Comp., H280 OSHA HCS 2012: Press. Gas - Comp.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

- Although exposure is unlikely, in case of contact immediately flush skin with running water. If skin irritation develops get medical advice/attention.

Eye

- First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Get medical attention immediately if symptoms occur.

Ingestion

- First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. Never give anything by mouth to an unconscious person. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

4.4 Other information

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO GASES WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT. At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after overexposure to this gas mixture must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of the label and the MSDS to physician or other health professional with victim(s).

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media

- Use extinguishing agent suitable for type of surrounding fire.
SMALL FIRES: Dry chemical or CO₂.
LARGE FIRES: Water spray or fog.

Unsuitable Extinguishing

- No data available

Media

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

- May ignite combustibles (wood, paper, oil, clothing, etc.)
Some may react explosively with fuels.
Containers may explode when heated.
Ruptured cylinders may rocket.

Hazardous Combustion Products

- None known.

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Always wear thermal protective clothing when handling refrigerated/cryogenic liquids.
Wear positive pressure self-contained breathing apparatus (SCBA).
Move containers from fire area if you can do it without risk.
FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.
FIRE INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.
FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out.
FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices; icing may occur.
FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Ventilate the area before entry. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

- **LARGE SPILL:** Consider initial downwind evacuation for at least 500 meters (1/3 mile) Ventilate closed spaces before entering. Keep unauthorized personnel away. Keep out of low areas. Stay upwind. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

6.2 Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Stop leak if you can do it without risk.
Allow substance to evaporate.
If possible, turn leaking containers so that gas escapes rather than liquid.
Use water spray to reduce vapors; do not put water directly on leak, spill area or inside container.
Isolate area until gas has dispersed.
Keep combustibles (wood, paper, oil, etc.) away from spilled material.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Use only with adequate ventilation. Ventilate closed spaces before entering. Wear

appropriate personal protective equipment, avoid direct contact. Avoid breathing gas. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Store in a cool, dry, well-ventilated place. Protect cylinders against physical damage. Cylinders should be firmly secured to prevent falling or being knocked-over.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	China	Europe
Carbon dioxide (124-38-9)	TWAs	5000 ppm TWA	5000 ppm TWA	5000 ppm TWAEV; 9000 mg/m ³ TWAEV	9000 mg/m ³ TWA	5000 ppm TWA; 9000 mg/m ³ TWA
	STELs	30000 ppm STEL	30000 ppm STEL	30000 ppm STEV; 54000 mg/m ³ STEV	18000 mg/m ³ STEL	Not established
Nitrous oxide (10024-97-2)	TWAs	50 ppm TWA	25 ppm TWA; 45 mg/m ³ TWA	50 ppm TWAEV; 90 mg/m ³ TWAEV	Not established	Not established

Exposure Limits/Guidelines (Con't.)

	Result	France	Germany DFG	Germany TRGS	Ireland	Israel
Carbon dioxide (124-38-9)	TWAs	5000 ppm TWA [VME] (indicative limit); 9000 mg/m ³ TWA [VME] (indicative limit)	Not established	5000 ppm TWA AGW (exposure factor 2); 9100 mg/m ³ TWA AGW (exposure factor 2)	5000 ppm TWA; 9000 mg/m ³ TWA	5000 ppm TWA
	STELs	Not established	Not established	Not established	Not established	30000 ppm STEL
	Ceilings	Not established	10000 ppm Peak; 18200 mg/m ³ Peak	Not established	Not established	Not established
	MAKs	Not established	5000 ppm TWA MAK; 9100 mg/m ³ TWA MAK	Not established	Not established	Not established
Nitrous oxide (10024-97-2)	TWAs	Not established	Not established	100 ppm TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2); 180 mg/m ³ TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2)	50 ppm TWA; 90 mg/m ³ TWA	50 ppm TWA
	Ceilings	Not established	200 ppm Peak; 360 mg/m ³ Peak	Not established	Not established	Not established

MAKs	Not established	100 ppm TWA MAK; 180 mg/m ³ TWA MAK	Not established	Not established	Not established
------	-----------------	---------------------------------------------------	-----------------	-----------------	-----------------

Exposure Limits/Guidelines (Con't.)

	Result	Italy	NIOSH	OSHA	OSHA Vacated	Portugal
Carbon dioxide (124-38-9)	STELs	Not established	30000 ppm STEL; 54000 mg/m ³ STEL	Not established	30000 ppm STEL; 54000 mg/m ³ STEL	30000 ppm STEL [VLE-CD]
	TWAs	5000 ppm TWA; 9000 mg/m ³ TWA	5000 ppm TWA; 9000 mg/m ³ TWA	5000 ppm TWA; 9000 mg/m ³ TWA	10000 ppm TWA; 18000 mg/m ³ TWA	5000 ppm TWA [VLE- MP]
Nitrous oxide (10024-97-2)	TWAs	Not established	25 ppm TWA (over the time exposed to waste anesthetic gas); 46 mg/m ³ TWA (over the time exposed to waste anesthetic gas)	Not established	Not established	50 ppm TWA [VLE- MP]

Exposure Limits/Guidelines (Con't.)

	Result	Spain	Sweden
Carbon dioxide (124-38-9)	TWAs	5000 ppm TWA [VLA- ED] (indicative limit value); 9150 mg/m ³ TWA [VLA-ED] (indicative limit value)	5000 ppm LLV; 9000 mg/m ³ LLV
	STELs	Not established	10000 ppm STV; 18000 mg/m ³ STV
Nitrous oxide (10024-97-2)	TWAs	50 ppm TWA [VLA-ED]; 92 mg/m ³ TWA [VLA- ED]	100 ppm LLV; 180 mg/m ³ LLV
	STELs	Not established	500 ppm STV; 900 mg/m ³ STV

Exposure Control Notations

Portugal

- Nitrous oxide (10024-97-2): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen)

Germany DFG

- Nitrous oxide (10024-97-2): **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to)

8.2 Exposure controls

Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use explosion-proof - electrical, ventilating and/or lighting equipment.

Personal Protective Equipment

Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear safety glasses.

Skin/Body

- Wear leather gloves when handling cylinders.

Environmental Exposure Controls

- Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

STEV = Short Term Exposure Value

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

STEL = Short Term Exposure Limits are based on 15-minute exposures

TWAEV = Time-Weighted Average Exposure Value

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description

Physical Form	Gas	Appearance/Description	Colorless gas with slightly sweetish taste and odor.
Color	Colorless	Odor	Slightly sweetish.
Odor Threshold	None		

General Properties

Boiling Point	-85 C(-121 F)	Melting Point	Data lacking
Decomposition Temperature	Data lacking	pH	Not relevant
Specific Gravity/Relative Density	Data lacking	Water Solubility	1.3 @ 0 C(32 F)
Viscosity	Not relevant		

Volatility

Vapor Pressure	Not relevant	Vapor Density	1.28 Air=1
Evaporation Rate	Data lacking		

Flammability

Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Autoignition	Not relevant
Flammability (solid, gas)	Not flammable.		

Environmental

Octanol/Water Partition coefficient	Data lacking		
-------------------------------------	--------------	--	--

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Excess heat, sparks, open flame.

10.5 Incompatible materials

- Carbon dioxide, being weakly acidic, reacts with alkaline materials to form carbonates and bicarbonates. Flammable and combustible materials, especially greases and oils. Nitrogen reacts with Li, Nd, and Ti at high temperatures. Powdered aluminum, amorphous boron and sodium vapor will burn in material. Nitrous oxide above 565 degrees celsius decomposes to nitrogen and oxygen.

10.6 Hazardous decomposition products

- Toxic carbon monoxide when heated above 1700 deg.C

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components		
Nitrous oxide (50%)	10024-97-2	Mutagen: DNA Inhibition • Inhalation-Human • 50 pph 24 Hour(s); Micronucleus test • Inhalation-Human • 1000 µg/L 18 Year(s)-Intermittent; Reproductive: Inhalation-Rat TCLo • .1 pph (1-19D preg); Reproductive Effects:Effects on Embryo or Fetus: Fetal death; Reproductive Effects:Specific Developmental Abnormalities: Other developmental abnormalities
Carbon dioxide (5%)	124-38-9	Acute Toxicity: Inhalation-Rat LC50 • 470000 ppm 30 Minute(s); Reproductive: Inhalation-Rat TCLo • 6 pph 24 Hour(s)(10D preg); Reproductive Effects:Specific Developmental Abnormalities: Musculoskeletal system; Reproductive Effects:Specific Developmental Abnormalities: Cardiovascular (circulatory) system; Reproductive Effects:Specific Developmental Abnormalities: Respiratory system

GHS Properties	Classification
Acute toxicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin corrosion/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-RE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-SE	EU/CLP • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
Toxicity for Reproduction	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Respiratory sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met

Potential Health Effects

Inhalation

Acute (Immediate)

- May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death. Inhalation of carbon dioxide can increase respiration and heart rate.

Chronic (Delayed)

- No data available

Skin

Acute (Immediate) • Under normal conditions of use, no health effects are expected.
Chronic (Delayed) • No data available

Eye
Acute (Immediate) • Under normal conditions of use, no health effects are expected.
Chronic (Delayed) • No data available

Ingestion
Acute (Immediate) • Under normal conditions of use, no health effects are expected.
Chronic (Delayed) • No data available

Key to abbreviations

LC = Lethal Concentration

TC = Toxic Concentration

Section 12 - Ecological Information**12.1 Toxicity**

- Material data lacking.

12.2 Persistence and degradability

- Material data lacking.

12.3 Bioaccumulative potential

- Material data lacking.

12.4 Mobility in Soil

- Material data lacking.

12.5 Results of PBT and vPvB assessment

- PBT and vPvB assessment has not been conducted for this material.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations**13.1 Waste treatment methods**

Product waste • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN3156	Compressed gas, oxidizing n.o.s. (Nitrous Oxide, Air)	2.2,5.1	NDA	NDA
TDG	UN3156	COMPRESSED GAS, OXIDIZING, N.O.S. (Nitrous Oxide, Air)	2.2,5.1	NDA	NDA

IMO/IMDG	UN3156	COMPRESSED GAS, OXIDIZING, N.O.S. (Nitrous Oxide, Air)	2.2,5.1	NDA	NDA
IATA/ICAO	UN3156	Compressed gas, oxidizing n.o.s. (Nitrous Oxide, Air)	2.2,5.1	NDA	NDA

14.6 Special precautions for user

- Cylinders should be transported in a secure position, in a well-ventilated vehicle. The transportation of compressed gas cylinders in automobiles or in closed-body vehicles can present serious safety hazards. If transporting these cylinders in vehicles, ensure these cylinders are not exposed to extremely high temperatures (as may occur in an enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated during transportation.
- Not relevant.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications

- Pressure(Sudden Release of), Fire

State Right To Know					
Component	CAS	MA	NJ	PA	
Air	132259-10-0	No	No	No	
Carbon dioxide	124-38-9	Yes	Yes	Yes	
Nitrous oxide	10024-97-2	Yes	Yes	Yes	

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Air	132259-10-0	No	No	Yes	No	No
Carbon dioxide	124-38-9	Yes	No	Yes	Yes	No
Nitrous oxide	10024-97-2	Yes	No	Yes	Yes	No

Inventory (Con't.)		
Component	CAS	TSCA
Air	132259-10-0	No
Carbon dioxide	124-38-9	Yes
Nitrous oxide	10024-97-2	Yes

Canada

Labor

Canada - WHMIS - Classifications of Substances

- Nitrous oxide 10024-97-2 A, C, D2A
- Air 132259-10-0 A
- Carbon dioxide 124-38-9 A; Uncontrolled product according to WHMIS classification criteria (solid)

Canada - WHMIS - Ingredient Disclosure List

• Nitrous oxide	10024-97-2	0.1 %
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	1 %

Environment**Canada - CEPA - Priority Substances List**

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

China**Environment****China - Ozone Depleting Substances - First Schedule**

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

China - Ozone Depleting Substances - Second Schedule

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

China - Ozone Depleting Substances - Third Schedule

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

Other**China - Annex I & II - Controlled Chemicals Lists**

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

China - Dangerous Goods List

• Nitrous oxide	10024-97-2	(including refrigerated liquid)
• Air	132259-10-0	(compressed or refrigerated liquid)
• Carbon dioxide	124-38-9	(including solid or refrigerated liquid)

China - Export Control List - Part I Chemicals

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

Europe**Other****EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification**

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

Germany

Environment**Germany - TA Luft - Types and Classes**

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

Germany - Water Classification (VwVwS) - Annex 1

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	ID Number 256, not considered hazardous to water

Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes

• Nitrous oxide	10024-97-2	ID Number 767, hazard class 1 - low hazard to waters
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

Germany - Water Classification (VwVwS) - Annex 3

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

Other**Germany - Specifically Regulated Chemicals in TRGS**

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

Portugal

Other**Portugal - Prohibited Substances**

• Nitrous oxide	10024-97-2	Not Listed
-----------------	------------	------------

• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

United Kingdom

Environment

United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air

• Nitrous oxide	10024-97-2	10000 kg
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	10000000 kg (qualifying renewable fuel sources are reportable when the total amount of CO ₂ released is above 10 million kg); 10000000 kg

Other

United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

United Kingdom - List of Dangerous Substances in Water

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

United States - California**Environment****U.S. - California - Proposition 65 - Carcinogens List**

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

• Nitrous oxide	10024-97-2	developmental toxicity, initial date 8/1/08
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Nitrous oxide	10024-97-2	Not Listed
• Air	132259-10-0	Not Listed
• Carbon dioxide	124-38-9	Not Listed

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Last Revision Date

- 08/September/2014

Preparation Date

- 19/September/2012

Disclaimer/Statement of Liability

- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

Key to abbreviations

NDA = No Data Available