

**1. Identification of the Substance and Company**  
**VERIFY™ Valueline EO Indicator Strips**

Product No. PCC003  
SDS No. V101US

**NFPA 704 HAZARD RATING:**  
**HEALTH:** 0  
**FIRE:** 0  
**REACTIVITY:** 0

Prepared by: Richard Bancroft  
[asksteris\\_msds@steris.com](mailto:asksteris_msds@steris.com)

Date Created: July 26, 2006 Date Revised: June 27, 2014 Date Reviewed: N/A

STERIS Corporation, P.O. Box 147, St. Louis, Mo 63166, US  
Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)  
Telephone Number for information: 1-800-548-4873 (Customer Service – Healthcare Products)

Albert Browne Limited, Chancery House, 190 Waterside Road, Hamilton Industrial Park,  
Leicester, LE5 1QZ, UK  
Emergency Phone No: +44 (0) 1895 622 639  
Product/Technical Information Phone No: +44 (0) 116 276 8636

VERIFY™ Valueline EO Indicator Strips are not hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

VERIFY™ Valueline EO Indicator Strips are free of latex and natural dry rubber products.

VERIFY™ Valueline EO Indicator Strips are FDA Class I process indicators designed to confirm that a device has been exposed to an ethylene oxide sterilization cycle.

**SHIPPING INFORMATION: NOT RESTRICTED**