

MATERIAL SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION

1.1 Product Name: IMUCLONE® FPA ELISA

1.2 Product REF: 635

1.3 Configuration: ELISA, 96 well

1.4 Use of Product: For Research Use Only.

1.5 Company	Manufacturer: Sekisui Diagnostics, LLC 500 West Avenue Stamford, CT 06902 USA Tel: (203) 602 7777 Fax: (203) 602 2221 Email: linus@amdiag.com	Distributor EU: American Diagnostica GmbH Kaplangasse 35 Pfungstadt 64319 Germany Tel: +49 6157 990899 Fax: +49 6157 990808 Email: info@amdiag.de
--------------------	---	---

2. HAZARDS IDENTIFICATION

2.1 Classification: Xi, Irritant

2.2 Potential Health and Environmental Effects

Skin Exposure: May cause severe skin damage.

Eye Exposure: May cause severe eye damage.

Inhalation Exposure: May be harmful.

Ingestion: May be harmful.

Environmental Exposure: Sulfuric Acid is toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Reagent/Component	Chemical Name	CAS Number	EINECS No.	Concentration, w/v, %
Bentonite Suspension	Bentonite	1302-78-9	215-108-5	< 10.0%
	Tris	77-86-1	201-064-4	< 10.0%
	Sodium Chloride	7647-14-5	231-598-3	< 10.0%
	Sodium Azide	26628-22-8	247-852-1	< 1.0%
2% Tween 20	Tween 20	9005-64-5	NA	2.0%
	Sodium Azide	26628-22-8	247-852-1	< 1.0%
Human PF4 Coated Microwells	Human PFA	NA	NA	NA
	SiO ₂ (silica gel desiccant packet)	112926-00-8	231-545-4	NA

Sample Diluent	Sodium Phosphate Dihydrate	13472-35-0	231-449-2	< 50.0%
	Sodium Chloride	7647-14-5	231-598-3	< 50.0%
	Tween 20	9005-64-5	NA	< 20.0%
	Bovine Serum Albumin	9048-46-8	232-936-2	< 50.0%
	Kathon CG	26172-55-4	NA	< 0.5%
		2682-20-4	NA	
	Sodium 4-aminobenzoate (PABA)	555-06-6	209-080-3	< 20.0%
FPA Calibrator	Ciprofloxacin	85721-33-1	NA	< 10.0%
	FPA	NA	NA	< 10.0%
	Glycine	56-40-6	200-272-2	< 50.0%
	Hepes	7365-45-9	230-907-9	< 30.0%
	Sodium Chloride	7647-14-5	231-598-3	< 50.0%
Rabbit Anti-Human PFA IgG	Bovine Serum Albumin	9048-46-8	232-936-2	< 30.0%
	Anti-Human FPA IgG	NA	NA	< 10.0%
	Glycine	56-40-6	200-272-2	< 50.0%
	Hepes	7365-45-9	230-907-9	< 30.0%
Conjugate Diluent	Bovine Serum Albumin	9048-46-8	232-936-2	< 50.0%
	Sodium Phosphate Dihydrate	13472-35-0	231-449-2	< 50.0%
	Sodium Chloride	7647-14-5	231-598-3	< 50.0%
	Tween 20	9005-64-5	NA	< 20.0%
	Bovine Serum Albumin	9048-46-8	232-936-2	< 50.0%
	Kathon CG	26172-55-4	NA	< 0.05%
Anti-Rabbit IgG-HRP Immunoconjugate		2682-20-4	NA	
	Anti-Rabbit IgG	NA	NA	< 10.0%
	Sodium Phosphate Dihydrate	13472-35-0	231-449-2	< 50.0%
	Bovine Serum Albumin	9048-46-8	232-936-2	< 75.0%
Wash Solution	Peroxidase Type XII (from horseradish)	9003-99-0	232-668-6	NA
	Sodium Phosphate Dihydrate	13472-35-0	231-449-2	< 30.0%
	Sodium Chloride	7647-14-5	231-598-3	< 75.0%
	Tween 20	9005-64-5	NA	< 20.0%
	Kathon CG	26172-55-4	NA	< 0.05%
		2682-20-4	NA	
	Ciprofloxacin	85721-33-1	NA	< 10.0%
Substrate	TMB (3,3',5,5'-tetramethylbenzidine)	54827-17-7	259-364-6	< 10.0%
FPA Anticoagulant Solution	Trisodium Citrate Dihydrate	6132-04-3		< 10.0%
	Heparin	9005-49-6		< 10.0%
	Sodium Azide	26628-22-8	247-852-1	< 1.0%
Stop Solution	Sulfuric Acid	7664-93-9	231-639-5	4.4%

NA – Not Available

4. FIRST AID MEASURES

Skin Exposure: In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing. Seek medical attention if adverse symptoms appear.

Eye Exposure: In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Seek medical attention if adverse symptoms appear.

Inhalation Exposure: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, administer oxygen and seek medical attention.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Flammability: Solutions are non-flammable. Boxing, instruction papers and powdered reagents are flammable.

Suitable Extinguishing Media: Use extinguishing media appropriate to the surrounding fire conditions, such as carbon dioxide, dry chemical powder, foam or water spray.

Equipment for fire fighting: Wear self-contained breathing apparatus and protective clothing appropriate for fighting a fire involving chemical materials to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. In case of skin contact, flush with copious amounts of water and remove contaminated clothing.

Environmental Precautions: Do not let the product enter the drainage system.

Methods For Cleaning Up: Sweep up dry product, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

7. HANDLING AND STORAGE

7.1 Handling

Handling Procedure: Avoid inhalation. Avoid contact with eyes, skin and clothing. Avoid prolonged exposure. Provide adequate ventilation in all work areas.

Safety: This product contains components from human source material that has been found to be non-reactive for Hepatitis B Surface Antigen (HBsAg), Hepatitis C Virus (HCV) and Human Immunodeficiency Virus Type 1 and Type 2 (HIV-1, HIV-2) using registered methods. As no known test method can provide complete assurance that products derived from human specimens will not transmit HBsAg, HCV, HIV-1, HIV-2 or other blood-borne pathogens, this reagent should be handled as recommended for any potentially infectious human specimen.

This product contains animal source material. As no known test method can provide complete assurance that products derived from animal specimens will not transmit blood-borne pathogens, this reagent should be handled as recommended for any potentially infectious human specimen.

Hygienic Practice: Wash hands with soap and water following use.

7.2 Storage

Container: Keep container tightly closed and labeled with the name of the product.

Recommended Temperature: 2°-8°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure Limit Values

TLV/TWA: 0.2 mg/m³ for Sulfuric Acid
TLV/TWA: 0.1 mg/m³ for Sodium Azide¹
OELV/TWA: 1 mg/m³ for Sulfuric Acid per OSHA

TLV/STEL: 0.3 mg/m³ for Sodium Azide
 TLV/Ceiling: 0.29 mg/m³ for Sodium Azide, 0.11 ppm for Hydrazoic acid vapor per ACGIH
 EU IOELV: 0.1 mg/m³ (TWA) for Sodium Azide, 0.3 mg/m³ (STEL) for Sodium Azide

8.2 Personal Protection

Respiratory Protection: Respirator protection is not required. Where protection is desired, use type N95 (US) or type P1 (EN 143) dust masks or. For higher level protection, use NIOSH (USA) or CEN (EU) approved respirators and filters.

Eye Protection: Chemical safety goggles.

Hand Protection: Compatible chemical resistant gloves. Use proper glove removal technique to avoid skin contact. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Skin Protection: Compatible chemical resistant gloves and other protective clothing as required to prevent skin contact.

General Hygiene Practices: Wash promptly if skin comes into contact with product. Wash thoroughly after handling. Remove any clothing that comes into contact with the product. Do not smoke or eat in the work environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Property	Bentonite Solution	2% Tween 20	Human FPA Coated Microwells	Sample Diluent	PF4 Calibrator	Rabbit Anti-Human PF4	Anti-Rabbit IgG-HRP Conjugate	Conjugate Diluent	Wash Solution	TMB Substrate	FPA Anticoag. Solution	Stop Solution
Appearance	clear, colorless liquid	clear, colorless liquid	N/A	clear, colorless liquid	white powder	clear, colorless liquid	white powder	clear, colorless liquid	clear, colorless liquid	clear, blue colored liquid	clear, colorless liquid	clear, colorless liquid
Odor	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
pH	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Freezing Point	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Vapor Pressure	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Specific Gravity	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Solubility	NA	NA	NA	NA	NA	NA	NA	NA	water soluble	NA	NA	NA
Evaporation Rate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Viscosity	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Surface Tension	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Boiling Point	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Melting Point	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Flash Point	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Lower Explosive Limit	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Upper Explosive Limit	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Flammability	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Autoignition Temp.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

NA = Not Available

10. STABILITY AND REACTIVITY

- 10.1 Stability:** The product is stable until the expiration date stated on its label when properly stored at 2°-8°C.
- 10.2 Conditions To Avoid:** Keep away from heat.
- 10.3 Materials To Avoid:** Strong acids, strong reducing agents, strong oxidizing reagents.
- 10.4 Hazardous Decomposition Products:** Hazardous decomposition products due to combustion may include carbon monoxide, carbon dioxide, sulfur oxides, and nitrogen oxides.
- Warning:** Sodium Azide may form explosive compounds, copper azide or lead azide, when in contact with laboratory plumbing.

11. TOXICOLOGICAL INFORMATION

11.1 Acute Toxicity

Reagent/ Component	Chemical Name	Oral LD ₅₀	Inhalation LC ₅₀	Dermal LD ₅₀
Bentonite Suspension	Bentonite Tris Sodium Chloride Sodium Azide	No Data Available rat, 5,900 mg/kg No Data Available No Data Available	No Data Available No Data Available rat, 1 hr >42,000 mg/m ³ rat, 37 mg/m ³	No Data Available No Data Available rabbit, >10,000 mg/kg rabbit, 20 mg/kg
2% Tween 20	Tween 20 Sodium Azide	rat, 40,554 mg/kg No Data Available	No Data Available rat, 37 mg/m ³	No Data Available rabbit, 20 mg/kg
Human PF4 Coated Microwells	Human PFA SiO ₂ (silica gel desiccant packet)	No Data Available No Data Available	No Data Available No Data Available	No Data Available No Data Available
Sample Diluent	Sodium Phosphate Dihydrate Sodium Chloride Tween 20 Bovine Serum Albumin Kathon CG Sodium 4-aminobenzoate (PABA) Ciprofloxacin	No Data Available No Data Available rat, 40,554 mg/kg No Data Available rat, 3,350 mg/kg No Data Available rat, > 2,000 mg/kg	No Data Available rat, 1 hr >42,000 mg/m ³ No Data Available No Data Available rat, 4 hr, 330 mg/m ³ No Data Available No Data Available	No Data Available rabbit, >10,000 mg/kg No Data Available No Data Available rabbit, > 5,000 mg/kg No Data Available No Data Available
FPA Calibrator	FPA Glycine Hepes Sodium Chloride Bovine Serum Albumin	No Data Available rat, 7,930 mg/kg No Data Available No Data Available No Data Available	No Data Available No Data Available No Data Available rat, 1 hr >42,000 mg/m ³ No Data Available	No Data Available No Data Available No Data Available rabbit, >10,000 mg/kg No Data Available
Rabbit Anti-Human PFA IgG	Anti-Human FPA IgG Glycine Hepes Bovine Serum Albumin	No Data Available rat, 7,930 mg/kg No Data Available No Data Available	No Data Available No Data Available No Data Available No Data Available	No Data Available No Data Available No Data Available No Data Available
Conjugate Diluent	Sodium Phosphate Dihydrate Sodium Chloride Tween 20 Bovine Serum Albumin Kathon CG	No Data Available No Data Available rat, 40,554 mg/kg No Data Available rat, 3,350 mg/kg	No Data Available rat, 1 hr >42,000 mg/m ³ No Data Available No Data Available rat, 4 hr, 330 mg/m ³	No Data Available rabbit, >10,000 mg/kg No Data Available No Data Available rabbit, > 5,000 mg/kg
Anti-Rabbit IgG- HRP Immunoconjugate	Anti-Rabbit IgG Sodium Phosphate Dihydrate Bovine Serum Albumin Peroxidase Type XII (from horseradish)	No Data Available No Data Available No Data Available No Data Available	No Data Available No Data Available No Data Available No Data Available	No Data Available No Data Available No Data Available No Data Available

Wash Solution	Sodium Phosphate Dihydrate Sodium Chloride Tween 20 Kathon CG Ciprofloxacin	No Data Available No Data Available rat, 40,554 mg/kg rat, 3,350 mg/kg rat, > 2,000 mg/kg	No Data Available rat, 1 hr >42,000 mg/m ³ No Data Available rat, 4 hr, 330 mg/m ³ No Data Available	No Data Available rabbit, >10,000 mg/kg No Data Available rabbit, > 5,000 mg/kg No Data Available
Substrate	TMB (3,3',5,5'-tetramethylbenzidine)	No Data Available	No Data Available	No Data Available
FPA Anticoagulant Solution	Trisodium Citrate Dihydrate Heparin Sodium Azide	mouse, > 5,000 mg/kg No Data Available	No Data Available rat, 37 mg/m ³	No Data Available rabbit, 20 mg/kg
Stop Solution	Sulfuric Acid	rat, 2,140 mg/kg	rat, 2 hr, 510 mg/m ³	No Data Available

11.2 Irritation

Skin: Corrosive and destructive to tissue in rabbit (due to Sulfuric Acid).
 Corrosive and destructive to tissue in rabbit (due to Kathon CG).
 Mild skin irritation in human in 3 days (due to Tween 20)

Eye: Severe eye irritation in rabbit (due to Sulfuric Acid).
 Severe corneal damage in rabbit (due to Kathon CG).

Inhalation: No Data Available

11.3 Sensitization

Skin: May cause skin sensitization.

Inhalation: No Data Available.

11.4 Carcinogenicity

The International Agency for Research on Cancer (IARC) has determined that occupational exposure to strong inorganic acid mists containing sulfuric acid is carcinogenic to humans (group 1).

11.5 Mutagenicity

Ciprofloxacin has shown germ cell mutagenicity in the following experimental situations

Genotoxicity in vitro - Human - lymphocyte
 DNA damage

Genotoxicity in vitro - Human - lymphocyte
 Unscheduled DNA synthesis

Genotoxicity in vitro - Hamster - Lungs
 Micronucleus test

Genotoxicity in vitro - Hamster - Lungs
 Cytogenetic analysis

Genotoxicity in vivo - mouse - Intraperitoneal
 Cytogenetic analysis

Genotoxicity in vivo - mouse - Intraperitoneal
 Sister chromatid exchange

11.6 Teratogenicity

No data available

For the other components of this product, the health effects noted above are based on the extrapolation of data on the pure product ingredients. To the best of our knowledge, no health effects have been identified for the product mixture under normal conditions of use, although the health effects of the product have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

12.1 Toxicity:

Use in accordance with good laboratory practices. Do not waste into the environment. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxicity to fish (Tween 20)	LC50, other fish – 350 mg/L, 24 hours
Toxicity to fish (Sulfuric Acid)	LC50, Gambusia affinis (Mosquito fish) – 42 mg/L, 96 hours
Toxicity to fish (Kathon CG)	No Data Available
Toxicity to daphnia (Sodium Azide)	EC50, daphnia pulex (water flea) – 4.2 mg/L, 48 hours
Toxicity to daphnia (Sodium Chloride)	NOEC, Daphnia – 1,500 mg/L, 7 days
Toxicity to daphnia (Sodium Chloride)	EC50, Daphnia magna (water flea) – 1,661 mg/L, 48 hours

12.2 Mobility: No Data Available

12.3 Persistence and degradability: No Data Available

12.4 Bioaccumulative potential: No Data Available

12.5 PBT assessment: No Data Available

12.6 Other adverse effects: No Data Available

13. DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service to dispose of this material. Disposal should be made in accordance with existing disposal practices employed for infectious waste at your institution. Observe all federal, state and local environmental regulations and laws.

14. TRANSPORT INFORMATION

DOT (US):	Proper Name For Shipping:	Sulfuric Acid
	UN Number:	1830
	Hazard Class:	8
	Reportable Quantity:	1000 lbs.
	Packing Group:	II
	Marine Pollutant:	No
IATA:	Poison Inhalation Hazard:	No
	Proper name For Shipping:	Sulfuric Acid
	UN Number:	1830
	Hazard Class:	8
IMDG:	Packing Group:	II
	Proper name For Shipping:	Sulfuric Acid
	UN Number:	1830
	Hazard Class:	8
	Packing Group:	II
	Marine Pollutant	No

15. REGULATORY INFORMATION

This product is classified and labeled in accordance with Directive 1999/45/EC and the following modifications. The health hazard classification has been determined based upon the composition and hazard data of each ingredient. Physical and health hazard information on the reagent mixture has not been determined. Any physical and health hazard information noted is based on a) evaluation of data of the pure ingredient and b) the concentration of each ingredient.

Hazard Classification

EC Symbol:	
Indication of Danger:	Irritant
Risk Code:	R20/22, R36/37/38
Safety Code:	S24/25, S26, S36/37/39, S46
Hazard Code:	H303, H315, H317, H319, H335, H401, H402

OSHA Hazards: Corrosive, Carcinogen, Skin sensitizer

SARA 302 Components: Sulfuric Acid in this product is subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: Sulfuric Acid in this product is subject to reporting requirements of SARA Title III, Section 313.

SARA 311/312 Hazards: Acute Health Hazard, Chronic Health Hazard (due to Kathon CG, Sulfuric Acid).

California Prop 65 Components: This product contains a chemical (Sulfuric Acid) known to the State of California to cause cancer.

16. OTHER INFORMATION

The information supplied in this Material Safety Data Sheet represents the data and best information available on the date of preparation. It is provided to allow for the proper and safe use, storage, transport and disposal of the product. It is not to be considered as a warranty, guarantee or specification of the product quality. It is related to the materials specifically indicated and does not apply if these are used in combination with other materials or during processes not indicated in the text of this safety data sheet.

Sekisui Diagnostics, LLC and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.