

# **SAFETY DATA SHEET**

Revision Date 21-Mar-2019 Version 12

### 1. IDENTIFICATION

Product identifier

Product Name HIGH STRENGTH THREADLOCKER RED 36ML

Adhesive

Other means of identification

Product Code 27140

Recommended use of the chemical and restrictions on use

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

ITW Permatex 6875 Parkland Blvd.

Recommended Use

or or arkiana biva.

Solon, Ohio 44139 USA

Telephone: 1-87-Permatex

(866) 732-9502

24-hour emergency phone number

Chem-Tel: 800-255-3924

International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address: mail@permatex.com

May Also Be Distributed by:

ITW Permatex Canada 101-2360 Bristol Circle

Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

### 2. HAZARDS IDENTIFICATION

### <u>Classification</u>

### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3

### Label elements

### **Emergency Overview**

### Signal word

Warning

Causes skin irritation
Causes serious eye irritation

Suspected of causing cancer May cause respiratory irritation

Page 1/8

0.1 - 1

Odor Mild



Precautionary Statements - Prevention Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Physical state Liquid

Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Precautionary Statements - Response

### IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Precautionary Statements - Disposal

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Store in a well-ventilated place. Keep container tightly closed

Store locked up

## Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

Not applicable

### Other Information Not applicable

Unknown acute toxicity 25.63 % of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

		_
Chemical Name	CAS No	Weight-%
DIMETHYI BENZYI	80-15-9	1 - 5

# 98-82-8

# 4. FIRST AID MEASURES

### Description of first aid measures

**HYDROPEROXIDE CUMENE** 

General advice Get medical advice/attention if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Eye contact

Skin contact

Inhalation

Ingestion

None

Explosion data

protective gear.

Self-protection of the first aider

Revision Date 21-Mar-2019

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.

IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician. Use personal protective equipment as required.

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician.

Most important symptoms and effects, both acute and delayed

advice/attention.

Symptoms See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Take off contaminated clothing and wash before reuse.

### Suitable extinguishing media Carbon dioxide (CO2), Dry chemical, Foam

# Unsuitable extinguishing media

### Specific hazards arising from the chemical None in particular.

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

### 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

### Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Personal precautions

Use personal protective equipment as required.

Environmental precautions

See Section 12 for additional Ecological Information. Environmental precautions

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations. Conditions for safe storage, including any incompatibilities

Revision Date 21-Mar-2019

7. HANDLING AND STORAGE

Advice on safe handling

Storage Conditions

Exposure Guidelines

Other Information

**Engineering Controls** 

Eye/face protection

Skin and body protection

General Hygiene Considerations

Respiratory protection

Melting point / freezing point

Physical state

Odor threshold

Appearance

Property

Odor

На

98-82-8

Appropriate engineering controls

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

Wash contaminated clothing before reuse. Use personal protective equipment as required.

Store locked up.

Incompatible materials Strong oxidizing agents, Peroxides, Reducing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### **Chemical Name ACGIH TLV** CUMENE TWA: 50 ppm

### TWA: 50 ppm TWA: 245 mg/m<sup>3</sup> (vacated) TWA: 50 ppm (vacated) TWA: 245 mg/m<sup>3</sup>

**OSHA PEL** 

(vacated) S\* S\*

**NIOSH IDLH** IDLH: 900 ppm TWA: 50 ppm TWA: 245 mg/m<sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Showers Eyewash stations

Ventilation systems

Individual protection measures, such as personal protective equipment Tight sealing safety goggles.

Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.

Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

No information available

No information available

# PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties Liquid

Red

Mild

Remarks • Method Values No information available

Boiling point / boiling range 200 °C / 392 °F No information available

No information available No information available

No information available No information available

No information available

No information available

No information available

No information available

No information available No information available

1.06% (11.8 g/l)

500 mPas @ 20°C (68°F) No information available

Immiscible in water

1 11

Revision Date 21-Mar-2019

No information available No information available No information available 10. STABILITY AND REACTIVITY

# Stable under normal conditions

### Possibility of Hazardous Reactions

### None under normal processing.

# Conditions to avoid

Lower flammability limit:

Decomposition temperature

Vapor pressure

Water solubility

Partition coefficient Autoignition temperature

Kinematic viscosity

Explosive properties Oxidizing properties

Dynamic viscosity

Other Information Softening point

Molecular weight VOC Content (%)

SADT (self-accelerating

No information available

Chemical stability

Ingestion

decomposition temperature)

Density

**Bulk density** 

Reactivity

Vapor density Relative density

Solubility(ies)

# Excessive heat.

### Incompatible materials Strong oxidizing agents, Peroxides, Reducing agents

# **Hazardous Decomposition Products**

## Carbon oxides

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

- Inhalation May cause irritation of respiratory tract.
  - Eve contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

  - Skin contact May cause skin irritation and/or dermatitis.
- Chemical Name Oral LD50 **Dermal LD50**

Inhalation LC50

Ingestion may cause irritation to mucous membranes.

### 27140 - HIGH STRENGTH THREADLOCKER RED 36ML

Revision Date 21-Mar-2019

= 220 ppm (Rat) 4 h

= 0.126 mL/kg ( Rabbit )

HYDROPEROXIDE 80-15-9 CUMENE = 1400 mg/kg (Rat)=  $12300 \mu L/kg$  (Rabbit) > 3577 ppm (Rat) 6 h = 39000 mg/m<sup>3</sup> (Rat) 4 h 98-82-8 Information on toxicological effects

Symptoms

DIMETHYLBENZYL

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available.

= 382 mg/kg (Rat)

No information available. Sensitization Germ cell mutagenicity No information available.

arcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Carcinogenicity	THE TABLE DE	r agency has listed any in	greaterit as a card	
Chemical Name	ACGIH	IARC	NTP	OSHA
CLIMENE	_	Group 2B	Reasonably Anticipated	Y

Chemical Name	ACGIN	IARC	NIF	USHA
CUMENE	-	Group 2B	Reasonably Anticipated	X
98-82-8				
IARC (International Age	ency for Research on Cance	er)		

Not classifiable as a human carcinogen Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 6442 mg/kg

ATEmix (dermal) 18879 mg/kg ATEmix (inhalation-dust/mist) 12.4 mg/l

# 12. ECOLOGICAL INFORMATION

# Ecotoxicity

25.63 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

## Persistence and degradability

No information available.

### Bioaccumulation No information available.

<u>Mobility</u>

### No information available.

Chemical Name	Partition coefficient
CUMENE	3.7
98-82-8	

Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and Disposal of wastes regulations.

Contaminated packaging Do not reuse container.

Page 6/8

### 27140 - HIGH STRENGTH THREADLOCKER RED 36ML

Not applicable

Not regulated

Revision Date 21-Mar-2019

US EPA Waste Number

**Chemical Name** California Hazardous Waste Status DIMETHYLBENZYL HYDROPEROXIDE Toxic

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION				
98-82-8	Ignitable			
CUMENE	Toxic			
80-15-9	Ignitable			
DIMETITE EDENZIETT DROTERONIDE	TOXIC			

# Proper shipping name:

**KECL** 

AICS

DOT

IATA Proper shipping name: Not regulated

IMDG

Not regulated Proper shipping name:

### 15. REGULATORY INFORMATION

### International Inventories Complies **TSCA**

### DSL/NDSL Complies

EINECS/ELINCS Complies Complies ENCS

**IECSC** Complies Complies Complies PICCS

Not Listed

## Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

Fire hazard

**Reactive Hazard** 

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## **Chemical Name** SARA 313 - Threshold Values %

No

No

No

No

### DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9 SACCHARIN - 81-07-2

1.0 1.0

Sudden release of pressure hazard

Yes

SARA 311/312 Hazard Categories Acute health hazard **Chronic Health Hazard** 

Revision Date 21-Mar-2019

CEDCL A/SADA DO

CFR 122.42)

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40

### CERCLA This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Hazardaua Substances BOs

Chemical Name	nazardous Substances RQS	CERCLA/SAKA KU	Reportable Quantity (RQ)
DIMETHYLBENZYL	10 lb	-	RQ 10 lb final RQ
HYDROPEROXIDE			RQ 4.54 kg final RQ
80-15-9			-
CUMENE	5000 lb	-	RQ 5000 lb final RQ
98-82-8			RQ 2270 kg final RQ
US State Regulations			

### California Proposition 65

### This product contains the following Proposition 65 chemicals

**Chemical Name** CLIMENE - 98-82-8

Comene - 90-82-8 Carcinogen		nogen	
U.S. State Right-to-Know Regu	<u>llations</u>		
Chemical Name	New Jersey	Massachusetts	Pennsylvania
DIMETHYLBENZYL	X	X	X

DIMETHYLBENZYL HYDROPEROXIDE	X	X	X
80-15-9			
SACCHARIN	Х	X	X
81-07-2			
CUMENE	X	X	X
98-82-8			
U.S. EPA Label Information			

EPA Pesticide Registration Number Not applicable

### WHMIS Hazard Class

# D2B - Toxic materials

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

### HMIS Health hazards 2

NFPA (National Fire Protection Association)

Health hazards 2

Flammability 1

Flammability 1

Instability 0 Physical hazards 0

Personal protection B

**California Proposition 65** 

HMIS (Hazardous Material Information System)

21-Mar-2019

# **Revision Date**

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

### date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

NFPA

materials or in any process, unless specified in the text. **End of Safety Data Sheet** 

relates only to the specific material designated and may not be valid for such material used in combination with any other