

MATERIAL SAFETY DATA SHEET



Date Issued: 06/14/2000
MSDS No: 68
Date-Revised: 08/24/2011
Revision No: 7

Almost Magic®

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Almost Magic®
GENERAL USE: Automotive reconditioning product
PRODUCT DESCRIPTION: Silicone based Tire Dressing
PRODUCT CODE: 68
PRODUCT FORMULATION NAME: Almost Magic®
CHEMICAL FAMILY: none
GENERIC NAME: Solvent Based Silicone Tire Dressing

MANUFACTURER

Auto Wax - An ITW Company
Auto Magic®
1275 Round Table Drive
Dallas, TX 75247

Product Stewardship: 1-800-826-0828

Transportation: 1-800-826-0828

Service Number: 1-214-631-4000

Auto Wax - An ITW Company

Auto Magic®

24 HR. EMERGENCY TELEPHONE NUMBERS

1-800-826-0828

COMMENTS: To the best of our knowledge, this Material Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200.

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: Harmful if swallowed.

POTENTIAL HEALTH EFFECTS

EYES: Substance causes moderate eye irritation.

SKIN: Prolonged or repeated contact may cause skin irritation.

INGESTION: Substance may be harmful if swallowed.

INHALATION: May causes nasal and respiratory tract irritation.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE TOXICITY: overexposure to vapors may cause headaches, dizziness, confusion and nausea,

MEDICAL CONDITIONS AGGRAVATED: dermatitis may be aggravated by excessive exposure to skin.

ROUTES OF ENTRY: include skin contact, skin absorption, eye contact , inhalation and ingestion

TARGET ORGAN STATEMENT: not established

CANCER STATEMENT: not established

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS	EINECS	Classification
Odorless Mineral Spirits	60 - 80	64742-48-9	265-150-3	Xn; R10-65-66-67

4. FIRST AID MEASURES

EYES: Flush eye with water for 15 minutes. Get medical attention.

SKIN: Remove contaminated clothing. Wash with soap and water.

INGESTION: Do not induce vomiting. Seek medical attention immediately.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

5. FIRE FIGHTING MEASURES**FLASHPOINT AND METHOD:** ~ 46°C (115°F) TCC**FLAMMABLE LIMITS:** not available**Notes:** not available**AUTOIGNITION TEMPERATURE:** not available**GENERAL HAZARD:** Combustible liquid. Keep away from heat and open flame.**EXTINGUISHING MEDIA:** use foam, dry chemical or carbon dioxide extinguisher**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Monoxide and Carbon Dioxide**OTHER CONSIDERATIONS:** "EMPTY" container retain residue (liquid and/ or vapor) and can be dangerous. Do not expose container to heat, flame, sparks or other sources of ignition.**EXPLOSION HAZARDS:** not available**SENSITIVE TO STATIC DISCHARGE:** not available**SENSITIVITY TO IMPACT:** not available**6. ACCIDENTAL RELEASE MEASURES****SMALL SPILL:** Contain and collect with absorbent**LARGE SPILL:** LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use.**ENVIRONMENTAL PRECAUTIONS****WATER SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.**7. HANDLING AND STORAGE****GENERAL PROCEDURES:** Keep out of reach of Children.**STORAGE TEMPERATURE:** -17°C (0°F) Minimum to 38°C (100°F) Maximum**SHELF LIFE:** one year**ELECTROSTATIC ACCUMULATION HAZARD:** Ground and bond containers when transferring material.**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE GUIDELINES**

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)			
		EXPOSURE LIMITS	
		SupplierOEL	
Chemical Name		ppm	mg/m ³
Odorless Mineral Spirits	TWA	300 ppm	1900 mg/m ³

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.**PERSONAL PROTECTIVE EQUIPMENT****EYES AND FACE:** Wear safety glasses with side shields or goggles.**SKIN:** Use Nitrile/ Vinyl gloves**RESPIRATORY:** NIOSH respirator -(organic vapor) in absence of proper environmental control.**PROTECTIVE CLOTHING:** Clean, body-covering clothing**9. PHYSICAL AND CHEMICAL PROPERTIES**

Chemical Name	Flash Point (°C)	Boiling Point (°C)	Specific Gravity
Odorless Mineral Spirits	49	178	0.76

ODOR: fruity odor**APPEARANCE:** Clear Purple Liquid**PERCENT VOLATILE:** 65-85

BOILING POINT: ~ 157°C

FLASHPOINT AND METHOD: ~ 46°C (115°F) TCC

SOLUBILITY IN WATER: ~ 0

SPECIFIC GRAVITY: < 0.800 d25/4

10. STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: No

11. TOXICOLOGICAL INFORMATION

CARCINOGENICITY

IARC: Listed by IARC- NO

NTP: Listed by NTP- NO

OSHA: Listed by OSHA- NO

SENSITIZATION: not available

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: not available

ECOTOXICOLOGICAL INFORMATION: not available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose in accordance with local, state, and federal laws.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

OTHER SHIPPING INFORMATION: Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

15. REGULATORY INFORMATION

UNITED STATES

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All Ingredients are on the TSCA Inventory or are not required to be listed on the TSCA Inventory

CANADA

WHMIS HAZARD SYMBOL AND CLASSIFICATION



Combustible Liquid



Toxic


16. OTHER INFORMATION

PREPARED BY: Tony Casmus

REVISION SUMMARY: Revision #: 7. This MSDS replaces the August 24, 2011 MSDS. Any changes in information are as follows: In Section 1: MSDS Number

HMIS RATING

HEALTH:	-	1
FLAMMABILITY:		2
PHYSICAL HAZARD:		0
PERSONAL PROTECTION:		

NFPA CODES

NFPA STORAGE CLASSIFICATION: Combustible.

MANUFACTURER DISCLAIMER: The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.