

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION.**W. F. Taylor Co., Inc.**11545 Pacific Avenue
Fontana, CA 92337-8228
951/360-6677

CHEMICAL EMERGENCY HOTLINE 1-800-535-5053

PRODUCT NAME: **705 TAYLOR EDGE-LOCK SEAM SEALER**
ITEM NUMBER: 705-04
ITEM DESCRIPTION: 705 Taylor Edge-Lock Seam Sealer 1-Quart
PRODUCT DESCRIPTION: MEDIUM VISCOSITY LATEX ADHESIVE
CHEMICAL FAMILY: SYNTHETIC POLYMER LATEX MIXTURE
REVISION DATE: 01/21/14 REVIEW DATE: / / PRINT DATE: 01/24/14 PRINT TIME: 07:50

HMIS HAZARD RATING

LEAST: 0	HEALTH: 1
SLIGHT: 1	FLAMMABLE: 0
MODERATE: 2	REACTIVITY: 0
HIGH: 3	
EXTREME: 4	

PREPARED BY: ROBERT DDAMULIRA
PREEMPTS PREVIOUS MSDS SHEETS

SECTION II HAZARDOUS INGREDIENTS

Isopropyl Alcohol

SECTION III PHYSICAL DATA

<u>Hazard</u>	<u>CAS #</u>	<u>WT/Wt % Less Than</u>
ISOPROPANOL, 99%	67-63-0	2.99 SARA Rep.
ACGIH TLV: 400 PPM (TWA) (TWA);		
OSHA PEL: 400 PPM (TWA) (TWA);		
BOILING POINT: 212 DEGREES F		
LBS / GALLON: 8.4 - 9.2		
EVAPORATION RATE: SAME AS WATER		
VAPOR DENSITY: SAME AS WATER		
VAPOR PRESSURE: SAME AS WATER		
PERCENT VOLATILE: 37-40 (BY WEIGHT)		
COLOR: WHITE		
ODOR: MILD		

SECTION IV FIRE AND EXPLOSION HAZARD DATA

DOT CATEGORY: NOT REGULATED
FLASH POINT: NONE LEL: NA
EXTINGUISHING MEDIA: NONE REQUIRED
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE
SPECIAL FIRE FIGHTING PROCEDURES: NONE

SECTION V HEALTH HAZARD IDENTIFICATION

PRODUCT NAME: **705 TAYLOR EDGE-LOCK SEAM SEALER**
 ITEM NUMBER: 705-04
 ITEM DESCRIPTION: 705 Taylor Edge-Lock Seam Sealer 1-Quart
 REVISION DATE: 01/21/14 REVIEW DATE: / / PRINT DATE:01/24/14 PRINT TIME: 07:50

SYMPTOMS OF OVER EXPOSURE:
 INHALATION: NONE KNOWN
 EYES: MAY CAUSE MILD IRRITATION
 SKIN: NONE KNOWN
 INGESTION: NONE KNOWN

FIRST AID PROCEDURES:
 EYES: FLUSH WITH WATER
 SKIN: WASH WITH SOAP AND WATER
 INHALATION: REMOVE TO FRESH AIR IF NEEDED

INGESTION: DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

SECTION VI REACTIVITY DATA

STABILITY: STABLE
 CONDITIONS TO AVOID: NONE KNOWN
 INCOMPATIBILITY-MATERIALS TO AVOID: NONE KNOWN
 HAZARDOUS DECOMPOSITION PRODUCTS: NONE KNOWN
 HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VII SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED
 KEEP OUT OF SEWER SYSTEMS TO PREVENT BLOCKAGE DUE TO POLYMER DEPOSITS. USE ABSORBENT MATERIAL TO COLLECT AND/OR SCRAPE UP EXCESS AND PLACE INTO CLOSED DOT APPROVED CONTAINERS FOR DISPOSAL.

WASTE DISPOSAL: ABIDE BY ALL STATE, FEDERAL AND LOCAL REGULATIONS.

SECTION VIII SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NONE NEEDED
 VENTILATION: LOCAL EXHAUST
 PROTECTIVE GLOVES: NONE REQUIRED
 EYES: GOGGLES
 OTHER PROTECTIVE EQUIPMENT: NONE

SECTION IX SPECIAL PRECAUTIONS

PRECAUTION FOR HANDLING AND STORING: DO NOT PUNCTURE.
 KEEP OUT OF THE REACH OF CHILDREN.
 PROTECT FROM FREEZING
 CAUTION: DO NOT TAKE INTERNALLY. IF SWALLOWED, DO NOT INDUCE VOMITING, CALL PHYSICIAN IMMEDIATELY.

SECTION X TOXICOLOGICAL PROPERTIES

ACUTE EYE TOXICITY: NO INFORMATION AVAILABLE
 ACUTE SKIN TOXICITY: NO INFORMATION AVAILABLE
 ACUTE INHALATION TOXICITY: NO INFORMATION AVAILABLE
 ACUTE ORAL TOXICITY: NO INFORMATION AVAILABLE

SECTION XI REGULATORY INFORMATION

PRODUCT NAME: **705 TAYLOR EDGE-LOCK SEAM SEALER**
ITEM NUMBER: 705-04
ITEM DESCRIPTION: 705 Taylor Edge-Lock Seam Sealer 1-Quart
REVISION DATE: 01/21/14 REVIEW DATE: / / PRINT DATE:01/24/14 PRINT TIME:07:50

OSHA HAZARD COMMUNICATION STANDARD(29CFR 1910.1200)HAZARD CLASS(ES): NONE
SARA TITLE III SECTION 312 HAZARD CLASS: NONE
EPA SARA TITLE III SECTION 313: NONE

ALL COMPONENTS OF THIS PRODUCT ARE EITHER LISTED OR EXEMPT IN THE US EPA TSCA LIST

CALIFORNIA PROPOSITION 65: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND/OR REPRODUCTIVE HARM.

NOTICE

W.F. TAYLOR BELIEVES THE DATA SET FORTH HEREIN ARE ACCURATE AS OF THE DATE HEREOF. TAYLOR MAKES NO WARRANTY WITH RESPECT THERETO AND EXPRESSLY DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. SUCH DATA ARE OFFERED SOLELY FOR YOUR CONSIDERATION, INVESTIGATION AND VERIFICATION.
