
Product name	DUR-OSET® 975 LF Emulsion (252820)	Revision Date	NAGH/EN
MSDS number	85452	Issuing date	Feb.15.2016
Revision Number	1.01		Feb.15.2016

1. Product and company identification

Trade Name

DUR-OSET® 975 LF Emulsion (252820)

Manufacturer, importer, supplier

Celanese Ltd.

222 W. Las Colinas Blvd., Suite 900N
Irving, TX 75039
United States
Phone: 972 443 4000
Internet: www.celanese.com

Transportation emergency phone numbers:

For Chemical Emergency: Spill Leak Fire Exposure or Accident
Call CHEMTREC Day or Night
DOMESTIC NORTH AMERICA: 800-424-9300
INTERNATIONAL, CALL +1 703-527-3887 (collect calls accepted)

2. Hazard Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200:

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard (29CFR 1910.1200)

3. Composition/information on ingredients

Components	CAS-No	Percent %
Vinyl Acetate based polymer		42 - 44
Water	7732-18-5	54 - 56

4. First aid measures

General Information

Wash contaminated clothing before re-use.

Skin

Wash off with soap and water. If symptoms persist, call a physician.

Product name	DUR-OSET® 975 LF Emulsion (252820)	Revision Date	NAGH/EN
MSDS number	85452	Issuing date	Feb.15.2016
Revision Number	1.01		Feb.15.2016

Eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion

If swallowed, seek medical advice immediately and show this container or label.

5. Fire-fighting measures

NFPA: **Health:** 1

Flammability: 0

Instability: 0

Suitable extinguishing media

The product in solution form does not burn. The product will burn only after the water it contains is driven off. For dry polymer, use alcohol resistant foam, carbon dioxide (CO₂) or dry chemical.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Other Information

This is a water-based product and presents no particular fire or explosion hazard

6. Accidental release measures

Personal precautions

Contaminated surfaces will be extremely slippery. Avoid contact with the skin and the eyes.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Contaminated equipment (brushes, rags) must be cleaned immediately with water. Dispose of in accordance with local regulations.

7. Handling and storage

Advice on safe handling

Open containers in ventilated area.

Protection - fire and explosion:

No special protective measures against fire required.

Technical measures/Storage conditions

Keep tightly closed in a dry and cool place. No special technical protective measures required.

Material storage

Protect from frost. Keep at temperatures between 5°C and 35°C (40°F and 95°F). Agitate before use. Keep tightly closed in a dry and cool place.

Incompatible products

No special restrictions on storage with other products

Product name	DUR-OSET® 975 LF Emulsion (252820)	Revision Date	NAGH/EN
MSDS number	85452	Issuing date	Feb.15.2016
Revision Number	1.01		Feb.15.2016

8. Exposure controls / personal protection

OSHA Exposure Limits

No exposure limits established.

ACGIH Exposure Limits

No exposure limits established.

Components	TWA
Water	10 ppm

Components	STEL
Water	15 ppm

Mexico National Exposure Limits

No exposure limits established

Exposure controls

Engineering measures

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Protective equipment

A safety shower and eyebath should be readily available.

General advice

Avoid contact with skin and eyes.

Skin protection:

Wear impervious clothing and gloves when there is a reasonable chance for skin contact..

Eye/face protection:

Safety glasses with side-shields.

9. Physical and chemical properties

Appearance

Form	liquid
Color	milky white
Odor	sweet
Freezing point	Approx. 32 F°C
Boiling Point	100 °C (212°F)

Product name	DUR-OSET® 975 LF Emulsion (252820)	Revision Date	NAGH/EN
MSDS number	85452	Issuing date	Feb.15.2016
Revision Number	1.01		Feb.15.2016

9. Physical and chemical properties

pH	3 - 4
Specific Gravity	1.0

10. Stability and reactivity

Chemical stability

Stable under recommended storage conditions

Conditions to avoid

Do not freeze

Incompatible Materials

Materials that react with water

Possibility of hazardous reactions

No hazards to be especially mentioned.

11. Toxicological information

Potential health effects

Routes of exposure	Skin, Eyes
---------------------------	------------

Immediate effects

Skin Prolonged or repeated exposure may cause: skin irritation

Eyes May cause eye irritation.

Ingestion May cause gastrointestinal irritation.

Toxicological data are not available. Observe the usual hygienic measures for handling chemicals.

12. Ecological Information

Ecotoxicological data are not available. According to experience, the material has no harmful effect on the environment.

Product name	DUR-OSET® 975 LF Emulsion (252820)	Revision Date	NAGH/EN
MSDS number	85452	Issuing date	Feb.15.2016
Revision Number	1.01		Feb.15.2016

13. Disposal considerations

Disposal considerations

Dispose of spilled material in accordance with state and local regulations for waste that is non-hazardous by Federal definition. Note that this information applies to the material as manufactured; processing, use, or contamination may make this information inappropriate, inaccurate, or incomplete.

Note that this handling and disposal information may also apply to empty containers, liners and rinsate. State or local regulations or restrictions are complex and may differ from federal regulations. This information is intended as an aid to proper handling and disposal; the final responsibility for handling and disposal is with the owner of the waste.

14. Transport information

US Department of Transportation Not regulated

TDG Not regulated

ICAO/IATA Not restricted

IMDG Not regulated

15. Regulatory Information

US State Regulations

Chemicals associated with the product which are subject to the state right-to-know regulations are listed along with the applicable state(s):

U.S. FEDERAL REGULATIONS

Environmental Regulations:

SARA 313 Chemicals

Contains no substances at or above the reporting threshold under Section 313.

SARA 311:

INTERNATIONAL REGULATIONS

CANADIAN REGULATIONS

WHMIS Classification: Not a WHMIS controlled product.

All components of this product are listed on the Canadian Domestic Substance List (DSL)

Product name	DUR-OSET® 975 LF Emulsion (252820)		NAGH/EN
MSDS number	85452	Revision Date	Feb.15.2016
Revision Number	1.01	Issuing date	Feb.15.2016

16. Other information

NFPA: 1 Health: 0 Flammability: 0 Instability: 0

Prepared By

Product Stewardship Department Celanese

For more information, consult the Technical Data Sheet (www.celanese-emulsions.com)

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on Celanese owned data and public sources deemed valid or acceptable.. The absence of data elements required by ANSI or 1907/2006/EC indicates that no data meeting these requirements is available..

Changes against the previous version are marked by ***

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. Celanese makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. This material may be released from gas, liquid, or solid materials made directly or indirectly from it. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards. Material safety data sheets are provided on the Internet by Celanese as a service to its customers. Possession of an Internet MSDS does not indicate that the possessor of the MSDS was a purchaser or user of the subject product.