



# MATERIAL SAFETY DATA SHEET

KEM CANADA MFG.  
4 BLAIR DRIVE  
BRAMPTON, ONTARIO  
L6T 2H5  
TEL# (905) 456-9444

EMERGENCY # CANUTEC (613) 996-6666  
"USE IN CASE OF CHEMICAL EMERGENCY ONLY"

W.H.M.I.S. CLASSIFICATION: D2A, E

MATERIAL REFERENCE NO: 710000

## SECTION I - MATERIAL IDENTIFICATION AND USE

MATERIAL NAME/I.D.: KEMTREET 100	
CHEMICAL NAME: NOT APPLICABLE	CHEMICAL FAMILY: ALKALINE BLEND
CHEMICAL FORMULA: MIXTURE	MOLECULAR WEIGHT: NOT APPLICABLE
SYNOMYS: NONE	
MATERIAL USE: BOILER TREATMENT	

## SECTION II - HAZARDOUS INGREDIENTS OF MATERIAL

HAZARDOUS INGREDIENTS	APPROX. % CONCENT.	TLV PPM	C.A.S. NUMBERS	LD 50 ORAL, RAT
SODIUM HYDROXIDE	5.0-10.0	2 MG/M3	1310-73-2	500 MG/KG
SODIUM SULFITE	1.0-5.0	5 MG/M3	7757-83-7	820 MG/KG
2-PROPENOIC ACID	1.0-5.0	NOT AVAIL	71050-62-9	>5000 MG/KG
POLYMER, PHOSPHINATE				
2-ACRYLAMIDO-METHYL	1.0-5.0	NOT AVAIL	97953-25-8	>3000 MG/KG
ETHYLENE DIAMINE	1.0-5.0	NOT AVAIL	64-02-8	3030 MG/KG
TETRA ACETIC ACID				
PROPYL SULFONIC POLYMER				
2--PROPENOIC ACID	1.0-5.0	NOT AVAIL	66019-18-9	>2000 MG/KG
HOMOPOLYMER				
PHOSPHONO - SODIUM	<3.0	NOT AVAIL	23783-26-8	1800 MG/KG
CARBOXYLIC ACID				

## SECTION III - PHYSICAL DATA FOR MATERIAL

PHYSICAL STATE: LIQUID		
ODOUR AND APPEARANCE: DARK BROWN LIQUID; FAINT ACRID ODOUR.		
ODOUR THRESHOLD (PPM) NO VOLATILE TOXICANTS	SPECIFIC GRAVITY 1.10	VAPOUR PRESSURE (MM) 760 AT 102 (C)
VAPOUR DENSITY (AIR=1) 1	EVAPORATION RATE (WATER = 1) < 1	SOLUBILITY IN WATER (20°C) COMPLETE
BOILING POINT (C) 102	FREEZING POINT (C) NOT AVAILABLE	% VOLATILE (BY WEIGHT) 82
pH (10% SOLUTION) 12.5-13.5	DENSITY (G/ML) NOT APPLICABLE	COEF.OF WATER/OIL DISTR NOT AVAILABLE



# MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 710000

## SECTION IV - FIRE AND EXPLOSION HAZARD OF MATERIAL

FLAMMABILITY: NON-FLAMMABLE		
IF YES, UNDER WHICH CONDITIONS:		
MEANS OF EXTINCTION: CHEMICAL FOAM, CARBON DIOXIDE, WATER FOG		
SPECIAL PROCEDURES: WEAR FULL PROTECTIVE GEAR INCLUDING SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER.		
FLASH POINT (C) AND METHOD: NON-COMBUSTIBLE (TCC)		
HAZARDOUS COMBUSTION PRODUCTS: OXIDES OF CARBON, SULPHUR DIOXIDE GAS SODIUM SULPHIDE RESIDUE, TOXIC ORGANIC VAPOURS, AMMONIA, OXIDES OF NITROGEN, OXIDES OF PHOSPHOROUS AND SODIUM, ACRYLIC MONOMERS.		
UPPER EXPLOSION LIMIT NOT APPLICABLE	LOWER EXPLOSION LIMIT NOT APPLICABLE	AUTOIGNITION TEMP(C) NOT APPLICABLE
EXPLOSION DATA SENSITIVITY TO CHEMICAL IMPACT NOT AVAILABLE	RATE OF BURNING NOT APPLICABLE	EXPLOSIVE POWER NOT APPLICABLE
SENSITIVITY TO STATIC DISCHARGE: NOT AVAILABLE		

## SECTION V - REACTIVITY DATA

CHEMICAL STABILITY: NORMALLY STABLE
IF NO, UNDER WHICH CONDITIONS: HIGH TEMPERATURES
INCOMPATIBILITY TO OTHER SUBSTANCES: YES
IF SO, WHICH ONES: OXIDIZING AGENTS, STRONG ACIDS OR OTHER REACTIVE MATERIALS.
REACTIVITY AND UNDER WHAT CONDITIONS: NOT ESTABLISHED.
HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION WILL YIELD OXIDES OF CARBON, SULPHUR DIOXIDE GAS SODIUM SULPHIDE RESIDUE, TOXIC ORGANIC VAPOURS, AMMONIA, OXIDES OF NITROGEN, OXIDES OF PHOSPHOROUS AND SODIUM, ACRYLIC MONOMERS.

## SECTION VI - HEALTH HAZARD DATA

ROUTE OF ENTRY:		
SKIN CONTACT: YES	SKIN ABSORPTION: YES	EYE CONTACT: YES
INHALATION: YES	INGESTION: YES	



# MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 710000

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES-CONTACT MAY CAUSE MODERATE TO SEVERE IRRITATION, WATERING, CONJUNCTIVITIS.

SKIN-CONTACT MAY MODERATE INFLAMMATION.

INHALATION-MAY CAUSE IRRITATION OF NOSE, EYES AND THROAT, COUGHING, DIZZINESS, NAUSEA, DIFFICULTY IN BREATHING.

INGESTION-MAY CAUSE IRRITATION AND BURNING SENSATION OF LIPS, MOUTH AND THROAT, PAIN IN SWALLOWING, GASTRO-INTESTINAL IRRITATION, ABUNDANT SALIVATION, STOMACH CRAMPS, NAUSEA AND VOMITING, DIFFICULTY IN BREATHING.

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL:

EYES-IRREPARABLE DAMAGE OF MUCOUS MEMBRANES, ULCERATION OF EYES, IMPAIRED VISION.

INGESTION-INGESTION OF LARGE QUANTITIES MAY CAUSE RISK OF STOMACH PERFORATION, STATE OF SHOCK.

LD 50 OF MATL.	LC 50 OF MATL.	EXPOSURE LIMIT(S)	IRRITANCY OF MATL
NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	CORROSIVE

SENSITIZATION OF MATERIAL	SYNERGISTIC MATERIALS
NOT AVAILABLE	NOT AVAILABLE

CARCINOGENICITY, REPRODUCTIVE EFFECTS, TERATOGENICITY, MUTAGENICITY:

NONE KNOWN

## SECTION VII - PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT:

GLOVES: RUBBER OR VINYL

RESPIRATORY: NONE FOR NORMAL USE

EYE: FACE SHIELD OR SAFETY GOGGLES

FOOTWEAR: IMPERVIOUS

CLOTHING: IMPERVIOUS

OTHER: EYE WASH AND SAFETY SHOWER

ENGINEERING CONTROLS (EG VENTILATION, ENCLOSED PROCESS): LOCAL AS NEEDED TO CONTROL FUMES.

LEAK AND SPILL PROCEDURE: STOP LEAKS AND CONTAIN SPILL. TRANSFER TO SUITABLE CONTAINER FOR RECLAIM OR DISPOSAL. ABSORB REMAINING MATERIAL ONTO ABSORBANT AND SCOOP INTO CONTAINER FOR DISPOSAL. FLUSH AREA WITH VOLUMES OF WATER.

WASTE DISPOSAL: DISPOSE IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.



# MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 710000

## SECTION VIII - FIRST AID MEASURES

PROCEDURES: EYES-IMMEDIATELY FLUSH EYES WITH RUNNING WATER FOR 15 MINUTES. IF PAIN OR IRRITATION PERSIST, SEEK MEDICAL ASSISTANCE. SKIN-REMOVE CONTAMINATED CLOTHING AND FLUSH AFFECTED AREA WITH WATER FOR 15 MINUTES. IF PAIN OR IRRITATION PERSIST, SEEK MEDICAL ASSISTANCE. LAUNDER CLOTHING BEFORE REUSE. INHALATION-MOVE VICTIM TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF NOT BREATHING, ADMINISTER ARTIFICIAL RESPIRATION AND THEN GIVE OXYGEN. GET MEDICAL ATTENTION. INGESTION-IF SWALLOWED-DO NOT INDUCE VOMITING. GIVE WATER, VINEGAR AND WATER OR FRUIT JUICE. IF VOMITING OCCURS, GIVE FLUIDS AGAIN. GET IMMEDIATE MEDICAL ATTENTION.

SOURCES USED: RAW MATERIAL SUPPLIER'S MATERIAL SAFETY DATA SHEETS

ADDITIONAL INFORMATION: NONE

## SECTION IX - TDG SHIPPING INFORMATION

SHIPPING NAME	CLASS	UN NO.	PG
CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE)	8	1760	III

HANDLING PROCEDURES AND EQUIPMENT: AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WEAR PROPER PROTECTIVE CLOTHING. WASH THOROUGHLY AFTER HANDLING.

STORAGE REQUIREMENTS: STORE IN A COOL, DRY WELL-VENTILATED AREA. KEEP IN CONTAINER CLOSED WHEN NOT IN USE.

SPECIAL SHIPPING INFORMATION: HEATED

## SECTION X - HMIS HAZARD RATING INFORMATION

FLAMMABILITY	REACTIVITY	HEALTH
0	0	2

## SECTION XI - PREPARATION DATE OF MSDS

PREPARED BY: TECHNICAL DEPARTMENT      TELEPHONE # (905) 456-9444  
REVIEWED: JANUARY 9, 2008

## DISCLAIMER:

THE INFORMATION CONTAINED HEREIN IS COMPILED FROM SOURCES BELIEVED TO BE RELIABLE. THE MANNER AND CONDITIONS OF USE AND HANDLING MAY INVOLVE OTHER AND ADDITIONAL CONSIDERATIONS. WE ACCEPT NO RESPONSIBILITY FOR THE ACCURACY, SUFFICIENCY, RELIABILITY OR FOR ANY LOSS OR INJURY RESULTING FROM THE USE OF THE INFORMATION.