



Material Safety Data Sheet

Prepared according to OSHA Hazard Communication Standard (29 CFR 1910.1200) and ANSI MSDS Standard (Z400.1).
Complies with Canadian Workplace Hazardous Materials Information System (WHMIS) standards.

Revision Date 8 Nov 2011

Revision Number 2


1. PRODUCT AND COMPANY IDENTIFICATION

Product Name SWEPCO 718 Fire Resistant Hydraulic Oil
Product Code W30873
Chemical Family Petroleum hydrocarbon
Recommended Use Lubricant
Supplier Address Southwestern Petroleum Corporation, 534 North Main St, Fort Worth, TX 76106 USA
1-800-877-9372
www.swepcousa.com
Emergency Telephone Number Chemtrec 1-800-424-9300 in US; Canutec 1-613-996-6666 in Canada.
UN-No None

2. HAZARDS IDENTIFICATION

Emergency Overview

Not expected to present a significant health hazard upon short term exposure. May cause skin irritation and/or dermatitis. May be harmful if swallowed. Product is combustible but will not readily ignite.



NFPA Health 1 **Flammability** 1 **Instability** 0
WHMIS D2A - Other Very Toxic
Appearance White **Physical State** Liquid **Odor** Petroleum distillates
Principle Routes of Exposure Skin contact. Eye contact.

Acute Health Effects

Skin Avoid prolonged and/or repeated contact with skin. Prolonged and/or repeated contact with this material may produce skin irritation or inflammation. Personnel with pre-existing skin disorders should avoid contact with this product.

Eyes Contact with eyes may cause irritation

Inhalation	Avoid breathing of vapors or spray mist. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limits (ACGIH TLV TWA: 5 mg/m ³ ; ACGIH TLV STEL: 10 mg/m ³ ; OSHA PEL TWA: 5 mg/m ³).
Ingestion	Ingestion is not considered a likely route of exposure. Low order of acute oral toxicity, but minute amounts aspirated into the lungs during ingestion may cause mild to severe pulmonary injury and possibly death
Carcinogenic Effects	Carcinogenic effect of the complete mixture has not been evaluated. Information on individual ingredients which may have carcinogenic effects, if any, will be found in Section 3 & 11.
Chronic Health Effects	Reports have associated repeated and prolonged occupational overexposure to petroleum based products with liver, kidney, brain and nervous system damage. There is, however, no reported human evidence that these effects occur when exposure is maintained below OSHA and ACGIH limits.
Aggravated Medical Conditions	No information available

See Section 11 for additional toxicological information.

See Section 12 for ecological information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

If any of the components of this product are defined as hazardous by OSHA Hazard Communication Standard 1910.1200 and are present at 1% or more (0.1% or more for carcinogens) or are considered hazardous components according to Canadian WHMIS standards, they will be listed in this section. If no components appear in this section, no components of the product meet or exceed the reporting requirements.

Hazardous Components

Chemical Name	CAS-No	EINECS	Weight %	IARC	OSHA	NTP Carc	WHMIS
Ethylene glycol	107-21-1	203-473-3	1 - 9.99	-	-	-	D2A

4. FIRST AID MEASURES

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If symptoms persist, call a physician.
Ingestion	Consult a physician or Poison Control Center immediately. Do not induce vomiting without medical advice
Notes to Physician	Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties	Combustible material: may burn but does not ignite readily
-----------------------------	--

Suitable Extinguishing Media	Water spray or fog, dry chemical, carbon dioxide (CO ₂) or foam. Cool containers with flooding quantities of water until well after fire is out.
Hazardous Combustion Products	No information available
Specific Hazards Arising from the Chemical	Keep product and empty container away from heat and sources of ignition
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid contact with skin, eyes and clothing
Methods for Containment	Prevent further leakage or spillage if safe to do so. Use inert absorbent materials to confine spills and absorb spill.
Methods for Clean-up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)
Other Information	Report spills as required to the appropriate authorities.

7. HANDLING AND STORAGE

Handling	Handle in accordance with good industrial hygiene and safety practice
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
----------------------------	---

Chemical Name	ACGIH TLV	OSHA PEL	Quebec OEL	Ontario TWAEV	EU OEL
Ethylene glycol	Ceiling: 100 mg/m ³	Ceiling: 125 mg/m ³ Ceiling: 50 ppm	Ceiling: 127 mg/m ³ Ceiling: 50 ppm	CEV: 100 mg/m ³	Skin TWA: 20 ppm TWA: 52 mg/m ³ STEL: 104 mg/m ³ STEL: 40 ppm

Engineering Controls	Use in well-ventilated area. If user operations generate an oil mist, use process enclosures, local exhaust ventilation or other engineering controls to control airborne levels below the recommended mineral oil mist exposure limits (ACGIH TLV TWA: 5 mg/m ³ ; ACGIH TLV STEL: 10 mg/m ³ ; OSHA PEL TWA: 5 mg/m ³).
Eyeface Protection	Safety glasses with side-shields
Skin Protection	Use protective gloves and clothing if contact with product is likely
Respiratory Protection	If personal exposure levels cannot be maintained below accepted exposure limits or if irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White	Odor	Petroleum distillates
Physical State	Liquid	pH	No data available
Flash Point	Not applicable	Autoignition Temperature	Not applicable
Boiling Point/Range	>100°C	Melting Point/Range	<0°C
Flammability Limits in Air, %	Not applicable		
Specific Gravity (Water=1)	1	Solubility In Water	Dispersible in water
Vapor Density (Air=1)	> 1	Volatiles, % Vol	>40

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended storage conditions
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Products	Hydrogen sulfide (H ₂ S) may be produced above 250° F (121° C)
Hazardous Polymerization	Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Toxicity of this complete mixture has not been evaluated. If information is available on any of the individual components of the mixture, it is presented in this section. If no information appears in this section, there is no toxicological information available for any of the components of the mixture.

Acute Toxicity The table below indicates toxicological information for specific ingredients at concentrations indicated. If no table appears, no toxicological information was found.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol	4000 mg/kg (Rat)	9530 µL/kg (Rabbit)	

Chronic Toxicity Reports have associated repeated and prolonged occupational overexposure to petroleum based products with liver, kidney, brain and nervous system damage. There is, however, no reported human evidence that these effects occur when exposure is maintained below OSHA and ACGIH limits.

Carcinogenicity This product contains no ingredients with a concentration of 0.1% or more which are known to be carcinogenic.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity and biodegradability of this complete mixture have not been evaluated. Consequently, this material should be kept out of sewage and drainage systems and all bodies of water and should not be considered readily biodegradable. If information is available on any of the individual components of the mixture, it is presented in this section. If no information appears in this section, there is no ecotoxicity or biodegradability information available for any of the components of the mixture.

Chemical Name	Freshwater Algae	Microtox	Water Flea	DOT Marine Pollutant
Ethylene glycol	EC50 1300 - 6500 mg/L 96 h	EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min	EC50 = 46300 mg/L 48 h	

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of contents/container in accordance with local regulation

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

U.S. Regulations & Inventories The table below lists any regulatory or inventory listing information found for ingredients of this product which are considered hazardous. All other components are either listed on the inventories referenced or are exempt from listing. See Section 16 for explanation of column headings:

Chemical Name	CAS-No	TSCA	TSCA 12(b)	CERCLA/SARA 313 (de minimis concentration)	SARA Hazardous Substance Required Qty
Ethylene glycol	107-21-1	T	-	1.0 %	RQ= 2270 kg final RQ RQ= 5000 lb final RQ

U.S. State Right-to-Know Regulations The table below lists any regulatory or inventory listing information found for ingredients of this product which are considered hazardous. All other components are either listed on the inventories referenced or are exempt from listing. See Section 16 for explanation of column headings:

Chemical Name	Calif. Prop. 65	Massachusetts	New Jersey	Pennsylvania	Rhode Island
Ethylene glycol		X	X	X	X

Canada Regulations & Inventories The table below lists any regulatory or inventory listing information found for ingredients of this product which are considered hazardous. All other components are either listed on the inventories referenced or are exempt from listing. See Section 16 for explanation of column headings:

Chemical Name	CAS-No	DSL	NDSL	WHMIS
Ethylene glycol	107-21-1	X	-	D2A

This product has been classified in accordance with the hazard criteria of the Canadian CPR (Controlled Products Regulations) and the MSDS contains all the information required by the CPR.

International Regulations & Inventories The table below lists any regulatory or inventory listing information found for ingredients of this product which are considered hazardous. All other components are either listed on the inventories referenced or are exempt from listing. See Section 16 for explanation of column headings:

Chemical Name	EINECS	AICS	CHINA	ENCS	PICCS
Ethylene glycol	203-473-3	X	X	X	X

16. OTHER INFORMATION

Regulatory Lists Searched & Other Sources of Information

ACGIH - American Conference of Governmental Industrial Hygienists
 ADN - European Agreement for International Carriage of Dangerous Goods by Inland Waterways
 ADR - European Agreement for International Carriage of Dangerous Goods by Road
 AICS - Australian Inventory of Chemical Substances
 ANSI - American National Standards Institute
 CAP65 - California Proposition 65 Hazard List
 CAS - Chemical Abstract Services
 CERCLA - Comprehensive Environmental Response, Compensation & Liability Act
 CHINA - China Inventory
 CPR - Canadian Controlled Products Regulations
 DOT - United States Department of Transportation
 DSL - Canada Domestic Substances List
 EINECS - European Union (EU) European Inventory of Existing Commercial Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IARC - International Agency for Research on Cancer
 IATA - International Air Transport Association
 ICAO - International Civil Aviation Organization
 IMDG - International Maritime Dangerous Goods Code
 MARTK - Massachusetts Right To Know List
 NDSL - Canada Non-Domestic Substances List
 NFPA - United States National Fire Protection Association
 NIOSH - United States National Institute for Occupational Safety & Health
 NJRTK - New Jersey Right To Know List
 NTP - United States National Toxicology Program
 OSHA - United States Occupational Safety & Health Administration
 PARTK - Pennsylvania Right To Know List
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 RCRA - United States Resources Conservation & Recovery Act
 RID - European Agreement for International Carriage of Dangerous Goods by Rail
 RIHSL - Rhode Island Hazardous Substance List
 SARA - United States Superfund Amendments & Reauthorization Act
 TDG - Canada Transportation of Dangerous Goods Act
 TSCA - US Toxic Substances Control Act
 WHMIS - Canada Workplace Hazardous Materials Information System

Definitions

EC50 - Effective Concentration (Concentration of a compound where 50% of the expected effect is observed.)

LC50 - Lethal Concentration (The concentration in water that will kill 50% of the test animals within a specific period of time, usually 96 hours.)

LD50 - Lethal Dose (The single dose that will kill 50% of the test animals by any route other than inhalation such as by ingestion or skin contact.)

OEL - Occupational Exposure Limit

PEL - Permissible Exposure Limits

STEL - Short Term Exposure Limit

TLV - Threshold Limit Value

TWA - Time Weighted Average

TWAEV - Time Weighted Average Exposure Value

Revision Date

8 Nov 2011

End of MSDS