

# MATERIAL SAFETY DATA SHEET



Date Issued: 02/17/2004  
MSDS No: 1073  
Date-Revised: 01/05/2010  
Revision No: 2

## Banana Magic™

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Banana Magic™  
**PRODUCT DESCRIPTION:** Automotive Polish  
**PRODUCT CODE:** 73  
**PRODUCT FORMULATION NAME:** Banana Magic™  
**GENERIC NAME:** Polish

#### MANUFACTURER

Auto Wax - An ITW Company

Auto Magic®

1275 Round Table Drive

Dallas, TX 75247

**Product Stewardship:** 1-800-826-0828

**Transportation:** 1-800-826-0828

**Service Number:** 1-214-631-4000

Auto Wax - An ITW Company

Auto Magic®

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

1-800-826-0828

**COMMENTS:** To the best of our knowledge, this Material Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200.

### 2. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

**IMMEDIATE CONCERNS:** Harmful if swallowed.

#### POTENTIAL HEALTH EFFECTS

**EYES:** Moderately irritating to the eyes.

**SKIN:** Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**INGESTION:** Harmful if swallowed.

**INHALATION:** Prolonged or excessive inhalation may cause respiratory tract irritation.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** Eye contact may cause redness, tearing and a burning sensation.

**SKIN:** Repeated or prolonged skin contact may cause redness and irritation.

**INGESTION:** Ingestion may cause nausea and irritation.

**ACUTE TOXICITY:** May cause headaches and dizziness.

**MEDICAL CONDITIONS AGGRAVATED:** dermatitis may be aggravated by excessive exposure to skin.

**ROUTES OF ENTRY:** include skin contact, eye contact and ingestion

**TARGET ORGAN STATEMENT:** not established

**CANCER STATEMENT:** not established

**HEALTH HAZARDS:** Moderately irritating to the eyes.

**PHYSICAL HAZARDS:** combustible liquid

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt. %	CAS	EINECS	Classification
Distillates (petroleum) hydrotreated light	5 - 10	64742-47-8	265-149-8	Xn; R65
Odorless Mineral Spirits	5 - 10	64742-48-9	265-150-3	Xn; R10-65-66-67
Naphtha	1 - 5	8032-32-4	232-453-7	F, Xn; R11-65-66-67

( Full text of R-Phrases can be found under heading 16 )

#### 4. FIRST AID MEASURES

**EYES:** Flush eye with water for 15 minutes. Seek medical attention if irritation persists.

**SKIN:** Wash with soap and water.

**INGESTION:** Do not induce vomiting. Seek medical attention immediately.

**INHALATION:** Move to fresh air

#### 5. FIRE FIGHTING MEASURES

**FLASHPOINT AND METHOD:** ~ 41°C (106°F) TCC

**AUTOIGNITION TEMPERATURE:** not established

**GENERAL HAZARD:** Combustible liquid. Keep away from heat and open flame.

**EXTINGUISHING MEDIA:** use foam, dry chemical or carbon dioxide extinguisher

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Monoxide and Carbon Dioxide

**EXPLOSION HAZARDS:** not established

**FIRE FIGHTING PROCEDURES:** not established

**SENSITIVE TO STATIC DISCHARGE:** not established

**SENSITIVITY TO IMPACT:** not established

#### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Contain and collect with absorbent

**LARGE SPILL:** LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use.

#### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.

#### 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** Keep out of reach of Children.

**STORAGE TEMPERATURE:** 4°C (40°F) Minimum to 35°C (95°F) Maximum

**SHELF LIFE:** one year

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

##### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Distillates (petroleum) hydrotreated light	TWA					300 ppm	2300 mg/m <sup>3</sup>
Odorless Mineral Spirits	TWA					300 ppm	1900 mg/m <sup>3</sup>
Naphtha	TWA	300 ppm		300 ppm			
	STEL			400 ppm			

**ENGINEERING CONTROLS:** Good general ventilation should be sufficient to control airborne levels.

**PERSONAL PROTECTIVE EQUIPMENT**

**EYES AND FACE:** Wear safety glasses with side shields or goggles.

**SKIN:** Use Nitrile/ Vinyl gloves

**RESPIRATORY:** NIOSH respirator -(organic vapor) in absence of proper environmental control.

**PROTECTIVE CLOTHING:** Clean, body-covering clothing

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Chemical Name	Flash Point (°C)	Boiling Point (°C)	Specific Gravity
Distillates (petroleum) hydrotreated light	81	218	0.79
Odorless Mineral Spirits	49	178	0.76

**PHYSICAL STATE:** Liquid

**ODOR:** Banana odor

**APPEARANCE:** Yellow Liquid

**pH:** Not applicable

**FREEZING POINT:** ~ (32°F)

**FLASHPOINT AND METHOD:** ~ 41°C (106°F) TCC

**SOLUBILITY IN WATER:** Insoluble

**SPECIFIC GRAVITY:** ~ 0.900 to 1 gm/ml

**(VOC):** < 15.000 % by weight

**10. STABILITY AND REACTIVITY**

**STABLE:** Yes

**HAZARDOUS POLYMERIZATION:** No

**11. TOXICOLOGICAL INFORMATION**

**ACUTE**

Chemical Name	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)	INHALATION LC <sub>50</sub> (rat)
Distillates (petroleum) hydrotreated light	> 5 g/Kg-rat	> 3.16 g/kg - rabbit	
Naphtha			~ 3400 ppm/ 4H- rat

**CARCINOGENICITY**

**IARC:** Listed by IARC- NO

**NTP:** Listed by NTP- NO

**OSHA:** Listed by OSHA- NO

**SENSITIZATION:** not available

**12. ECOLOGICAL INFORMATION**

**ENVIRONMENTAL DATA:** not available

**ECOTOXICOLOGICAL INFORMATION:** not available

**13. DISPOSAL CONSIDERATIONS**

**DISPOSAL METHOD:** Dispose in accordance with local, state, and federal laws.

**14. TRANSPORT INFORMATION**

**DOT (DEPARTMENT OF TRANSPORTATION)**

**OTHER SHIPPING INFORMATION:** Refer to bill of lading or container label for DOT or other transportation

hazard classification, if any.

## 15. REGULATORY INFORMATION

### UNITED STATES

#### TSCA (TOXIC SUBSTANCE CONTROL ACT)

**TSCA REGULATORY:** All Ingredients are on the TSCA Inventory or are not required to be listed on the TSCA Inventory

### CANADA

#### WHMIS HAZARD SYMBOL AND CLASSIFICATION



Combustible Liquid



Toxic

## 16. OTHER INFORMATION

**RELEVANT R-PHRASES:**R65- Harmful: may cause lung damage if swallowed.


**PREPARED BY:** Barry Brown

**REVISION SUMMARY:** Revision #: 2. This MSDS replaces the March 05, 2007 MSDS.

### HMIS RATING

<b>HEALTH:</b>	-	1
<b>FLAMMABILITY:</b>		2
<b>PHYSICAL HAZARD:</b>		0
<b>PERSONAL PROTECTION:</b>		

### NFPA CODES



**MANUFACTURER DISCLAIMER:** The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.