

B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: SDS Number: Date of last issue: 03/24/2021 1.0 03/24/2021 8004969-00001 Date of first issue: 03/24/2021

SECTION 1. IDENTIFICATION

Product name : B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Ho-

ney, 56 Fluid Ounce (Pack of 2)

Product code : ASIN: B07TNL72CK

Manufacturer or supplier's details

Company name of supplier : Amazon.com Services LLC

Address : 410 Terry Ave. N.

Seattle WA 98109

Telephone : (888) 282-7963

Emergency telephone : Poison Control Center: (800) 222-1222

E-mail address : ProductSafety@amazon.com

Recommended use of the chemical and restrictions on use

Recommended use : Cosmetic products

Soap

Restrictions on use : This is a personal care or cosmetic product that is safe for

consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or

instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2A

Reproductive toxicity : Category 2

GHS label elements



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: SDS Number: Date of last issue: 03/24/2021 1.0 03/24/2021 8004969-00001 Date of first issue: 03/24/2021

Hazard pictograms





Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention. P337 + P313 If eye irritation persists: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Alcohols, C10-16, ethoxylated, sul-	68585-34-2	>= 5 - < 10
fates, sodium salts		
Glycol Stearate	111-60-4	>= 1 - < 5
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 4
Sodium salicylate	54-21-7	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: SDS Number: Date of last issue: 03/24/2021 1.0 03/24/2021 8004969-00001 Date of first issue: 03/24/2021

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

Suspected of damaging the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

Chlorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/24/2021

 1.0
 03/24/2021
 8004969-00001
 Date of first issue: 03/24/2021

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-: tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid breathing vapors.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/24/2021

 1.0
 03/24/2021
 8004969-00001
 Date of first issue: 03/24/2021

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycol Stearate	111-60-4	TWA (Inhal- able particu- late matter)	10 mg/m³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m³	ACGIH

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where

concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate

protection.

Hand protection

Remarks : not required

Eye protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/24/2021

 1.0
 03/24/2021
 8004969-00001
 Date of first issue: 03/24/2021

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous liquid

Color : light yellow

Odor : sweet

Odor Threshold : No data available

pH : 5.0

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : boils before flash

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.02

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

Not applicable



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: SDS Number: Date of last issue: 03/24/2021 1.0 03/24/2021 8004969-00001 Date of first issue: 03/24/2021

Autoignition temperature : No data available

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg

Method: OECD Test Guideline 401



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: SDS Number: Date of last issue: 03/24/2021 1.0 03/24/2021 8004969-00001 Date of first issue: 03/24/2021

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Glycol Stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Cocoamidopropyl betaine:

Acute oral toxicity : LD50 (Rat): 2,335 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Sodium salicylate:

Acute oral toxicity : LD50 (Rat, female): > 300 - 2,000 mg/kg

Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Remarks : Based on data from similar materials

Glycol Stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Cocoamidopropyl betaine:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: SDS Number: Date of last issue: 03/24/2021 1.0 03/24/2021 8004969-00001 Date of first issue: 03/24/2021

Sodium salicylate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Species : Rabbit

Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Glycol Stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Cocoamidopropyl betaine:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Sodium salicylate:

Species : Rabbit

Result : Irritation to eyes, reversing within 7 days

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Glycol Stearate:

Test Type : Buehler Test



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: SDS Number: Date of last issue: 03/24/2021 1.0 03/24/2021 8004969-00001 Date of first issue: 03/24/2021

Routes of exposure : Skin contact Species : Guinea pig Result : negative

Remarks : Based on data from similar materials

Cocoamidopropyl betaine:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Sodium salicylate:

Test Type : Intracutaneous test

Routes of exposure : Skin contact Species : Humans Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Glycol Stearate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: SDS Number: Date of last issue: 03/24/2021 1.0 03/24/2021 8004969-00001 Date of first issue: 03/24/2021

Result: negative

Remarks: Based on data from similar materials

Cocoamidopropyl betaine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: Directive 67/548/EEC, Annex V, B.13/14.

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Remarks: Based on data from similar materials

Sodium salicylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian bone marrow sister chromatid ex-

change

Species: Mouse

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/24/2021

 1.0
 03/24/2021
 8004969-00001
 Date of first issue: 03/24/2021

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Glycol Stearate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 416

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

Cocoamidopropyl betaine:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Sodium salicylate:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/24/2021

 1.0
 03/24/2021
 8004969-00001
 Date of first issue: 03/24/2021

Repeated dose toxicity

Components:

Glycol Stearate:

Species : Rat

NOAEL : >= 5,657 mg/kg Application Route : Ingestion

Exposure time : 91 Days

Remarks : Based on data from similar materials

Cocoamidopropyl betaine:

Species : Rat
NOAEL : 300 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Method : OECD Test Guideline 408

Sodium salicylate:

Species : Rat, male

NOAEL : 138 mg/kg

LOAEL : 218 mg/kg

Application Route : Ingestion

Exposure time : 15 Weeks

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

ErC50 (Desmodesmus subspicatus (green algae)): > 10 - 100

Toxicity to algae/aquatic

mg/l

plants

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: SDS Number: Date of last issue: 03/24/2021 1.0 03/24/2021 8004969-00001 Date of first issue: 03/24/2021

NOEC (Desmodesmus subspicatus (green algae)): > 0.10 - 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 204

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h Method: DIN 38 412 Part 8

Remarks: Based on data from similar materials

Glycol Stearate:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 0.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility.

Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 2.7 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: No toxicity at the limit of solubility.

Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

EL10 (Desmodesmus subspicatus (green algae)): > 34 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOELR (Daphnia magna (Water flea)): >= 0.02 mg/l

Exposure time: 21 d

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

Toxicity to microorganisms : EC50: > 1,099 mg/l

Exposure time: 3 h

Remarks: Based on data from similar materials

Cocoamidopropyl betaine:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.1 mg/l

Exposure time: 96 h



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: SDS Number: Date of last issue: 03/24/2021 1.0 03/24/2021 8004969-00001 Date of first issue: 03/24/2021

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 6.5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 14.7 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 2.1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.135 mg/l

Exposure time: 37 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.932 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC0 (Pseudomonas putida): 3,000 mg/l

Exposure time: 16 h

Remarks: Based on data from similar materials

Sodium salicylate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Chlorella vulgaris (Fresh water algae)): 75.25 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Persistence and degradability

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: SDS Number: Date of last issue: 03/24/2021 1.0 03/24/2021 8004969-00001 Date of first issue: 03/24/2021

Glycol Stearate:

Biodegradability : Result: Readily biodegradable.

Exposure time: 28 d

Method: OECD Test Guideline 301B

Remarks: Based on data from similar materials

Cocoamidopropyl betaine:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 91.6 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Sodium salicylate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 88.19 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Partition coefficient: n-

octanol/water

log Pow: < 3

Glycol Stearate:

Partition coefficient: n- :

octanol/water

log Pow: > 4

Remarks: Calculation

Sodium salicylate:

Partition coefficient: n- : log Pow: -1.594

octanol/water Method: OECD Test Guideline 107

Mobility in soil
No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: SDS Number: Date of last issue: 03/24/2021 1.0 03/24/2021 8004969-00001 Date of first issue: 03/24/2021

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ Calculated product R0	
		(lbs)	(lbs)
Sodium hydroxide	1310-73-2	1000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Volatile organic compounds

(VOC) content

40 CFR Part 59 National VOC Emission Standard For Con-

sumer Products, Subpart C

VOC content: 0.50 %

US State Regulations

Pennsylvania Right To Know

water 7732-18-5 Alcohols, C10-16, ethoxylated, sulfates, sodium salts 68585-34-2

The ingredients of this product are reported in the following inventories:

TSCA : Product not subject to TSCA



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

Version Revision Date: 1.0 03/24/2021

SDS Number: 8004969-00001

Date of last issue: 03/24/2021 Date of first issue: 03/24/2021

SECTION 16. OTHER INFORMATION


Further information

NFPA 704:

Health 2 0 Instability

Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office



B07TNL72CK Solimo Liquid Hand Soap Refill, Milk and Honey, 56 Fluid Ounce (Pack of 2)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 03/24/2021

 1.0
 03/24/2021
 8004969-00001
 Date of first issue: 03/24/2021

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 03/24/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8