

\*\*\* Section 1 - Identification \*\*\*

**Product Identifier**

LERT BOTTOMS

**Product Code**

Prefix 09

**Synonyms**

1,2-Ethanediol; 1,2-Ethylene glycol; 2-Hydroxyethanol; Ethylene alcohol; Ethylene glycol

**Recommended Use**

Raw material for further processing

**Restrictions on Use**

If this product is used in combination with other products, refer to the Safety Data Sheet for those products. This product is not for sale or use in the State of California.

**Manufacturer Information**

Safety-Kleen Systems, Inc.  
2600 North Central Expressway  
Suite 200  
Richardson, Texas 75080

Phone: 1-800-669-5740

www.safety-kleen.com

Emergency # 1-800-468-1760

**Issue Date**

May 26, 2015

**Supersedes Issue Date**

January 30, 2014

**Original Issue Date**

September 16, 1994

\*\*\* Section 2 - Hazard(s) Identification \*\*\*

**Classification in Accordance with 29 CFR 1910.1200.**

Skin Corrosion / Irritation, Category 2

Eye Damage / Irritation, Category 2A

Toxic to Reproduction, Category 1B

Specific Target Organ Toxicity - Single Exposure, Category 1 (central nervous system, heart, kidneys, and respiratory system)

Specific Target Organ Toxicity - Repeated Exposure, Category 1 (nervous system, kidneys, central nervous system, heart, respiratory system, and liver)

**GHS LABEL ELEMENTS**

**Symbol(s)**



**Signal Word**

DANGER!

**Hazard Statement(s)**

Causes skin irritation

Causes serious eye irritation

May damage fertility or the unborn child

Causes damage to central nervous system, heart, kidneys, and respiratory system.

# Safety Data Sheet

Material Name: LERT BOTTOMS

SDS ID: 82642

Causes damage to nervous system, kidneys, central nervous system, heart, respiratory system, and liver through prolonged or repeated exposure.

## Precautionary Statement(s)

### Prevention

Do not breathe vapor or mist. Wash thoroughly after handling. Wear protective gloves/clothing and eye/face protection. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

### Response

IF exposed or concerned: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

### Disposal

Dispose of in accordance with all applicable federal, state and local regulations.

### Hazard(s) Not Otherwise Classified

None known.

## \*\*\* Section 3 - Composition / Information on Ingredients \*\*\*

CAS	Component	Percent
107-21-1	Ethylene glycol	50-90
111-46-6	Diethylene glycol	0.5-5
542-59-6	Ethylene glycol acetate	0-3
64-19-7	Acetic acid	0-1
111-77-3	Diethylene glycol monomethyl ether	0-1

### Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: Glycol ethers.

## \*\*\* Section 4 - First Aid Measures \*\*\*

### Description of Necessary Measures

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

#### Skin

IF ON SKIN: Wash with plenty of soap and water. Get medical attention, if needed. Take off contaminated clothing and wash it before reuse.

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Ingestion

IF SWALLOWED: Get medical attention.

# Safety Data Sheet

Material Name: LERT BOTTOMS

SDS ID: 82642

## Most Important Symptoms/Effects

### Acute

Respiratory tract irritation, skin irritation, eye irritation, central nervous system depression, central nervous system damage, heart damage, kidney damage, respiratory system damage.

### Delayed

Reproductive effects, nervous system damage, kidney damage, central nervous system damage, heart damage, respiratory system damage, liver damage.

## Indication of Immediate Medical Attention and Special Treatment Needed, If Needed

Treat symptomatically and supportively. Treatment may vary with condition of victim and specifics of incident. Call 1-800-468-1760 for additional information. Ethylene glycol is metabolized by alcohol dehydrogenase to various metabolites including glycoaldehyde, glycolic acid, and oxalic acid. The signs and symptoms in ethylene glycol poisoning are those of metabolic acidosis, central nervous system depression, and kidney damage. The currently recommended medical management of ethylene glycol poisoning includes elimination of ethylene glycol and metabolites, correction of metabolic acidosis, and prevention of kidney injury. As a competitive substrate for alcohol dehydrogenase, ethanol is antidotal when given in the early stages of intoxication because it blocks the formation of nephrotoxic metabolites. A more effective intravenous antidote is 4-methylpyrazole, a potent inhibitor of alcohol dehydrogenase, which effectively blocks the formation of toxic metabolites. Pulmonary edema with hypoxia has been described in a number of patients following ethylene glycol poisoning. Respiratory support with mechanical ventilation and positive end expiratory pressure may be required. There may be cranial nerve involvement in the later stages of toxicity from swallowing ethylene glycol. Effects have been reported presenting bilateral facial paralysis, diminished hearing, and dysphagia.

## \*\*\* Section 5 - Fire-Fighting Measures \*\*\*

### Suitable Extinguishing Media

Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog. Water or foam may cause frothing.

### Unsuitable Extinguishing Media

Do not use high-pressure water streams.

### Specific Hazards Arising from the Chemical

Slight fire hazard.

### Hazardous Combustion Products

Decomposition and combustion materials may be toxic. Burning may produce carbon monoxide and unidentified organic compounds.

### Special Protective Equipment and Precautions for Firefighters

Wear full protective fire-fighting gear including self-contained breathing apparatus (SCBA) for protection against possible exposure.

### Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Cool containers with water spray until well after the fire is out. Apply water from a protected location or from a safe distance. Stay upwind and keep out of low areas.

### NFPA Ratings: Health: 2 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

## \*\*\* Section 6 - Accidental Release Measures \*\*\*

### Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment. Avoid release to the environment.

# Safety Data Sheet

Material Name: LERT BOTTOMS

SDS ID: 82642

## Methods and Materials for Containment and Clean Up

Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Wear protective equipment and provide engineering controls as specified in **Section 8**. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. A vapor suppressing foam may be used to reduce vapors. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean tool into a sealable container for disposal. Additionally, for large spills: Water spray may reduce vapor, but may not prevent ignition in closed spaces. Dike far ahead of liquid spill for collection and later disposal.

## \* \* \* Section 7 - Handling and Storage \* \* \*

### Precautions for Safe Handling

Wash thoroughly after handling. Wear protective gloves/clothing and eye/face protection. Do not eat, drink or smoke when using this product. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, or flame. Where flammable mixtures may be present, equipment safe for such locations should be used. Use clean, sparkproof tools and explosion-proof equipment. When transferring product, metal containers, including trucks and tank cars, should be grounded and bonded. Do not breathe vapor or mist. Use in a well ventilated area. Avoid contact with eyes, skin, clothing, and shoes. Do not smoke while using this product.

### Conditions for Safe Storage, Including Any Incompatibilities

Store in a well-ventilated place. Store locked up. Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from heat, flame, sparks, static electricity, or other sources of ignition. Empty product containers may retain product residue and can be dangerous.

See **Section 14** for Packing Group information.

### Incompatibilities

Acids, alkalis, oxidizing materials, reactive metals, reducing agents

## \* \* \* Section 8 - Exposure Controls / Personal Protection \* \* \*

### Component Exposure Limits

#### Ethylene glycol (107-21-1)

ACGIH: 100 mg/m<sup>3</sup> Ceiling (aerosol only)

OSHA Vacated: 50 ppm Ceiling; 125 mg/m<sup>3</sup> Ceiling

#### Acetic acid (64-19-7)

ACGIH: 10 ppm TWA

15 ppm STEL

OSHA Final: 10 ppm TWA; 25 mg/m<sup>3</sup> TWA

OSHA Vacated: 10 ppm TWA; 25 mg/m<sup>3</sup> TWA

NIOSH: 10 ppm TWA; 25 mg/m<sup>3</sup> TWA

15 ppm STEL; 37 mg/m<sup>3</sup> STEL

### Appropriate Engineering Controls

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

### Individual Protective Measures, such as Personal Protective Equipment

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required Safety glasses Gloves Lab coat or apron.

# Safety Data Sheet

Material Name: LERT BOTTOMS

SDS ID: 82642

## Eyes/Face Protection

Safety glasses with side shields should be worn at a minimum. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Provide an emergency eye wash fountain and quick drench shower in the immediate work area. Contact lens use is not recommended.

## Skin Protection

Where skin contact is likely, wear gloves impervious to product; use of natural rubber (latex) or equivalent gloves is not recommended.

To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant faceshield, boots, apron, whole body suits, or other protective clothing.

## Respiratory Protection

Use NIOSH-certified, full-face, air-purifying respirators with P- or R- series particulate filter and organic vapor cartridges when concentration of vapor or mist exceeds applicable exposure limits. Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4.

## \* \* \* Section 9 - Physical & Chemical Properties \* \* \*

**Appearance/Odor :** light brown to brown, liquid,  
sweet odor

**pH:** Not available

**Odor Threshold:** Not available.

**Boiling Point:** 338°F (198°C) (approximately)

**Melting Point:** 10°F (-12°C) (approximately)

**Solubility (H<sub>2</sub>O):** Complete

**Specific Gravity:** 1.11 (water = 1)

**Density:** 9.3 LB/US gal (1110 g/l)

**Octanol/H<sub>2</sub>O Coeff.:** Not available.

**Evaporation Rate:** less than 1 (butyl acetate = 1)

**Molecular Weight:** 62.1 (approximately)

**Auto Ignition Temperature:** 748°F (398°C) (Ethylene glycol)

**LFL:** 3.2 VOL% (Ethylene glycol)

**Flash Point:** >200°F (>93.3°C)

**UFL:** 15.3 VOL% (Ethylene glycol)

**Viscosity:** Not available.

**Vapor Pressure:** 0.05 mmHg at 68°F (20°C)

**Vapor Density:** 2.1 (air = 1)

**Decomposition Temperature:** Not available

**Flammability (solid, gas):** Not applicable

## Other Property Information

No information is available.

## \* \* \* Section 10 - Stability & Reactivity \* \* \*

### Reactivity

No reactivity hazard is expected.

### Chemical Stability

Stable under normal temperatures and pressures.

### Possibility of Hazardous Reactions

Will not polymerize.

### Conditions To Avoid

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

### Incompatible Materials

Avoid acids, alkalies, oxidizing agents, or reactive metals, reducing agents

### Hazardous Decomposition Products

None under normal temperatures and pressures. See also **Section 5**.

# Safety Data Sheet

Material Name: LERT BOTTOMS

SDS ID: 82642

## \*\*\* Section 11 - Toxicological Information \*\*\*

### Toxicity Data and Information

#### Component Analysis - LD50/LC50

##### Ethylene glycol (107-21-1)

Oral LD50 Rat 4700 mg/kg; Dermal LD50 Rat 10600 mg/kg

##### Diethylene glycol (111-46-6)

Dermal LD50 Rabbit 11890 mg/kg; Oral LD50 Rat 12565 mg/kg

##### Ethylene glycol acetate (542-59-6)

Oral LD50 Rat 8250 mg/kg

##### Diethylene glycol monomethyl ether (111-77-3)

Oral LD50 Rat 4 mL/kg; Dermal LD50 Rabbit 650 mg/kg

##### Acetic acid (64-19-7)

Dermal LD50 Rabbit 1060 mg/kg; Inhalation LC50 Rat 11.4 mg/L 4 h; Oral LD50 Rat 3310 mg/kg

### Information on Likely Routes of Exposure

#### Inhalation

May cause respiratory tract irritation, headache, drowsiness, dizziness, loss of coordination, central nervous system damage, and respiratory system damage.

#### Ingestion

May cause reproductive effects, headache, drowsiness, dizziness, loss of coordination, central nervous system damage, heart damage, kidney damage, liver damage, and nervous system damage.

#### Skin Contact

May cause skin irritation, headache, drowsiness, dizziness, loss of coordination, central nervous system damage, heart damage, liver damage, kidney damage, and nervous system damage.

#### Eye Contact

May cause eye irritation.

#### Immediate Effects

Respiratory tract irritation, skin irritation, eye irritation, central nervous system depression, central nervous system damage, heart damage, kidney damage, respiratory system damage.

#### Delayed Effects

Reproductive effects, nervous system damage, kidney damage, central nervous system damage, heart damage, respiratory system damage, liver damage

#### Irritation/Corrosivity

Respiratory tract irritation, skin irritation, eye irritation

#### Respiratory Sensitization

No information available for the product.

#### Skin Sensitization

No information available for the product.

#### Carcinogenicity

##### Component Carcinogenicity

##### Ethylene glycol (107-21-1)

ACGIH: A4 - Not Classifiable as a Human Carcinogen

##### Germ Cell Mutagenicity

No information available for the product.

##### Teratogenicity

No information available for the product.

##### Reproductive Effects

Available data characterizes this substance as a reproductive hazard.

# Safety Data Sheet

Material Name: LERT BOTTOMS

SDS ID: 82642

## Specific Target Organ Effects - Single Exposure

Respiratory system, central nervous system, heart, kidneys

## Specific Target Organ Effects - Repeated Exposure

Nervous system, kidneys, central nervous system, heart, respiratory system, liver

## Aspiration Hazard

No information available for the product.

## Medical Conditions Aggravated by Exposure

Individuals with pre-existing liver, kidney, respiratory tract (nose, throat, and lungs), central nervous system, eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

## \* \* \* Section 12 - Ecological Information \* \* \*

### Ecotoxicity

#### Component Analysis - Ecotoxicity - Aquatic Toxicity

##### Ethylene glycol (107-21-1)

###### Duration/Test/Species

###### Concentration/Conditions

96 Hr LC50 Oncorhynchus mykiss	41000 mg/L
96 Hr LC50 Oncorhynchus mykiss	14 - 18 mL/L [static]
96 Hr LC50 Lepomis macrochirus	27540 mg/L [static]
96 Hr LC50 Oncorhynchus mykiss	40761 mg/L [static]
96 Hr LC50 Pimephales promelas	40000 - 60000 mg/L [static]
96 Hr LC50 Poecilia reticulata	16000 mg/L [static]
96 Hr EC50 Pseudokirchneriella subcapitata	6500 - 13000 mg/L
48 Hr EC50 Daphnia magna	46300 mg/L

##### Diethylene glycol (111-46-6)

###### Duration/Test/Species

###### Concentration/Conditions

96 Hr LC50 Pimephales promelas	75200 mg/L [flow-through]
48 Hr EC50 Daphnia magna	84000 mg/L

##### Diethylene glycol monomethyl ether (111-77-3)

###### Duration/Test/Species

###### Concentration/Conditions

96 Hr LC50 Lepomis macrochirus	7500 mg/L [static]
96 Hr LC50 Lepomis macrochirus	7500 mg/L
96 Hr LC50 Pimephales promelas	5741 mg/L
72 Hr EC50 Desmodesmus subspicatus	>500 mg/L
48 Hr EC50 Daphnia magna	>500 mg/L

##### Acetic acid (64-19-7)

###### Duration/Test/Species

###### Concentration/Conditions

96 Hr LC50 Pimephales promelas	79 mg/L [static]
96 Hr LC50 Lepomis macrochirus	75 mg/L [static]
48 Hr EC50 Daphnia magna	65 mg/L [Static]

### Persistence and Degradability

No information available for the product.

### Bioaccumulation Potential

No information available for the product.

### Mobility in Soil

No information available for the product.

### Other Adverse Effects

No additional information is available.

# Safety Data Sheet

Material Name: LERT BOTTOMS

SDS ID: 82642

## \*\*\* Section 13 - Disposal Considerations \*\*\*

### Disposal Methods

Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact Safety-Kleen regarding proper recycling or disposal.

This product, if discarded, is not expected to be a characteristic or listed hazardous waste. Processing, use, or contamination by the user may change the waste code(s) applicable to the disposal of this product.

## \*\*\* Section 14 - Transport Information \*\*\*

### Transportation Regulations

**DOT** Not regulated as a hazardous material.

**TDG** Not regulated as dangerous goods.

## \*\*\* Section 15 - Regulatory Information \*\*\*

### Federal Regulations

#### SARA 302/304

#### Component Analysis

Based on the ingredient(s) listed in SECTION 3, this product does not contain any "extremely hazardous substances" listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.

#### SARA 311/312 Hazardous Categories

This product poses the following health hazard(s) as defined in 40 CFR Part 370 and is subject to the requirements of sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA):

Immediate (Acute) Health Hazard

Delayed (Chronic) Health Hazard

#### SARA Section 313

The following component is subject to the requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR Part 372.

#### Component Analysis

This product contains a "toxic" chemical subject to the requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR Part 372.

**Ethylene glycol (107-21-1)**

1.0 % de minimis concentration

**Diethylene glycol monomethyl ether (111-77-3)**

1.0 % de minimis concentration (applies to R-(OCH<sub>2</sub>CH<sub>2</sub>)<sub>n</sub>-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate, Chemical Category N230, related to Glycol ethers)

### CERCLA

#### Component Analysis

Based on the ingredient(s) listed in SECTION 3, this product contains the following "hazardous substance" listed under the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) in 40 CFR Part 302, Table 302.4 with the following reportable quantities (RQ):

**Ethylene glycol (107-21-1)**

5000 lb final RQ; 2270 kg final RQ

**Acetic acid (64-19-7)**

5000 lb final RQ; 2270 kg final RQ

#### TSCA Inventory

All the components of this product are listed on, or are automatically included as "naturally occurring chemical substances" on, or are exempted from the requirement to be listed on, the TSCA Inventory.

# Safety Data Sheet

Material Name: LERT BOTTOMS

SDS ID: 82642

## Component Analysis

Component	CAS #	TSCA
Ethylene glycol	107-21-1	Yes
Diethylene glycol	111-46-6	Yes
Ethylene glycol acetate	542-59-6	Yes
Diethylene glycol monomethyl ether	111-77-3	Yes
Acetic acid	64-19-7	Yes

## U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	MA	MN	NJ	PA	CA
Ethylene glycol	107-21-1	Yes	Yes	Yes	Yes	Yes
Diethylene glycol	111-46-6	No	No	Yes	No	Yes
Diethylene glycol monomethyl ether (related to: Glycol ethers)	111-77-3	No	Yes	No	Yes <sup>1</sup>	Yes <sup>1</sup>
Acetic acid	64-19-7	Yes	Yes	Yes	Yes	Yes

This product is not for sale or use in the State of California.

## Canadian Regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all information required by the CPR.

## Component Analysis

Component	CAS #	CAN
Ethylene glycol	107-21-1	DSL
Diethylene glycol	111-46-6	DSL
Ethylene glycol acetate	542-59-6	DSL
Diethylene glycol monomethyl ether	111-77-3	DSL
Acetic acid	64-19-7	DSL

## Canadian WHMIS Information

D2A, D2B.

## Component Analysis - WHMIS IDL

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

**Ethylene glycol (107-21-1)** 1 %

\*\*\* **Section 16 - Other Information** \*\*\*

## Revision Information

Reformat to OSHA HazCom 29 CFR 1910.1200 adoption of GHS Revision 3.

# Safety Data Sheet

Material Name: LERT BOTTOMS

SDS ID: 82642

## Key/Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States

## Disclaimer

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, Safety-Kleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplier to the user.

End of Sheet 82642