



SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: ArmaKleen™ MPC Concentrate

Intended Use of the Product

Cleaner. For professional use only.

Name, Address, and Telephone of the Responsible Party

Manufacturer

Church & Dwight
The ArmaKleen™ Company
469 North Harrison Street
Princeton, NJ 08543 USA
T (800) 332-5424

www.churchdwight.com

Supplier

Safety-Kleen Systems, Inc.
2600 North Central Expressway, Suite 200
Richardson, TX 75080 USA
T (800) 669-5740

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828, For Chemical Emergency: 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Skin Corr. 1A H314

Eye Dam. 1 H318

Skin Sens. 1 H317

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)

: Danger

Hazard Statements (GHS-US)

: H314 - Causes severe skin burns and eye damage.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.

Precautionary Statements (GHS-US)

: P260 - Do not breathe vapors, mist, or spray.
P264 - Wash hands, forearms, and exposed areas thoroughly after handling.
P272 - Contaminated work clothing must not be allowed out of the workplace.
P280 - Wear protective clothing, protective gloves, eye protection.
P301+P330+P331 – **IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
P303+P361+P353+P363+P333+P313 – **IF ON SKIN (OR HAIR):** Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
P304+P340 - **IF INHALED:** Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor.
P305+P351+P338+P310 - **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

ArmaKleen™ MPC Concentrate

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Other Hazards May cause digestive tract irritation. Harmful to aquatic life.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	60 - 100	Not classified
Disodium carbonate	(CAS No) 497-19-8	1 - 5	Eye Irrit. 2A, H319
Neodecanoic acid	(CAS No) 26896-20-8	1 - 5	Aquatic Acute 3, H402
Alcohols, C9-11, ethoxylated	(CAS No) 68439-46-3	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium hydroxide	(CAS No) 1310-73-2	1 - 5	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
1-Dodecanamine, N,N-dimethyl-, N-oxide	(CAS No) 1643-20-5	0.5 - 1.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400
Sodium silicate	(CAS No) 1344-09-8	0.5 - 1.5	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Alcohols, C9-11-branched and linear, butoxylated ethoxylated	(CAS No) 111905-52-3	0.5 - 1.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 3, H402
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-	(CAS No) 34398-01-1	0.5 - 1.5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Acetic acid, hydroxyphosphono-	(CAS No) 23783-26-8	0.1 - 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200]. A range of concentration as prescribed by the Controlled Products Regulations has been used where necessary, due to varying composition.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Skin Contact: Remove contaminated clothing and shoes. Wash with plenty of soap and water. Seek medical advice if irritation develops or persists. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion: Rinse mouth. Do not induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes severe skin burns and eye damage. Exposure may produce an allergic reaction.

Inhalation: May cause respiratory irritation.

Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction.

Eye Contact: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

Ingestion: May cause irritation to the digestive tract.

ArmaKleen™ MPC Concentrate

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Chronic Symptoms: Repeated or prolonged skin contact may cause dermatitis and defatting.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive. Containers may rupture when exposed to excessive heat.

Reactivity: Hazardous reactions will not occur under normal conditions. May react vigorously with strong acids.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen oxides. Sulfur oxides.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray. Spilled material may present a slipping hazard.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Environmental Precautions Prevent entry to sewers and public waters. Contact competent authorities after a spill.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Keep in suitable, closed containers for disposal.

Reference to Other Sections

See Section 8, Exposure Controls and Personal Protection. See Section 13, Disposal Considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Avoid the formation of mists in the atmosphere.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Container remains hazardous when empty. Continue to observe all precautions.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container tightly closed.

Incompatible Materials: Acids. Oxidizers. Reducing agents.

Specific End Use(s) Cleaner. For professional use only.

ArmaKleen™ MPC Concentrate

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government

Sodium hydroxide (1310-73-2)		
Mexico	OEL Ceiling (mg/m ³)	2 mg/m ³
USA ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	2 mg/m ³
USA NIOSH	NIOSH REL (ceiling) (mg/m ³)	2 mg/m ³
USA IDLH	US IDLH (mg/m ³)	10 mg/m ³
CANADA	OEL Ceiling (mg/m ³)	2 mg/m ³

Exposure Controls

Appropriate Engineering Controls: Not generally required. Site-specific risk assessments should be conducted to determine the appropriate exposure control measures. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Materials for Protective Clothing: As required, chemically resistant materials and fabrics.

Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Safety glasses with side shields, or goggles, are recommended.

Skin and Body Protection: Wash contaminated clothing before reuse. Discard contaminated leather articles.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Light amber, Clear
Odor	: Mild Detergent
Odor Threshold	: Not available
pH	: 11.8
Evaporation Rate	: Not available
Melting Point	: 0 °C (32 °F)
Freezing Point	: Not available
Boiling Point	: 100 °C (212 °F)
Flash Point	: > 100 °C (212 °F)
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20 °C	: Not available
Relative Density	: Not available
Specific Gravity	: 1.05
Solubility	: Complete in water
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: Not available
Explosion Data – Sensitivity to Mechanical Impact	: Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	: Not expected to present an explosion hazard due to static discharge.

ArmaKleen™ MPC Concentrate

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions. May react vigorously with strong acids.

Chemical Stability: The product is stable at normal handling and storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Extremely high or low temperatures. Incompatible materials.

Incompatible Materials: Acids. Oxidizers. Reducing agents.

Hazardous Decomposition Products: Thermal decomposition generates: Carbon oxides (CO, CO₂). Nitrogen oxides. Sulfur oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes severe skin burns and eye damage. (pH: 11.8)

Serious Eye Damage/Irritation: Causes serious eye damage. (pH: 11.8)

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

Symptoms/Injuries After Ingestion: May cause irritation to the digestive tract.

Chronic Symptoms: Repeated or prolonged skin contact may cause dermatitis and defatting.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Disodium carbonate (497-19-8)	
LD50 Oral Rat	4090 mg/kg
LC50 Inhalation Rat	2300 mg/m ³ (Exposure time: 2 h)
Neodecanoic acid (26896-20-8)	
LD50 Oral Rat	2700 mg/kg
LD50 Dermal Rat	> 3640 mg/kg
LD50 Dermal Rabbit	> 3160 mg/kg
Sodium silicate (1344-09-8)	
LD50 Oral Rat	3400 mg/kg
Alcohols, C9-11, ethoxylated (68439-46-3)	
LD50 Oral Rat	1400 mg/kg
LD50 Dermal Rat	> 2 g/kg
Alcohols, C9-11-branched and linear, butoxylated ethoxylated (111905-52-3)	
LD50 Oral Rat	> 2000 mg/kg
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy- (34398-01-1)	
ATE US (oral)	500.00 mg/kg body weight
Acetic acid, hydroxyphosphono- (23783-26-8)	
ATE US (oral)	500.00 mg/kg body weight

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Harmful to aquatic life.

ArmaKleen™ MPC Concentrate

Safety Data Sheet


According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Disodium carbonate (497-19-8)	
LC50 Fish 1	300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	265 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	310 - 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Neodecanoic acid (26896-20-8)	
LC50 Fish 1	32 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	47.11 mg/l (Exposure time: 48 h - Species: Daphnia magna)
1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)	
ErC50 (algae)	0.11 mg/l (72 hour)
Sodium hydroxide (1310-73-2)	
LC50 Fish 1	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	40 mg/l
Sodium silicate (1344-09-8)	
LC50 Fish 1	301 - 478 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
LC50 Fish 2	3185 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
Alcohols, C9-11-branched and linear, butoxylated ethoxylated (111905-52-3)	
LC50 Fish 1	1 - 10 mg/l (96 h) Leuciscus idus
Persistence and Degradability	
Alcohols, C9-11-branched and linear, butoxylated ethoxylated (111905-52-3)	
Persistence and Degradability	Readily biodegradable.
Bioaccumulative Potential	
Disodium carbonate (497-19-8)	
BCF Fish 1	(no bioaccumulation)
Sodium silicate (1344-09-8)	
BCF Fish 1	(no bioaccumulation expected)
Alcohols, C9-11-branched and linear, butoxylated ethoxylated (111905-52-3)	
Bioaccumulative Potential	Not expected to bioaccumulate.
Mobility in Soil Not available	
Other Adverse Effects	
Other Information: Avoid release to the environment.	
SECTION 13: DISPOSAL CONSIDERATIONS	
Sewage Disposal Recommendations: Do not empty into drains; dispose of this material and its container in a safe way.	
Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.	
Additional Information: This product, if discarded, would not be a hazardous waste by listing and is not expected to be a characteristic hazardous waste. Processing, use, or contamination by the user may change the waste code(s) applicable to the disposal of this product.	
SECTION 14: TRANSPORT INFORMATION	
In Accordance with DOT	Not regulated for transport
In Accordance with IMDG	Not regulated for transport
In Accordance with IATA	Not regulated for transport
In Accordance with TDG	Not regulated for transport
SECTION 15: REGULATORY INFORMATION	
US Federal and International Regulations	
ArmaKleen™ MPC Concentrate	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
Water (7732-18-5)	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

ArmaKleen™ MPC Concentrate

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Disodium carbonate (497-19-8)	
Listed on the Canadian DSL (Domestic Substances List) Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the Canadian IDL (Ingredient Disclosure List)	
Neodecanoic acid (26896-20-8)	
Listed on the Canadian DSL (Domestic Substances List) Listed on the United States TSCA (Toxic Substances Control Act) inventory	
1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)	
Listed on the Canadian DSL (Domestic Substances List) Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the Canadian IDL (Ingredient Disclosure List)	
Sodium hydroxide (1310-73-2)	
Listed on the Canadian DSL (Domestic Substances List) Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the Canadian IDL (Ingredient Disclosure List)	
Sodium silicate (1344-09-8)	
Listed on the Canadian DSL (Domestic Substances List) Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Alcohols, C9-11, ethoxylated (68439-46-3)	
Listed on the Canadian DSL (Domestic Substances List) Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy- (34398-01-1)	
Listed on the Canadian DSL (Domestic Substances List) Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Acetic acid, hydroxyphosphono- (23783-26-8)	
Listed on the Canadian DSL (Domestic Substances List) Listed on the United States TSCA (Toxic Substances Control Act) inventory	
VOLATILE ORGANIC COMPOUNDS (As Regulated) 0 WT%; 0 LB/US gal; 0 g/L; As per 40 CFR Part 51.100(s) Product Vapor Pressure @20°C = 17.5 mmHg Product does not contain photochemically reactive solvents	
Sodium hydroxide (1310-73-2)	
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List	
Canadian Regulations	
ArmaKleen™ MPC Concentrate	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
	
Water (7732-18-5)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
Disodium carbonate (497-19-8)	
Listed on the Canadian DSL (Domestic Substances List) Listed on the Canadian IDL (Ingredient Disclosure List)	
IDL Concentration 1 %	

ArmaKleen™ MPC Concentrate

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations


WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Neodecanoic acid (26896-20-8)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on the Canadian IDL (Ingredient Disclosure List)	
IDL Concentration 1 %	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Sodium hydroxide (1310-73-2)	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on the Canadian IDL (Ingredient Disclosure List)	
IDL Concentration 1 %	
WHMIS Classification	Class E - Corrosive Material Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Sodium silicate (1344-09-8)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class E - Corrosive Material
Alcohols, C9-11, ethoxylated (68439-46-3)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Alcohols, C9-11-branched and linear, butoxylated ethoxylated (111905-52-3)	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy- (34398-01-1)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Acetic acid, hydroxyphosphono- (23783-26-8)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class E - Corrosive Material Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 05/11/2015
Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.



NFPA fire hazard : 0 - Materials that will not burn.
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

Party Responsible for the Preparation of This Document

Church & Dwight

ArmaKleen™ MPC Concentrate

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

500 Charles Ewing Blvd
Ewing Township, NJ 08628
T 1-800-332-5424

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Church&Dwight NA GHS SDS