



Armakleen® M-GP Aqueous Precision Cleaner
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Armakleen® M-GP Aqueous Precision Cleaner

SYNONYM(S): Not available

PRODUCT PART NUMBERS: 6332, 6432

PRODUCT USE: Aqueous, alkaline, concentrated cleaner that is to be diluted with water and used for cleaning aluminum, magnesium, titanium, ferrous and non-ferrous alloys as well as plastic, glass and composite materials. If this product is used in combination with other products, refer to the Material Safety Data Sheets for those products.

24-HOUR EMERGENCY TELEPHONES

These numbers are for emergency use only. If you desire non-emergency product information, please call a telephone number listed below.

MEDICAL: 1-800-468-1760

TRANSPORTATION (SPILL):

MANUFACTURER:
The ArmaKleen Company
469 North Harrison Street
Princeton, NJ 08543
USA
(609) 683-5900

TECHNICAL INFORMATION: 1-800-332-5424

SUPPLIER:
Safety-Kleen Systems, Inc.
2600 North Central Expressway, Suite 400
Richardson, TX 75080
USA
(800) 669-5740

MSDS FORM NUMBER: 82850

ISSUE: May 17, 2013

ORIGINAL ISSUE: July 16, 1996

SUPERSEDES: November 1, 2006

PREPARED BY: ArmaKleen MSDS Coordinator

APPROVED BY: MSDS Task Force

Armakleen® M-GP Aqueous Precision Cleaner

MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

WT%	NAME	SYNONYM	CAS NO.	OSHA PEL		ACGIH TLV®		LD ^a	LC ^b
				TWA	STEL	TWA	STEL		
3 to 7	Potassium Carbonate	Potash	584-08-7	15mg/m ^{3,c}	N. Av.	10mg/m ^{3,c}	N. Av.	2000	>4.96mg/L
3 to 7	Potassium Hydroxide	Caustic potash	1310-58-3	N. Av.	N. Av.	2mg/m ³ (ceiling)	N. Av.	273	N. Av.
1 to 5	Sodium hydroxide	Caustic soda	1310-73-2	2 mg/m ³	N. Av.	2mg/m ³ (ceiling)	N. Av.	N. Av.	N. Av.
1 to 5	3,5,5-trimethylhexanoic acid	Isononanoic acid	3302-10-1	N. Av.	N. Av.	N. Av.	N. Av.	N. Av.	N. Av.
1 to 5	Alcohol C6-C10, ethoxylated	Linear alcohol alkoxylate	68987-81-5	N. Av.	N. Av.	N. Av.	N. Av.	N. Av.	N. Av.
1 to 5	Silicic acid, potassium salt	Potassium silicate	1312-76-1	N. Av. ^d	N. Av.	N. Av.	N. Av.	N. Av.	N. Av.
1 to 5	2-pyrrolidinone, 1-octyl	N-(n-octyl)-2-pyrrolidone	2687-94-7	N. Av.	N. Av.	N. Av.	N. Av.	2050	N. Av.

N.Av. = Not Available

^aOral-Rat LD₅₀(mg/kg)

^cPNOC (Particles Not Otherwise Classified)

*Supplier advises that this is a trade secret.

^bInhalation-Rat LC₅₀

^dmanufacturer recommended TWA 5mg/m³ (ceiling) respirable dust

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

APPEARANCE

Liquid, clear, tan color, and mild detergent odor.

CAUTION!

HEALTH HAZARD

May irritate the respiratory tract (nose, throat, and lungs), eyes, and skin.

POTENTIAL HEALTH EFFECTS

INHALATION (BREATHING): High concentrations of vapor or mist may irritate the respiratory tract (nose, throat, and lungs).

EYES: May cause irritation. Effects will be minimized with washing.

SKIN: May cause irritation. Not likely to be absorbed through the skin in harmful amounts.

INGESTION (SWALLOWING): Practically non-toxic. Ingestion may cause abdominal discomfort and may irritate the alimentary mucosa.

Armakleen® M-GP Aqueous Precision Cleaner
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

MEDICAL CONDITIONS

AGGRAVATED BY

EXPOSURE: Individuals with pre-existing respiratory tract (nose, throat, and lungs), eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

CHRONIC: Prolonged or repeated skin contact may cause drying, cracking, redness, itching, and/or swelling (dermatitis).

CANCER INFORMATION: No known carcinogenicity. For more information, see **SECTION 11: CARCINOGENICITY**.

POTENTIAL ENVIRONMENTAL EFFECTS

Not available. Also see **SECTION 12: ECOLOGICAL INFORMATION**.

SECTION 4: FIRST AID MEASURES

INHALATION: (BREATHING) Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Oxygen should only be administered by qualified personnel. Someone should stay with victim. Get medical attention if breathing difficulty persists.

EYES: If irritation or redness from exposure to vapor or mist develops, move away from exposure into fresh air and flush with water for 5 minutes. Upon direct contact with liquid, immediately flush eyes with plenty of lukewarm water, holding eyelids apart, for 15 minutes. Get medical attention.

SKIN: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water. Get medical attention if irritation or pain develops or persists.

INGESTION: (SWALLOWING) Do NOT induce vomiting. Immediately get medical attention. Call medical emergency telephone number (1-800-468-1760) for additional information. If spontaneous vomiting occurs, keep head below hips to avoid breathing the product into the lungs. Never give anything to an unconscious person by mouth.

NOTE TO PHYSICIANS: Treat symptomatically and supportively. Ingesting large amounts may cause systemic alkalosis. Treatment may vary with condition of victim and specifics of incident. Call medical emergency telephone number (1-800-468-1760) for additional information.

Armakleen® M-GP Aqueous Precision Cleaner
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SECTION 5: FIRE FIGHTING MEASURES

FLASH POINT: >212°F (>100°C)

FLAMMABLE LIMITS IN AIR: Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.


HAZARDOUS COMBUSTION PRODUCTS: Product itself does not burn, but may decompose upon heating to produce carbon monoxide and nitrogen oxides.

CONDITIONS OF FLAMMABILITY: Product will not burn.

EXTINGUISHING MEDIA: Not applicable.

NFPA 704

HAZARD IDENTIFICATION: This information is intended solely for the use by individuals trained in this system.



FIRE FIGHTING INSTRUCTIONS: Keep storage containers cool with water spray. A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

FIRE AND EXPLOSION HAZARDS: Heated containers may rupture. "Empty" containers may retain residue and can be dangerous. Not sensitive to mechanical impact or static discharge.

Armakleen® M-GP Aqueous Precision Cleaner
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spilled product is slippery. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Wear protective equipment and provide engineering controls as specified in **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain away from surface waters and sewers. Contain spill as a liquid for possible recovery or sorb with compatible sorbent material and shovel with a clean tool into a sealable container for disposal.

Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal.

There may be specific regulatory reporting requirements associated with spills, leaks, or releases of this product. Also see **SECTION 15: REGULATORY INFORMATION**.

SECTION 7: HANDLING AND STORAGE

HANDLING: Use clean tools. Do not breathe vapor or mist. Use in a well ventilated area. Avoid contact with eyes, skin, clothing, and shoes.

SHIPPING AND STORING: Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Empty product containers may retain product residue and can be dangerous.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: Use NIOSH-certified, combination N-, P-, or R- series particulate filter respiratory protective equipment when concentration of vapor or mist exceeds applicable exposure limits. Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4.

EYE PROTECTION: Where eye contact is likely, wear chemical goggles; contact lens use is not recommended.

Armakleen® M-GP Aqueous Precision Cleaner
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SKIN PROTECTION: Where skin contact is likely, wear nitrile, neoprene, or equivalent protective gloves; use of polyvinyl alcohol (PVA) or equivalent gloves is not recommended.

To avoid skin contact where spills and splashes are likely, wear appropriate chemical-resistant faceshield, boots, apron, whole body suits, or other protective clothing.

PERSONAL HYGIENE: Use good personal hygiene. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco products. Clean contaminated clothing, shoes, and protective equipment before reuse. Discard contaminated clothing, shoes, or protective equipment if they cannot be thoroughly cleaned. Discard leather articles, such as shoes, saturated with the product.

OTHER PROTECTIVE EQUIPMENT: Where spills and splashes are likely, facilities storing or using this product should be equipped with an emergency eyewash and shower, both equipped with clean water, in the immediate work area.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES
--

PHYSICAL STATE, APPEARANCE, AND ODOR: Liquid, clear, tan color, and mild detergent odor.

ODOR THRESHOLD: Not available.

MOLECULAR WEIGHT: Not applicable.

SPECIFIC GRAVITY: 1.05 (water = 1)

DENSITY: 8.8 LB/US gal (1050 g/l)

VAPOR DENSITY: Less than 1 (air = 1)

VAPOR PRESSURE: 17.5 mm Hg at 68°F (20°C) (approximately)

BOILING POINT: 212°F (100°C)

FREEZING/MELTING POINT: 32°F (0°C)

pH: 11.6

EVAPORATION RATE: less than 1(butyl acetate = 1)

Armakleen® M-GP Aqueous Precision Cleaner
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SOLUBILITY IN WATER: Complete.
FLASH POINT: >212°F (>100°C)

FLAMMABLE LIMITS IN AIR: Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable under normal temperatures and pressures.

INCOMPATIBILITY: Avoid acids, oxidizing agents, or reducing agents.

REACTIVITY: Polymerization is not known to occur under normal temperatures and pressures. Not reactive with water.

HAZARDOUS DECOMPOSITION PRODUCTS: None under normal temperatures and pressures. See also **SECTION 5: HAZARDOUS COMBUSTION PRODUCTS**.

SECTION 11: TOXICOLOGICAL INFORMATION
--

SENSITIZATION: Based on best current information, there is no known human sensitization associated with this product.

MUTAGENICITY: Based on best current information, there is no known mutagenicity associated with this product.

CARCINOGENICITY: Based on best current information, there is no known carcinogenicity as regulated by OSHA; as categorized by ACGIH A1 or A2 substances; as categorized by ARC Group 1, Group 2A, or Group 2B agents; or as listed by NTP as either known carcinogens or substances for which there is limited evidence of carcinogenicity in humans or sufficient evidence of carcinogenicity in experimental animals.

REPRODUCTIVE TOXICITY: Based on best current information, there is no known reproductive toxicity associated with this product.

TERATOGENICITY: Based on best current information, there is no known teratogenicity associated with this product.

TOXICOLOGICALLY SYNERGISTIC PRODUCT(S): Based on best current information, there are no known toxicologically synergistic products associated with this product.

Armakleen® M-GP Aqueous Precision Cleaner
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: Not available.

**OCTANOL/WATER
PARTITION COEFFICIENT:** Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL: Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact Safety-Kleen regarding recycling or proper disposal.

**USEPA WASTE
CODE(S):** This product, if discarded, would not be a hazardous waste by listing, and is not expected to be a characteristic hazardous waste. Processing, use, or contamination by the user may change the waste code(s) applicable to the disposal of this product.

SECTION 14: TRANSPORT INFORMATION

DOT: Not regulated.

TDG: Not regulated.

**EMERGENCY RESPONSE
GUIDE NUMBER:** Not applicable.
Reference *North American Emergency Response Guidebook*

SECTION 15: REGULATORY INFORMATION

USA REGULATIONS

VOLATILE ORGANIC COMPOUNDS (AS REGULATED)

20% Solution 1.0 WT%; 0.083 LB/US gal; 10.0 g/L; As per 40 CFR Part 51.100(s)
Product Vapor Pressure @20°C = 17.5 mmHg
Product does not contain photochemically reactive solvents

100% Solution 5.0 WT%; 0.42 LB/US gal; 50.0 g/L; As per 40 CFR Part 51.100(s)
Product Vapor Pressure @20°C = 17.5 mmHg
Product does not contain photochemically reactive solvents

SARA SECTIONS This product does not contain any extremely hazardous

Armakleen® M-GP Aqueous Precision Cleaner
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

302 AND 304: substances listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.

SARA SECTIONS 311 AND 312: This product poses the following health hazards as defined in 40 CFR Part 370 and is subject to the requirements of sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA):

Immediate (Acute) Health Hazard

SARA SECTION 313: This product does not contain toxic chemicals subject to the requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CERCLA: Based on the ingredients listed in **SECTION 2**, this product contains the following "hazardous substances" listed under the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) in 40 CFR Part 302, Table 302.4 with the following reportable quantity (RQ):

Material	CAS	RQ
Sodium hydroxide	1310-73-2	1000 LB (454 kg)
Potassium hydroxide	1310-58-3	1000 LB (454 kg)

TSCA: All the components of this product are listed on, or are automatically included as "naturally occurring chemical substances" on, or exempted from the requirement to be listed on, the TSCA Inventory.

CALIFORNIA: This product does not contain detectable amounts of any chemical known to the State of California to cause cancer.

This product does not contain detectable amounts of any chemical known to the State of California to cause birth defects or other reproductive harm.

CANADIAN REGULATIONS

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS: Class D2B

**CANADIAN
ENVIRONMENTAL
PROTECTION ACT**

All the components of this product are listed on, or are automatically
Revision 05/13; MSDS Form No. 82850 - Page Page 9 of 10

Armakleen® M-GP Aqueous Precision Cleaner
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

(CEPA): included as “substances occurring in nature” on, or are exempted from the requirement to be listed on, the Canadian Domestic Substances List (DSL).

SECTION 16: OTHER INFORMATION

REVISION INFORMATION: Update Safety-Kleen address. Update VOC information in Section 15. Regulatory review.

LABEL/OTHER INFORMATION: Not available.

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, The ArmaKleen Company assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, or merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which information refers. The data contained on this sheet apply to the product as supplied to the user.

©2006 Printed in the USA.