

# MATERIAL SAFETY DATA SHEET



Date Issued: 02/17/2004  
 MSDS No: 90  
 Date-Revised: 08/30/2011  
 Revision No: 3

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT DESCRIPTION:** Auto Polish  
**PRODUCT CODE:** 90  
**PRODUCT FORMULATION NAME:** XP Swirl Remover  
**GENERIC NAME:** Car Polish

### MANUFACTURER

Auto Wax - An ITW Company  
 Auto Magic®  
 1275 Round Table Drive  
 Dallas, TX 75247

**Emergency Phone:** 1-800-826-0828

**Transportation:** 1-800-826-0828

**Service Number:** 1-214-631-4000

Auto Wax - An ITW Company

Auto Magic®

### 24 HR. EMERGENCY TELEPHONE NUMBERS

1-800-826-0828

**COMMENTS:** To the best of our knowledge, this Material Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200.

## 2. HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

**IMMEDIATE CONCERNS:** Harmful if swallowed.

### POTENTIAL HEALTH EFFECTS

**EYES:** May be irritating to the eyes.

**SKIN:** May cause slight irritation.

**INGESTION:** Harmful if swallowed.

**INHALATION:** No hazard in normal industrial use.

### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** Eye contact may cause redness, tearing and a burning sensation.

**INGESTION:** Ingestion may cause nausea and irritation.

**CHRONIC EFFECTS:** not available

**MEDICAL CONDITIONS AGGRAVATED:** dermatitis may be aggravated by excessive exposure to skin.

**ROUTES OF ENTRY:** include skin contact, eye contact and ingestion

**TARGET ORGAN STATEMENT:** not available

**CANCER STATEMENT:** not available

**IRRITANCY:** not available

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS	EINECS	Classification
Distillates (petroleum) hydrotreated light	5 - 10	64742-47-8	265-149-8	Xn; R65
Odorless Mineral Spirits	10 - 15	64742-48-9	265-150-3	Xn; R10-65-66-67

( Full text of R-Phrases can be found under heading 16 )

## 4. FIRST AID MEASURES

**EYES:** Flush eye with water for 15 minutes. Seek medical attention if irritation persists.

**SKIN:** Wash with soap and water.

**INGESTION:** Do not induce vomiting. Seek medical attention immediately.

**INHALATION:** Move to fresh air

## 5. FIRE FIGHTING MEASURES

**FLASHPOINT AND METHOD:** ~ 49°C (120°F) TCC

**AUTOIGNITION TEMPERATURE:** Not Available

**FLAMMABLE CLASS:** Material will not support combustion.

**EXTINGUISHING MEDIA:** use water, foam, dry chemical or carbon dioxide extinguisher

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon Monoxide and Carbon Dioxide

**EXPLOSION HAZARDS:** not available

**SENSITIVE TO STATIC DISCHARGE:** none

**SENSITIVITY TO IMPACT:** none

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Contain and collect with absorbent

**LARGE SPILL:** LARGE SPILLS: Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use.

### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Avoid runoff into storm sewers and ditches which lead to waterways.

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** Keep out of reach of Children.

**STORAGE:** Do not allow to freeze

**STORAGE TEMPERATURE:** (35°F) Minimum to (95°F) Maximum

**SHELF LIFE:** one year

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)			
			EXPOSURE LIMITS
			SupplierOEL
Chemical Name			ppm      mg/m <sup>3</sup>
Distillates (petroleum) hydrotreated light	<b>TWA</b>	300 ppm	2300 mg/m <sup>3</sup>
Odorless Mineral Spirits	<b>TWA</b>	300 ppm	1900 mg/m <sup>3</sup>

**ENGINEERING CONTROLS:** Good general ventilation should be sufficient to control airborne levels.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Wear safety glasses with side shields or goggles.

**SKIN:** Use Nitrile/ Vinyl gloves

**RESPIRATORY:** NIOSH respirator - in absence of proper environmental controls.

**PROTECTIVE CLOTHING:** Clean, body-covering clothing

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	Flash Point (°C)	Boiling Point (°C)	Specific Gravity
Distillates (petroleum) hydrotreated light	81	218	0.79
Odorless Mineral Spirits	49	178	0.76

**PHYSICAL STATE:** Liquid

**ODOR:** Characteristic

**APPEARANCE:** Green

**pH:** ~ 8 to 9

**VAPOR PRESSURE:** Not Available

**VAPOR DENSITY:** Not Available

**FREEZING POINT:** ~ 0°C (32°F)

**FLASHPOINT AND METHOD:** ~ 49°C (120°F) TCC

**SOLUBILITY IN WATER:** Will mix with water

**SPECIFIC GRAVITY:** ~ 0.900 gm/ml

**VISCOSITY:** Not Available

**(VOC):** < 15.000 % by weight

## 10. STABILITY AND REACTIVITY

**STABLE:** Yes

**HAZARDOUS POLYMERIZATION:** No

**CONDITIONS TO AVOID:** Avoid high temperatures.

## 11. TOXICOLOGICAL INFORMATION

### ACUTE

Chemical Name	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)
Distillates (petroleum) hydrotreated light	> 5 g/Kg-rat	> 3.16 g/kg - rabbit

**NOTES:** not available

**CHRONIC:** not available

### CARCINOGENICITY

**IARC:** Listed by IARC- NO

**NTP:** Listed by NTP- NO

**OSHA:** Listed by OSHA- NO

**SENSITIZATION:** not available

**NEUROTOXICITY:** not available

**REPRODUCTIVE EFFECTS:** not available

**TARGET ORGANS:** not available

**MUTAGENICITY:** not available

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** not available

**ECOTOXICOLOGICAL INFORMATION:** not available

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose in accordance with local, state, and federal laws.

## 14. TRANSPORT INFORMATION

**DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** Hydrocarbons, liquid, n.o.s.

**TECHNICAL NAME:** isononanes, nonanes

**PRIMARY HAZARD CLASS/DIVISION:** 3

**UN/NA NUMBER:** UN3295

**PACKING GROUP:** III

**NAERG:** 128

**OTHER SHIPPING INFORMATION:** Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

## 15. REGULATORY INFORMATION

### UNITED STATES

#### TSCA (TOXIC SUBSTANCE CONTROL ACT)

**TSCA REGULATORY:** All Ingredients are on the TSCA Inventory or are not required to be listed on the TSCA Inventory

### CANADA

#### WHMIS HAZARD SYMBOL AND CLASSIFICATION



Combustible Liquid



Toxic

## 16. OTHER INFORMATION

**RELEVANT R-PHRASES:**R65- Harmful: may cause lung damage if swallowed.


**PREPARED BY:** Barry Brown

**REVISION SUMMARY:** This MSDS replaces the 02/26/2010 MSDS. Revised: **Section 1:** .

#### HMIS RATING

<b>HEALTH</b>	<input type="checkbox"/>	<b>1</b>
<b>FLAMMABILITY</b>	<input type="checkbox"/>	<b>2</b>
<b>PHYSICAL HAZARD</b>	<input type="checkbox"/>	<b>0</b>
<b>PERSONAL PROTECTION</b>	<input type="checkbox"/>	

#### NFPA CODES



**MANUFACTURER DISCLAIMER:** The information in this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.