

**1. Identification of the Substance and Company**
**Spordi® Dual-Species Spore Strips and Discs**
**Product No. See chart below**
**SDS No. S107US**
**NFPA 704 HAZARD RATING:**
**HEALTH: 0**
**FIRE: 0**
**REACTIVITY: 0**
**Prepared by: M. Ebers**
[asksteris\\_msds@steris.com](mailto:asksteris_msds@steris.com)
**Date Created: December 1, 2001 Date Revised: September 3, 2014 Date Reviewed: NA**

 STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US  
 Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)  
 Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

 STERIS Limited, Chancery House, 190 Waterside Road, Hamilton Industrial Park, Leicester,  
 LE5 1QZ, UK

Emergency Phone No: +44 (0) 1895 622 639

Product/Technical Information Phone No: +44 (0) 116 276 8636

<b>PRODUCT NAME:</b>	<b>PRODUCT NUMBER:</b>
10 <sup>6</sup> B. subtilis/ 10 <sup>4</sup> B. stearothermophilus - Strips	NA008
10 <sup>6</sup> B. subtilis/ 10 <sup>4</sup> B. stearothermophilus - Strips	NA010
10 <sup>6</sup> B. subtilis/ 10 <sup>4</sup> B. stearothermophilus - Discs	NA094
<b>SHIPPING INFORMATION:</b>	<b>NOT RESTRICTED</b>

The Spordi® products are NOT hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Spordi® Strips and Discs are inoculated with spores of *Geobacillus stearothermophilus* for steam sterilization and *Bacillus atrophaeus* for EO and dry heat sterilization.

Before discarding unexposed or expired spore strips or discs, treat as appropriate for standard microbiological waste, non-pathogenic species, e.g., steam autoclave at 121°C for not less than 30 minutes, incinerate or use other suitable means.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.