# SAFETY DATA SHEET

**Date Issued:** 5/9/2012 MSDS No: M-2200-187

# Molybdenum Oxide (MoO3) Pieces

#### PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Molybdenum Oxide (MoO3) Pieces **GENERAL USE:** Physical vapor deposition of thin films

GENERIC NAME: Molybdenum(VI) oxide, Molybdenum trioxide

## **MANUFACTURER**

Kurt J Lesker Company **United States** 1925 Route 51 Jefferson Hills, PA 15025

**Customer Service:** 412-387-9200

**E-Mail:** msds@lesker.com Kurt J Lesker Company LTD United Kingdom 15-16 Burgess Road

Hastings, East Sussex, TN35 4NR

England

**Customer Service:** +44 (0) 1424 458100

## 24 HR. EMERGENCY TELEPHONE NUMBERS

24-Hour Emergency Response provided by 3E Global Incident Response Hotline

When calling, refer to Kurt J Lesker Company Global Response Access Code: 333594

North America [USA, Canada, Mexico]: 1-866-519-

4752

Mainland China: (+86) 4001 2001 74 Europe: {int'l call prefix}-1-760-476-3961 Asia Pacific: {int'l call prefix}-1-760-476-3960 Middle East & Africa: {int'l call prefix}-1-760-476-

3959

#### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

## Health:

Eye Irritation, Catagory 2B Target Organ Toxicity (Single exposure), Category 3 Carcinogenicity, Category 2

#### **GHS LABEL**







mark

Health hazard

#### **HAZARD STATEMENTS**

H320: Causes eye irritation.

H335: May cause respiratory irritation. H351: Suspected of causing cancer.

## PRECAUTIONARY STATEMENT(S)

## Prevention:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P264: Wash ... thoroughly after handling.

#### Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

#### **EMERGENCY OVERVIEW**

PHYSICAL APPEARANCE: Yellow solid

**IMMEDIATE CONCERNS:** Dust or vapor irritating to eyes and respiratory tract.

#### POTENTIAL HEALTH EFFECTS

**EYES:** Causes eye irritation.

**SKIN:** May cause skin irritation.

**INGESTION:** May be harmful if swallowed.

**INHALATION:** May be harmful if inhaled. Causes respiratory tract irritation.

#### REPRODUCTIVE TOXICITY

**REPRODUCTIVE EFFECTS:** Not Available **TERATOGENIC EFFECTS:** Not Available

**CARCINOGENICITY:** Not listed as a human carcinogen

**MUTAGENICITY:** Not Available

**ROUTES OF ENTRY:** Inhalation, ingestion, eye contact, or skin contact. **IRRITANCY:** May cause irritation of skin, eyes, and respiratory tract.

PHYSICAL HAZARDS: This substance is not considered hazardous in the form supplied.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Molybdenum(VI) Oxide	100	1313-27-5

#### 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**SKIN:** Wash with soap and water. Get medical attention if irritation develops or persists.

**INGESTION:** Rinse mouth. Get medical advice/attention.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.

## SIGNS AND SYMPTOMS OF OVEREXPOSURE

**CHRONIC EFFECTS:** Not Available

## 5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Not flammable.

EXTINGUISHING MEDIA: Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this

material.

**EXPLOSION HAZARDS:** Dusts at sufficient concentrations can form explosive mixtures with air.

**FIRE FIGHTING PROCEDURES:** As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Toxic metal fumes

#### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Clean up spills immediately, observing precautions in Protective Equipment section.

**LARGE SPILL:** Collect spilled material in appropriate container. Spill may be reportable. Consult section 15 for Reportable Quantities.

**GENERAL PROCEDURES:** Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources if safe to do so. Avoid formation of dust. Provide appropriate exhaust ventilation where dust is formed. Avoid breathing (dust, vapor, mist, gas). Practice good chemical hygiene during and after use. Avoid release to the environment.

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** To avoid risks to human health and the environment, comply with the instructions for use.

**HANDLING:** Keep away from heat and flame. Avoid formation of dust. Provide appropriate exhaust ventilation where dust is formed. Do not breath (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling.

**STORAGE:** Keep container closed when not in use. Store in a cool dry place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

## PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Wear safety glasses with side shields (or goggles) and a face shield.

**SKIN:** Wear protective gloves/protective clothing/eye protection/face protection. Wash contaminated clothing before reuse.

**RESPIRATORY:** If ventilation is inadequate and this material is handled at elevated temperatures or dusts/fumes/mists are generated a NIOSH/MSHA approved air purifying respirator with a manufacturers approved cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

WORK HYGIENIC PRACTICES: Practice good chemical hygiene during and after use.

## **COMMENTS:**

COMPONENT EXPOSURE LIMITS

Component	Location, Type	Value (mg/m3)		
Molybdenum compounds (soluble)	ACGIH TLV TWA	.05		
	OSHA OEL TWA	5		
	Canada - AB, BC, PQ TWA	5		
	Canada - ON TWA	0.5		
	Europe TWA	5		
	Belgium, Spain TWA	0.5		
	Austria, Denmark, France STEL	10		
	Hungary STEL	20		
	Australia, NZ, Singapore TWA	5		
	UK WEL TWA	5		
	UK WEL STEL	10		

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Solid

ODOR: None
COLOR: Yellow

**PERCENT VOLATILE:** NA = Not Applicable

**FLASH POINT AND METHOD:** NA = Not Applicable

**FLAMMABLE LIMITS:** NA = Not Applicable

**AUTOIGNITION TEMPERATURE:** NA = Not Applicable

**BOILING POINT:** 1155°C **MELTING POINT:** 795°C

**SOLUBILITY IN WATER:** .1066 g/100mL at 18°C

**DENSITY:** 4.69

**MOLECULAR WEIGHT: 143.94** 

# 10. STABILITY AND REACTIVITY

**STABLE:** Yes

**HAZARDOUS POLYMERIZATION:** No

**HAZARDOUS DECOMPOSITION PRODUCTS:** Toxic metal fumes

**INCOMPATIBLE MATERIALS:** Strong acids, Strong bases, Oxidizing materials, Halogens.

# 11. TOXICOLOGICAL INFORMATION

**ACUTE** 

DERMAL LD<sub>50</sub>: Not Available

ORAL LD<sub>50</sub>: 83 mg/kg

Notes: Rat

INHALATION LC<sub>50</sub>: Not Available

## **CARCINOGENICITY**

IARC: Not listed
NTP: Not listed
OSHA: Not listed

Notes: Confirmed animal carcinogen.

REPRODUCTIVE EFFECTS: Not Available

TERATOGENIC EFFECTS: Not Available

**MUTAGENICITY:** Not Available

## 12. ECOLOGICAL INFORMATION

**BIOACCUMULATION/ACCUMULATION:** Not Available

**AQUATIC TOXICITY (ACUTE)** 

**96-HOUR LC<sub>50</sub>:** 577 mg/L (Pimephales promelas) **48-HOUR EC<sub>50</sub>:** 203.2 mg/L (Daphnia magna) **CHEMICAL FATE INFORMATION:** Not Available

#### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose of according to applicable federal, state, provincial, and local regulations.

**PRODUCT DISPOSAL:** Contact a licensed waste disposal company.

**EMPTY CONTAINER:** Follow all MSDS/label precautions even after container is emptied because it may retain product residues.

# 14. TRANSPORT INFORMATION

**DOT (DEPARTMENT OF TRANSPORTATION)** 

PROPER SHIPPING NAME: Not Regulated

**ROAD AND RAIL (ADR/RID)** 

PROPER SHIPPING NAME: Not Regulated

AIR (ICAO/IATA)

SHIPPING NAME: Not Regulated

VESSEL (IMO/IMDG)

SHIPPING NAME: Not Regulated

CANADA TRANSPORT OF DANGEROUS GOODS

SHIPPING NAME: Not Regulated

## 15. REGULATORY INFORMATION

#### **UNITED STATES**

# SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: No CHRONIC: No

**313 REPORTABLE INGREDIENTS:** Yes

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All components of this product are included in inventory, exempt, or notified

#### **REGULATIONS**

#### STATE REGULATIONS:

The following components appear in one or more of the following state

	nazardous	substances	IISTS
_			

Component	CAS	CA	MA	MN	NJ	PA	RI
Molybdenum trioxide	1313-27-7	No	No	No	Yes	Yes	No

**CALIFORNIA PROPOSITION 65:** This product is not known to contain any components for which the State of California has found to cause cancer, birth defects or other reproductive harm.

#### CANADA

## WHMIS HAZARD SYMBOL AND CLASSIFICATION



**DOMESTIC SUBSTANCE LIST (INVENTORY):** All components of this product are included in inventory, exempt, or notified

**GENERAL COMMENTS:** All components of this product are included in inventory, exempt, or notified: USA TSCA, Philippines PICCS, Korean KECL, European EINECS, Canadian DSL


# 16. OTHER INFORMATION

APPROVED BY: EHS DEPT
PREPARED BY: E Bolton

INFORMATION CONTACT: msds@lesker.com

**HMIS RATING** 

HEALTH *	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	F



**GENERAL STATEMENTS:** The physical and toxicological properties of this material have not been thoroughly

investigated.

## **MANUFACTURER DISCLAIMER:**

Kurt J. Lesker Company ("KJLC") believes the information contained in this Material Safety Data Sheet is accurate as of the "Date of Last Revision" specified. The information relates only to typical properties of the product. Do not use the information for product performance or specification purposes. The information is for use by technically skilled persons at their own risk. KJLC MAKES NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT OR THE INFORMATION. The information may not be valid for product use in combination with any other product or material or in any process. KJLC expressly disclaims any liability arising from any use of the product or any reliance on the information. Do not treat the information (a) as assurance that use of the product will not infringe patent or other rights or (b) as a license or grant of patent or other property rights. "KJLC" means KJLC and each of its subsidiaries.