Material Safety Data Sheet



Issuing Date: 24-May-2012 Revision Date: 24-May-2012 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product ID: 99303404

Product Name Pantene Pro-V Stylers Anti-Humidity Hairspray Maximum Hold

Recommended use Personal Beauty Care Product

Uses advised against All other uses

Synonyms No information available

Manufacturer The Procter & Gamble Company

Sharon Woods Innovation Center 11510 Reed Hartman Highway

Cincinnati OH 45202

E-mail Address pgsds.im@pg.com

Emergency telephone Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887

Mexico toll free in country: 01-800-681-9531

2. HAZARDS IDENTIFICATION

Emergency Overview

Flammable

OSHA Regulatory Status Consumer Products as defined by the U.S. Consumer Product Safety Act which are used

as intended (typical consumer duration and frequency) are exempt from the OSHA Hazard

Communication Standard

WHMIS Not subject to WHMIS classification

Principle Routes of Exposure Eye contact. Skin contact. Inhalation.

General Hazards

This is a personal care or cosmetic product that is safe for consumers and other users

under normal and reasonably foreseeable use

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Dimethyl ether	115-10-6	15 - 40
Ethanol	64-17-5	10 - 30
Cyclohexylamine	108-91-8	0.1 - 1

4. FIRST AID MEASURES

General advice No hazards which require special first aid measures. When symptoms persist or in all cases

of doubt seek medical advice.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician. Remove contact lenses, if present, after the first 5

Revision Date: 24-May-2012

minutes, then continue rinsing.

Skin contact If skin problems occur, discontinue use. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of water.

Inhalation Move to fresh air.

Protection of First-aiders Remove all sources of ignition.

Most important symptoms/effects,

acute and delayed

None known.

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties Non-household: Flammable aerosol.

Flash Point Aerosol - Not applicable

Suitable Extinguishing Media Dry chemical, CO₂, water spray or alcohol-resistant foam.

Unsuitable Extinguishing Media No information available.

Special Hazard The release of the following substances is possible in a fire:

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke)

Nitrous oxides

Containers may explode when heated

Hazardous decomposition products formed under fire conditions.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation.

Advice for emergency responders Use personal protective equipment.

Environmental precautions Should not be released into the environment.

Methods for Containment No information available.

Methods for Cleaning up No information available.

7. HANDLING AND STORAGE

Advice on safe handling Keep out of the reach of children. Observe label precautions. Keep away from open flames,

hot surfaces and sources of ignition. Avoid breathing vapors or mists.

Technical measures/Storage

conditions

Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition.

Revision Date: 24-May-2012

Keep away from direct sunlight.

Aerosol Classification Level 1

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900	IDLH: 3300 ppm	Mexico: TWA 1000 ppm
			TWA: 1000 ppm TWA: 1900	Mexico: TWA 1900 mg/m ³
		(vacated) TWA: 1000 ppm	mg/m³	
		(vacated) TWA: 1900 mg/m ³		
Cyclohexylamine	TWA: 10 ppm	(vacated) TWA: 10 ppm	TWA: 10 ppm TWA: 40	Mexico: TWA 10 ppm
		(vacated) TWA: 40 mg/m ³	mg/m³	Mexico: TWA 40 mg/m ³
Chemical Name	British Columbia	Alberta	Quebec	Ontario TWAEV
Dimethyl ether	TWA: 1000 ppm	-	-	-
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1880	TWA: 1000 ppm TWA: 1880	STEL: 1000 ppm
		mg/m³	mg/m³	
Cyclohexylamine	TWA: 10 ppm	TWA: 10 ppm TWA: 41	TWA: 10 ppm TWA: 41	TWA: 10 ppm
		mg/m³	mg/m³	

Engineering Measures Not applicable.

Personal Protective Equipment

Eye Protection No special protective equipment required.

Hand Protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Respiratory protection Avoid breathing vapors, mist or gas.

Thermal hazards Not applicable.

Revision Date: 24-May-2012

Avoid breathing vapors, mist or gas. When using, do not eat, drink or smoke. Hygiene measures

Environmental Exposure Controls No special environmental precautions required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C Aerosol, liquid

Appearance Aerosol Container - Liquid.

Odor Pleasant

Values Property Note

pH VALUE 8.75 - 9.25 Melting/freezing point Not applicable

Boiling point/boiling range No information available **Flash Point** Aerosol - Not applicable No information available **Evaporation rate** Flammability (solid, gas) No information available

Flammability Limits in Air

upper flammability limit No information available lower flammability limit No information available Vapor pressure No information available No information available Vapor density

Relative density 0.95-0.99 slightly soluble Water solubility

Solubility in other solvents No information available Partition coefficient: n-octanol/waterNo information available **Autoignition temperature** No information available **Decomposition temperature** No information available No information available

Viscosity of Product Bulk Density No information available

Chemical Name	log Pow
Dimethyl ether	-0.18
Ethanol	-0.32
Cyclohexylamine	1.2

VOC Content Products comply with US state and federal regulations for VOC content in consumer

products.

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions.

Stable under normal conditions. Stability

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Extremes of

temperature and direct sunlight.

Materials to Avoid Strong oxidizing agents.

Hazardous Decomposition Products None under normal use.

Revision Date: 24-May-2012

11. TOXICOLOGICAL INFORMATION

Product Information

Acute Toxicity

Principle Routes of Exposure Eye contact. Skin contact. Inhalation.

Inhalation Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

Skin contactNo known effect based on information supplied.IngestionNo known effect based on information supplied.Eye contactNo known effect based on information supplied.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dimethyl ether	-	-	308.5 mg/L (Rat) 4 h
Ethanol	7060 mg/kg (Rat)	-	124.7 mg/L (Rat) 4 h
Cyclohexylamine	11 mg/kg (Rat)	-	-

Chronic Toxicity

CorrosivityNo known effect.SensitizationNo known effect.Neurological EffectsNo known effect.

Reproductive Toxicity

The product contains no substances known to be hazardous to health in concentrations

which need to be taken into account.

Mutagenic Effects There are no known mutagenic chemicals in this product.

Developmental ToxicityNo known effect.
No known effect.

Carcinogenicity Contains no ingredients above reportable quantities listed as a carcinogen.

Revision Date: 24-May-2012

12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute Toxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates	Toxicity to other organisms
Ethanol	-	LC50 96 h 12.0 - 16.0 mL/L Oncorhynchus mykiss static LC50 96 h > 100 mg/L Pimephales promelas static LC50 96 h 13400 - 15100 mg/L Pimephales promelas flow-through		LC50 48 h 9268 - 14221 mg/L Daphnia magna EC50 24 h = 10800 mg/L Daphnia magna EC50 48 h = 2 mg/L Daphnia magna Static	-
Cyclohexylamine	EC50 96 h = 20 mg/L Pseudokirchneriella subcapitata static EC50 96 h = 20 mg/L Pseudokirchneriella subcapitata	LC50 96 h 44 - 90 mg/L Oncorhynchus mykiss LC50 96 h = 470 mg/L Brachydanio rerio static	-	EC50 24 h = 49 mg/L Daphnia magna = 20 mg/L EC50	-

No information available. Persistence and degradability

Bioaccumulative potential No information available.

Mobility No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste from Residues / Unused **Products**

Dispose of in accordance with local regulations.

Contaminated packaging

Dispose of in accordance with local regulations.

Other disposal recommendations

Non-household: Products covered by this MSDS, in their original form, when disposed as waste, are ignitable hazardous waste, D001, according to Federal RCRA regulations(40 CFR 261). Aerosol cans, when disposed as waste, are regulated as D003 reactive hazardous waste in some States because of their potential to explode when heated. Check

with your State environmental agency for guidance.

California Hazardous Waste Codes 331

(non-household setting)

14. TRANSPORT INFORMATION

1014

Revision Date: 24-May-2012

DOT

UN/ID No UN1950

Proper shipping name Aerosols, flammable

Hazard class 2.1

Description UN1950, Aerosols, flammable, 2.1

Emergency Response Guide 126

Number

TDG

UN/ID No UN1950
Proper shipping name Aerosols
Hazard class 2.1

Description UN1950, Aerosols, 2.1

MEX

UN/ID NoUN1950Proper shipping nameAerosolsHazard class2.1

Description UN1950, Aerosols, 2.1

IATA

UN1950

Proper shipping name Aerosols, flammable

Hazard class 2.1 ERG Code 10L

Description UN1950, Aerosols, flammable, 2.1

ICAO

UN/ID No UN1950
Proper shipping name Aerosols
Hazard class 2.1

Description UN1950, Aerosols, 2.1

IMDG/IMO

UN/ID No UN1950
Proper shipping name Aerosols
Hazard class 2

EmS No. F-D, S-U

Description UN1950, Aerosols, 2.1

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard no
Chronic Health Hazard no
Fire Hazard Yes
Sudden Release of Pressure Hazard no
Reactive Hazard no

Revision Date: 24-May-2012

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Benzoic acid, ammonium salt (1:1)	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Cyclohexylamine	-	10000 lb	-

Food and Drug Administration (FDA)

The product described in this Material Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substance(s) which are either listed as hazardous air pollutants (HAPS) or VOC's per the Clean Air Act:

Chemical Name	Volatile Organic Compounds	CAA (Clean Air Act) - 1990 Hazardous Air Pollutants
Dimethyl ether	Present	-
Ethanol	Present	-
Cyclohexylamine	Present	-
Acetamide, N-(2-hydroxyethyl)-	Present	-

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Benzoic acid, ammonium salt (1:1)	5000 lb	-	-	Х

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Ethanol	64-17-5	Carcinogen
		Developmental

Ethanol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

U.S. State Regulations

Chemical Name	New Jersey
Dimethyl ether	X
Ethanol	X
Cyclohexylamine	X

Chemical Name	Massachusetts
Dimethyl ether	X
Ethanol	X

Chemical Name	Pennsylvania
Dimethyl ether	X
Ethanol	X
Benzoic acid, ammonium salt (1:1)	X

Revision Date: 24-May-2012

Cyclohexylamine	X

Chemical Name	Rhode Island
Dimethyl ether	X
Ethanol	X

International Regulations

Canada

WHMIS Hazard Class

Not subject to WHMIS classification

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR. This product is regulated by the Food and Drug Administration of Health Canada and is therefore exempt from the requirements of CEPA.

International Inventories

TSCA Exempt
DSL Exempt
NDSL Exempt

Perfumes contained with the products comply with appropriate IFRA guidance.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

16. OTHER INFORMATION

Issuing Date:24-May-2012Revision Date:24-May-2012

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of MSDS