HALLIBURTON

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

ACETIC ACID

Revision Date: 15-Sep-2015 **Revision Number: 28**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name ACETIC ACID Internal ID Code HM001728

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Acid

Sector of use Refer to the Annex for a listing of uses.

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services

Halliburton House, Howemoss Place

Kirkhill Industrial Estate

Dyce

Aberdeen, AB21 0GN United Kingdom

www.halliburton.com

For further information, please contact

fdunexchem@halliburton.com E-Mail address:

1.4. Emergency telephone number +44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §4	45 - (EC)1272/2008
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

RECOLATION (EO) NO 1212/2000	
Skin Corrosion / irritation	Category 1 A - H314
Serious Eye Damage / Eye Irritation	Category 1 - H318
Specific Target Organ Toxicity - (Single Exposure)	Category 3 - H335
Flammable liquids.	Category 3 - H226

2.2. Label Elements

Hazard Pictograms



Signal Word Danger

Hazard Statements

H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Contains

Substances CAS Number
Acetic acid 64-19-7

2.3. Other Hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.2. Mixtures Mixture

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Acetic acid	200-580-7	64-19-7	30 - 60%	Skin Corr. 1A (H314) Eye Corr. 1 (H318) STOT SE 3 (H335) Flam. Liq. 3 (H226)	01-2119475328-30

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

Eyes Immediately flush eyes with large amounts of water for at least 30 minutes.

Seek prompt medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at

least 30 minutes and remove contaminated clothing, shoes and leather goods immediately. Get medical attention immediately. Remove contaminated clothing

and launder before reuse.

Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

4.2. Most Important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards

Use water spray to cool fire exposed surfaces. Decomposition in fire may produce harmful gases. Do not allow runoff to enter waterways.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove sources of ignition. Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation. Evacuate all persons from the area.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas. Consult local authorities.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Neutralize with lime slurry, limestone, or soda ash. Contain spill with sand or other inert materials. Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Remove sources of ignition. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from alkalis. Store away from oxidizers. Store in a cool well ventilated area. Keep container closed when not in use.

7.3. Specific End Use(s)

Exposure Scenario Please refer to the attached Annex for a listing of exposure scenarios.

Other Guidelines No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits

Substances	CAS Number	EU	UK	Netherlands	France
Acetic acid	64-19-7	10 ppm	Not applicable	Not applicable	10 ppm

Substances	CAS Number	Germany	Spain	Portugal	Finland
Acetic acid	64-19-7	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 5 ppm
		TWA: 25 mg/m ³	TWA: 25 mg/m ³	TWA: 25 mg/m ³	TWA: 13 mg/m ³

			15 ppm STEL [VLA-EC]; 37 mg/m³ STEL [VLA-EC]	STEL: 15 ppm	STEL: 10 ppm STEL: 25 mg/m³
Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Acetic acid	64-19-7	TWA: 10 ppm TWA: 25 mg/m³ STEL" 20 ppm STEL" 50 mg/m³	10 ppm TWA; 25 mg/m³ TWA 15 ppm STEL; 37 mg/m³ STEL	TWA: 10 ppm TWA: 25 mg/m³ STEL: 20 ppm STEL: 50 mg/m³	TWA: 10 ppm TWA: 25 mg/m³ STEL: 20 ppm STEL: 37.5 mg/m³
Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Acetic acid	64-19-7	10 ppm	TWA: 15 mg/m ³ STEL: 30 mg/m ³	TWA: 25 mg/m³ STEL: 25 mg/m³	TWA: 25 mg/m ³
Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Acetic acid	64-19-7	TWA: 10 ppm TWA: 25 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³

Derived No Effect Level (DNEL)

Work	ær
------	----

Substances	Long-term	Acute / short	Long-term	Acute / short	Long-term	Acute / short	Long-term	Acute / short	Hazards for
	exposure -	term	exposure -	term	exposure -	term	exposure -	term	the eyes -
	systemic	exposure -	local effects,	exposure -	systemic	exposure -	local effects,	exposure -	local effects
	effects,	systemic	Inhalation	local effects,	effects,	systemic	Dermal	local effects,	
	Inhalation	effects,		Inhalation	Dermal	effects,		Dermal	
		Inhalation				Dermal			
Acetic acid	Not available	Not available	25 mg/m ³	25 mg/m ³	Not available	Not available	Not available	Not available	Not available

General Population

Substances	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Hazards
	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	for the
	systemic	exposure -	local	exposure -	systemic	exposure -	local	exposure -	systemic	exposure -	eyes -
	effects,	systemic	effects,	local	effects,	systemic	effects,	local	effects,	local	local
	Inhalation	effects,	Inhalation	effects,	Dermal	effects,	Dermal	effects,	Oral	effects,	effects
		Inhalation		Inhalation		Dermal		Dermal		Oral	
Acetic acid	Not	Not	25 mg/m ³	25 mg/m ³	Not	Not	Not	Not	Not	Not	Not
	available	available			available	available	available	available	available	available	available

Predicted No Effect Concentration (PNEC)

			/						
Substances	Freshwater	Marine water	1 :-			Sediment	Air		Secondary
				treatment plant	(freshwater)	(marine water)			poisoning
Acetic acid	3.06 mg/l	0.306 mg/l	30.58 mg/l	85 mg/l	11.4 mg/kg	1.14 mg/kg	Not available	0.478 mg/kg	Not available

8.2. Exposure controls

Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Hand Protection

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Nitrile gloves. (>= 0.35 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be

observed because of great diversity of types.

Skin Protection

Full protective chemical resistant clothing.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists. **Other Precautions** Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid Color: Clear

Odor: Acrid Odor Threshold: No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

pH: 2.9
Freezing Point/Range 16 °C

Melting Point/RangeNo data availableBoiling Point/Range117 °C / 244 °FFlash Point42 °C / 109 °F PMCC

Flammability (solid, gas)

No data available

upper flammability limit 16% lower flammability limit 5.4%

Evaporation rateNo data availableVapor Pressure11.7 mmHg @ 20 CVapor DensityNo data available

Specific Gravity 1.05

Water Solubility Soluble in water No data available Solubility in other solvents Partition coefficient: n-octanol/water No data available **Autoignition Temperature** No data available **Decomposition Temperature** No data available Viscosity No data available **Explosive Properties** No information available **Oxidizing Properties** No information available

9.2. Other information

Molecular Weight 60.6 (g/mole)
VOC Content (%) No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

Keep away from heat, sparks and flame.

10.5. Incompatible Materials

Strong alkalis.

10.6. Hazardous Decomposition Products

Toxic fumes. Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Inhalation Causes severe respiratory irritation.

Eye Contact Skin ContactCauses severe eye burns.
Causes severe burns.

Ingestion Causes burns of the mouth, throat and stomach.

Chronic Effects/Carcinogenicity Prolonged, excessive exposure may cause erosion of the teeth.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic acid	64-19-7	3310 mg/kg (Rat) 600 mg/kg (Rabbit) 4960 mg/kg (Mouse)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4h
Substances	CAS Number	Skin corrosion/irritation		
Acetic acid	64-19-7	Corrosive to skin		
Substances	CAS Number	Eye damage/irritation		
Acetic acid	64-19-7	Corrosive to eyes		
Substances	CAS Number	Skin Sensitization		
Acetic acid	64-19-7	Not regarded as a sensitizer.		
Substances	CAS Number	Respiratory Sensitization		
Acetic acid	64-19-7	No information available		
Substances	CAS Number	Mutagenic Effects		
Acetic acid	64-19-7	In vivo tests did not show mutage	nic effects. In vitro tests did not sh	now mutagenic effects
Substances	CAS Number	Carcinogenic Effects		
Acetic acid	64-19-7	Did not show carcinogenic effects	in animal experiments	
Substances	CAS Number	Reproductive toxicity		
Acetic acid	64-19-7	Did not show teratogenic effects i fertility.	n animal experiments. Animal test	ing did not show any effects on
Substances	CAS Number	STOT - single exposure		
Acetic acid	64-19-7	May cause respiratory irritation.		
Substances	CAS Number	STOT - repeated exposure		
Acetic acid	64-19-7	Not applicable due to corrosivity of	f the substance.	
Substances	CAS Number	Aspiration hazard		
Acetic acid	64-19-7	Not applicable		

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Acetic acid	64-19-7	EC50 90 mg/L (Microcystis aeruginosa) EC50 (72h) > 1000 mg/L (>300.82 mg/L – acetate ion) (Skeletonema costatum)	` LC50 75 mg/L	(Pseudomonas putida)	EC50 47 mg/L (Daphnia magna) LC50 32 mg/L (Artemia salina) EC50 (48h) > 1000 mg/L (>300.82 mg/L – acetate ion) (Daphnia magna) NOEC (21d) 31.4 - 37.9 mg/L (Daphnia magna) (reproduction)

Effect concentrations in the aquatic environment are attributable to a change in pH value

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Acetic acid	64-19-7	Readily biodegradable (99% @ 7d)

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Acetic acid	64-19-7	-0.17
		BCF = 3.16 (Calculated)

12.4. Mobility in soil

Substances	CAS Number	Mobility
Acetic acid	64-19-7	No information available

12.5. Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment
Acetic acid	Not PBT/vPvB

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal Method

Disposal should be made in accordance with federal, state, and local regulations. **Contaminated Packaging**

Follow all applicable national or local regulations.

SECTION 14: Transport Information

IMDG/IMO

UN Number: UN2790

UN Proper Shipping Name: Acetic Acid Solution

Transport Hazard Class(es): **Packing Group:** Ш

Environmental Hazards: Not applicable

RID

UN Number: UN2790

UN Proper Shipping Name: Acetic Acid Solution

Transport Hazard Class(es): Packing Group:

Environmental Hazards: Not applicable

ADR

UN Number: UN2790

Acetic Acid Solution **UN Proper Shipping Name:**

Transport Hazard Class(es): Packing Group:

Not applicable **Environmental Hazards:**

IATA/ICAO

UN2790 **UN Number:**

Acetic Acid Solution **UN Proper Shipping Name:**

Transport Hazard Class(es): **Packing Group:** Ш

Environmental Hazards: Not applicable

UN2790 14.1. UN Number:

14.2. UN Proper Shipping Name: Acetic Acid Solution

14.3. Transport Hazard Class(es): 8

14.4. Packing Group:

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory

All components listed on inventory or are exempt.

All components listed on inventory or are exempt.

All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering

Classes (WGK)

WGK 1: Low hazard to waters.

15.2. Chemical Safety Assessment

Yes

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Key or legend to abbreviations and acronyms

bw - body weight

CAS - Chemical Abstracts Service

CLP - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification,

Labelling and Packaging of substances and mixtures

EC - European Commission

EC10 - Effective Concentration 10%

EC50 - Effective Concentration 50%

EEC - European Economic Community

ErC50 - Effective Concentration growth rate 50%

IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL0 - Lethal Loading 0%

LL50 - Lethal Loading 50%

MARPOL - International Convention for the Prevention of Pollution from Ships

mg/kg – milligram/kilogram

mg/L - milligram/liter

NIOSH - National Institute for Occupational Safety and Health

NOEC - No Observed Effect Concentration

NTP - National Toxicology Program

OEL - Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

PC - Chemical Product category

PEL - Permissible Exposure Limit

ppm - parts per million

PROC - Process category

REACH - REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the

Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL - Short Term Exposure Limit

SU - Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: 15-Sep-2015

Revision Note

SDS sections updated: 1

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet