
SAFETY DATA SHEET

1 Identification of the substance or preparation and of the company/undertaking

1.1 Product identifier

Product Name: ACETIC ACID SOLUTION MO361
Datasheet Number: 777089 1. 0. 0
Product Part Number: 777089
Head Office:: Wilhelmsen Ships Service AS
Address: Strandveien 20, N1324 Lysaker, Norway, Tel:(+47) 67 58 45 50

1.2 Relevant identified uses of the substance or mixture and uses advised against

Reagent

1.3 Details of the supplier of the safety data sheet

Name of Supplier: For quotations contact your local Customer Services
Address of Supplier: Wilhelmsen Ships Service AS
Willem Barentszstraat 50
3165AB Rotterdam
+31 4877 888
The Netherlands
Telephone: +31 4877 777
Fax:
Responsible Person: , Product HSE Manager, Tel.: +31 10 4877775
Email: WSS.GLOBAL.SDSINFO@wilhelmsen.com

1.4 Emergency telephone number

-ONLY TO BE USED IN CASE OF AN INCIDENT-
NCEC: +44 1865 407333, CHEMTREC (800) 424 9300
American Chemistry Council +1 703 527 3887,
Greece +30 210 7793777
Australia: +61 3 9630 0998
Giftinformasjonssentralen in Norway Tel.: +47 22591300

2 Hazards identification

2.1 Classification of the substance or mixture

- Council Directive 1999/45/EEC Classification, packing and labelling of dangerous preparations.
- Regulations 1272/2008/EEC. Classification, labeling and packing of dangerous substances and preparations
- Skin Corr. 1A

2.2 Label elements



Corrosive

- Signal Word: Danger
- Symbols: C, GHS05

2 Hazards identification (....)

Hazard phrases

- Causes severe skin burns and eye damage.

Precautionary Phrases

- Wear protective gloves/protective clothing/eye protection/face protection.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Store locked up.

Risk Phrases

- Causes burns (R34)

Safety Phrases

- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice (S26)
- Wear suitable protective clothing, eye/face protection and gloves (S36/37/39)
- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible) (S45)

2.3 Other hazards

- Odour: Vinegary odour
- Appearance: Liquid, colourless, miscible with water
- Contact with eyes: Causes redness and irritation, Can cause damage to the eyes
- Contact with skin: Causes redness and irritation, May cause blistering of the skin
- Inhalation: May cause shortness of breath, May cause coughing
- Ingestion: May cause burning sensation, May cause nausea/vomiting

3 Composition/information on ingredients

3.1 Mixtures

Chemical Name	Concentration	CAS Number	EC Number	R/H Phrases*	Symbols
ACETIC ACID	20-40%	64-19-7	200-580-7	R10, R35	C
CLP classification: Flam Liq.3 Skin Corr. 1A				H226, H314	GHS02, GHS05

*See Section 16

4 First aid measures

4.1 Description of first aid measures

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- When in doubt or symptoms persist, seek medical attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- When in doubt or symptoms persist, seek medical attention
- IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.
- When in doubt or symptoms persist, seek medical attention
- IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

4 First aid measures (....)

- When in doubt or symptoms persist, seek medical attention
- Apply artificial respiration only if patient is not breathing

4.2 Most important symptoms and effects, both acute and delayed

- Possible blistering of the skin of affected areas
- Can cause damage to the eyes
- The ingestion of significant quantities may cause burning sensation
- The ingestion of significant quantities may cause coughing
- The ingestion of significant quantities may cause damage to digestive system
- May cause shortness of breath
- May cause coughing

4.3 Indication of immediate medical attention and special treatment needed

-

5 Fire-fighting measures

5.1 Extinguishing media

- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions

5.2 Special hazards arising from the substance or mixture

- Smoke from fires is toxic
- See Section 10

5.3 Advice for firefighters

- Wear chemical protection suit and positive-pressure breathing apparatus
-

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective clothing as per section 8
- Shut off source of leak if safe to do so
- Wash thoroughly after dealing with spillage
- Ventilate the area and wash spill site after material pick-up is complete

6.2 Environmental Precautions

- Do not allow to enter public sewers and watercourses
- Do not flush spilt material into any public water system

6.3 Methods and material for containment and cleaning up

- Absorb spillage in earth or sand
- Place in sealable container
- Seal containers and label them
- Remove contaminated material to safe location for subsequent disposal
- Ventilate the area and wash spill site after material pick-up is complete

6.4 Reference to other sections

- None
-

7 Handling and storage

7.1 Precautions for safe handling

- Eyewash bottles should be available
- Do not get in eyes, on skin, or on clothing.
- Ensure adequate ventilation
- See Section 8

7.2 Conditions for safe storage, including any incompatibilities

- Keep in a cool, dry, well ventilated place
- Keep container tightly closed.
- Keep only in original container.

7.3 Specific end use(s)

- Restricted to professional users
-

8 Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

- Ensure adequate ventilation

Occupational exposure controls

- In case of inadequate ventilation wear respiratory protection.
- Wear suitable protective clothing, including eye/face protection and gloves (neoprene or nitrile are recommended)



Gloves



Goggles

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Odour: Vinegary odour
- Appearance: Liquid, colourless, miscible with water
- pH <2
- Boiling point >35 °C
- Flash point >93 deg C (CC)

9.2 Other information

- None
-

10 Stability and reactivity

10.1 Reactivity

- This article is considered stable under normal conditions
-

10 Stability and reactivity (....)

10.2 Chemical stability

- This article is considered stable under normal conditions

10.3 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid

- Keep away from heat and sources of ignition

10.5 Incompatible materials

- Incompatible with alkalis (strong bases)

10.6 Hazardous Decomposition Products

- Decomposition products may include carbon dioxide
-

11 Toxicological information

11.1 Information on toxicological effects

- No information available

Inhalation

- May cause breathing difficulty
- May cause coughing
- May cause dizziness
- May cause wheeziness

Contact with skin

- May cause blistering of the skin
- Causes redness and irritation

Contact with eyes

- Causes redness and irritation
- Can cause damage to the eyes

Ingestion

- Can cause damage to the digestive system
 - Can cause damage to the stomach lining
 - Causes dizziness, confusion, headache or stupor
-

12 Ecological information

12.1 Toxicity

- This product does not contain ingredients which are classified in the EU as dangerous for the environment.
- On available data, substance is not harmful to aquatic life

12.2 Persistence and degradability

- No information available

12.3 Bioaccumulation Potential

- No information available
-

12 Ecological information (...)

12.4 Mobility in soil

- No information available

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

12.6 Other Adverse Effects

- No information available
-

13 Disposal considerations

13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation
- Dispose of contents/container to an authorised waste collection point

Classification

- EU Waste class: 16 05 06
-

14 Transport information



Corrosive

14.1 UN Number

- UN2790

14.2 UN Proper Shipping Name

- ACETIC ACID, SOLUTION

14.3 Transport hazard class(es)

- 8

14.4 Packing group

- II

14.5 Environmental hazards

- On available data, substance is not harmful to the environment

14.6 Special precautions for user

- When supplied as part of a kit: The kit may be transported under classification UN3316 CHEMICAL KIT

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

- Not applicable

Other information

Road/Rail (ADR/RID)

Proper Shipping Name:	ACETIC ACID, SOLUTION		
ADR UN No.:	UN2790	ADR Hazard Class:	8
ADR Packing Group:	III	ADR subrisk:	-
ADR Flashpoint:	-		

14 Transport information (...)

Sea (IMDG)

Proper Shipping Name:	ACETIC ACID, SOLUTION		
IMDG UN No.:	UN2790	IMDG Hazard Class.:	8
IMDG Pack Group.:	III	IMDG EmS:	F-A, S-B
IMDG subrisk:	-	IMDG Flashpoint:	-

Air (ICAO/IATA)

Proper Shipping Name:	ACETIC ACID, SOLUTION		
ICAO Un No.:	UN2790	ICAO Hazard Class.:	8
ICAO Packing Group.:	III	ICAO subrisk:	-
ICAO Flashpoint:	-		

DOT / CFR (US Department of Transportation)

DOT Proper Shipping Name:	ACETIC ACID, SOLUTION		
Hazardous Material:	ACETIC ACID		
Hazard Class:	8	Identification Number:	UN2790
Product RQ (lbs):	-	DOT subrisk:	-
DOT Flashpoint:	-		

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- This Safety Data Sheet has been prepared in accordance with article 31 and annex II in REACH and Directive 453/2010/EU.

15.2 Chemical Safety Assessment

None

16 Other information

Text of R and S phrase codes used in this safety data sheet:- H226: Flammable liquid and vapour.; H314: Causes severe skin burns and eye damage.; R10: Flammable; R35: Causes severe burns.

The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties

The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents

The most up-to-date version of this MSDS can be found on www.wilhelmsen.com/shipsservice

OTHER CONTACT INFORMATION MAJOR CHEMICAL OFFICES

For addresses of other Wilhelmsen Ships Service offices, please refer to www.wilhelmsen.com/shipsservice

Wilhelmsen Ships Service Level 1, 39 Park Street South Melbourn, Vic 3205 Australian Tel:+61 3 9630 0900
Emergency 24hrs: +61 3 9630 0998

16 Other information (....)

Wilhelmsen Ships Service INC 210 Edgewater Street US-10305 Staten Island New York United States Telephone daytime: (+1) 718 815 1310 Fax: (+1) 718 233 3268

Wilhelmsen Ships Service INC 2200 W. Pacific Coast Highway US-90810 Long Beach California, United States Tel (+1) 562 624 8888 Fax (+1) 562 624 1011

Wilhelmsen Ships Service INC 701 Ashland Ave. Ashland Center Two, Bay 12 US- 19032 Folcroft Pennsylvania United States Tel (+1) 610 586 7801 Fax (+1) 215 701 0646

Wilhelmsen Ships Service INC 701 Ashland Ave. Ashland Center Two, Bay 12 US- 19032 Folcroft Pennsylvania United States Tel (+1) 610 586 7801 Fax (+1) 215 701 0646

Wilhelmsen Ships Service INC. 9400 New Century Drive US-77507 Pasadena Texas United States Telephone daytime: (+1) 281 867 2000 Fax: (+1) 281 867 2800

Wilhelmsen Ships Service Ltd. Unit 3A NewtonsCourt Crossways DA2 6QL Dartford, Kent United Kingdom Tel (+44) 1322 282 412 Fax (+44) 1322 284 774

Wilhelmsen Ships Service Ltda Rua Bispo Lacerda nos.61/67 Del Catilho BR 21051120 Rio de Janeiro Brazil Tel (+55) 21 25 82 8000 Fax (+55) 21 25 82 8001

Wilhelmsen Ships Service (S) Pte Ltd 186 Pandan Loop Singapore 128376 Tel (+65) 6395 4545

Wilhelmsen Ships Service Co., Ltd 12-31 Torihama-cho Kanazawa-ku Yokohama-shi JP-236 0002, Japan Tel (+81) 45 775 0012 Fax (+81) 45 775 0070

Wilhelmsen Ships Service Hellas SA 100, D. Moutsopoulou & Serifou str GR-185 41 Piraeus Greece Tel (+ 30) 210 4239100 Fax (+ 30) 210 4212480

WMS AS U.A.E. Fl 24 Executive Heights, Tecom C Sheikh Zayed Road (East) Dubai United Arab Emirates Tel (+971) 4 382 3888

