

SAFETY DATA SHEET

AQF-2 FOAMING AGENT

Product Trade Name:

Revision Date: 15-Apr-2015

Revision Number: 27

1. Identification

1.1. Product Identifier

Product Trade Name: AQF-2 FOAMING AGENT
Synonyms: None
Chemical Family: Blend
Internal ID Code HM000071

1.2 Recommended use and restrictions on use

Application: Foaming Agent
Uses Advised Against No information available

1.3 Manufacturer's Name and Contact Details

Manufacturer/Supplier Halliburton Energy Services
P.O. Box 1431
Duncan, Oklahoma 73536-0431
Emergency Telephone: (281) 575-5000

Prepared By Chemical Stewardship
Telephone: 1-580-251-4335
e-mail: fdunexchem@halliburton.com

1.4. Emergency telephone number

Emergency Telephone Number (281) 575-5000

2. Hazard(s) Identification

2.1 Classification in accordance with paragraph (d) of §1910.1200

Skin Corrosion / Irritation	Category 2 - H315
Serious Eye Damage / Eye Irritation	Category 2 - H319
Specific Target Organ Toxicity - (Repeated Exposure)	Category 2 - H373
Acute Aquatic Toxicity	Acute 2 - H401
Flammable liquids.	Category 4 - H227

2.2. Label Elements

Hazard Pictograms



Signal Word

Danger

Hazard Statements
 H227 - Combustible liquid
 H315 - Causes skin irritation
 H319 - Causes serious eye irritation
 H373 - May cause damage to organs through prolonged or repeated exposure
 H401 - Toxic to aquatic life

Precautionary Statements

Prevention
 P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray
 P264 - Wash face, hands and any exposed skin thoroughly after handling
 P273 - Avoid release to the environment
 P280 - Wear protective gloves/eye protection/face protection

Response
 P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
 P332 + P313 - If skin irritation occurs: Get medical advice/attention
 P362 - Take off contaminated clothing and wash before reuse
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P337 + P313 - If eye irritation persists: Get medical advice/attention
 P314 - Get medical attention/advice if you feel unwell
 P370 + P378 - In case of fire: Use water spray for extinction

Storage
 P403 + P235 - Store in a well-ventilated place. Keep cool

Disposal
 P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

Contains

Substances	CAS Number
Salts of aliphatic sulfonic acids	Proprietary
Ethylene glycol monobutyl ether	111-76-2
Diethylene glycol	111-46-6

2.3 Hazards not otherwise classified

None known

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - US
Salts of aliphatic sulfonic acids	Proprietary	30 - 60%	Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) Aquatic Acute 2 (H401)
Ethylene glycol monobutyl ether	111-76-2	10 - 30%	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) Flam. Liq. 4 (H227)
Diethylene glycol	111-46-6	5 - 10%	Acute Tox. 4 (H302) STOT RE 2 (H373)

The exact percentage (concentration) of the composition has been withheld as proprietary.

4. First-Aid Measures

4.1. Description of first aid measures

Inhalation	If inhaled, move victim to fresh air and seek medical attention.
Eyes	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
Skin	In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.
Ingestion	Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

4.2 Most important symptoms/effects, acute and delayed

Causes skin irritation. Causes eye irritation May cause damage to internal organs.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2 Specific hazards arising from the substance or mixture

Special Exposure Hazards

Decomposition in fire may produce toxic gases.

5.3 Special protective equipment and precautions for fire-fighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas. Consult local authorities.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove. Do NOT spread spilled product with water.

7. Handling and storage

7.1. Precautions for Safe Handling

Handling Precautions

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Store away from oxidizers. Store in a cool well ventilated area. Keep container closed when not in use. Keep from freezing. Product has a shelf life of 36 months.

8. Exposure Controls/Personal Protection

8.1 Occupational Exposure Limits

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Salts of aliphatic sulfonic acids	Proprietary	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 50 ppm Skin	TWA: 20 ppm Skin
Diethylene glycol	111-46-6	Not applicable	Not applicable

8.2 Appropriate engineering controls

Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

8.3 Individual protection measures, such as personal protective equipment

Personal Protective Equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

When the potential exists for vapors of this product to be present, use a respirator with an organic-vapor filter or a supplied-air respirator as needed for adequate protection.

Hand Protection

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Skin Protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron, rain jacket, pants or coverall, as appropriate, to prevent skin contact.

Eye Protection

Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions

Eyewash fountains and safety showers must be easily accessible.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid	Color:	Clear light yellow
Odor: Bland	Odor	No information available
	Threshold:	

Property
Remarks/ - Method

Values

pH:	6.5-8.5 (10%)
Freezing Point/Range	-16 °C / 3.2 (pour point: 15.8) °F
Melting Point/Range	No data available
Boiling Point/Range	> 100 °C / 212 °F
Flash Point	61 °C / 142 °F PMCC

Flammability (solid, gas)	No data available
upper flammability limit	No data available
lower flammability limit	No data available
Evaporation rate	No data available
Vapor Pressure	< 1 mmHg
Vapor Density	No data available
Specific Gravity	1.038
Water Solubility	Soluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content (%)	No data available
------------------------	-------------------

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

Keep away from heat, sparks and flame.

10.5. Incompatible Materials

Strong oxidizers.

10.6. Hazardous Decomposition Products

Oxides of sulfur. Carbon monoxide and carbon dioxide.

11. Toxicological Information

11.1 Information on likely routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

11.2 Symptoms related to the physical, chemical and toxicological characteristics

Acute Toxicity

Inhalation	May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness. May be harmful if inhaled.
Eye Contact	Causes eye irritation.
Skin Contact	Causes skin irritation. May be absorbed through the skin.

Ingestion

Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting, nausea, and diarrhea. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure may cause fetal damage and testicular effects.

11.3 Toxicity data

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Salts of aliphatic sulfonic acids	Proprietary	2310 mg/kg (Rat) 2079 mg/kg (Rat) 6314 mg/kg (Rat) 4000 mg/kg (Rat)	6300 mg/kg (Rabbit) > 6000 mg/kg	> 52 mg/L (Rat) 4h
Ethylene glycol monobutyl ether	111-76-2	470 mg/kg (Rat) 1414 mg/kg (Guinea pig) 1746 mg/kg (Rat) 320 mg/kg (Rabbit) 530 mg/kg (Rat) 560 mg/kg (Rat) 3000 mg/kg (Rat) 2400 mg/kg (Rat)	220 mg/kg (Rabbit) 2270 mg/kg (Rat) 200 mg/kg (Guinea pig) >2000 mg/kg (Rabbit) 841 mg/kg (Rabbit) 435 mg/kg (Rabbit) >2000 mg/kg (Guinea pig) >2000 mg/kg (Rat) 100 mg/kg (Rabbit) 207 mg/kg (Guinea pig) 400-500 mg/kg (Rabbit)	450 mg/L (Rat) 4h 2.174 mg/L (Rat) 4h 2.21 mg/L (Rat) 4h 450-486 mg/L (Rat) 4h 925 mg/L (Rat) 4h >633 mg/L (Guinea pig) 1h
Diethylene glycol	111-46-6	12565 - 19600 mg/kg (Rat)	11890 - 13300 mg/kg (Rabbit)	> 4.6 mg/L (Rat) 4h

Substances	CAS Number	Skin corrosion/irritation
Salts of aliphatic sulfonic acids		Irritating to skin. (Rabbit)
Ethylene glycol monobutyl ether	111-76-2	Causes moderate skin irritation. (Rabbit)
Diethylene glycol	111-46-6	Non-irritating to the skin (Rabbit)

Substances	CAS Number	Eye damage/irritation
Salts of aliphatic sulfonic acids		Irritating to eyes. (Rabbit)
Ethylene glycol monobutyl ether	111-76-2	Causes moderate eye irritation. (Rabbit)
Diethylene glycol	111-46-6	Non-irritating to the eye (Rabbit)

Substances	CAS Number	Skin Sensitization
Salts of aliphatic sulfonic acids		Did not cause sensitization on laboratory animals (guinea pig)
Ethylene glycol monobutyl ether	111-76-2	Did not cause sensitization on laboratory animals (guinea pig)
Diethylene glycol	111-46-6	Did not cause sensitization on laboratory animals (guinea pig)

Substances	CAS Number	Respiratory Sensitization
Salts of aliphatic sulfonic acids		No information available
Ethylene glycol monobutyl ether	111-76-2	No information available
Diethylene glycol	111-46-6	No information available

Substances	CAS Number	Mutagenic Effects
Salts of aliphatic sulfonic acids		In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects.
Ethylene glycol monobutyl ether	111-76-2	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects
Diethylene glycol	111-46-6	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects.

Substances	CAS Number	Carcinogenic Effects
Salts of aliphatic sulfonic acids		Did not show carcinogenic effects in animal experiments (Rat)
Ethylene glycol monobutyl ether	111-76-2	Not regarded as carcinogenic.
Diethylene glycol	111-46-6	Did not show carcinogenic effects in animal experiments (Rat)

Substances	CAS Number	Reproductive toxicity
Salts of aliphatic sulfonic acids		No significant toxicity observed in animal studies at concentration requiring classification.
Ethylene glycol monobutyl ether	111-76-2	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.
Diethylene glycol	111-46-6	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.

Substances	CAS Number	STOT - single exposure
Salts of aliphatic sulfonic acids		No significant toxicity observed in animal studies at concentration requiring classification.
Ethylene glycol monobutyl ether	111-76-2	No data of sufficient quality are available.
Diethylene glycol	111-46-6	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - repeated exposure
Salts of aliphatic sulfonic acids		No significant toxicity observed in animal studies at concentration requiring classification.
Ethylene glycol monobutyl ether	111-76-2	No data of sufficient quality are available.
Diethylene glycol	111-46-6	Causes damage to organs through prolonged or repeated exposure: (Kidney)

Substances	CAS Number	Aspiration hazard
Salts of aliphatic sulfonic acids		No information available
Ethylene glycol monobutyl ether	111-76-2	No adverse health effects are expected from swallowing.
Diethylene glycol	111-46-6	No information available

12. Ecological Information

12.1. Toxicity
Ecotoxicity Effects

Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Salts of aliphatic sulfonic acids	Proprietary	EC50 (72h) 5.2 mg/L (Skeletonema costatum)	LC50 (96h) 4.2 mg/L (Danio rerio)	No information available	EC50 (48h) 4.53 mg/L (Ceriodaphnia sp) NOEC (21d) 6.3 mg/L (Daphnia magna)
Ethylene glycol monobutyl ether	111-76-2	EC50 839.56 mg/L (Skeletonema costatum) EbC50 (72h) 911 mg/L EC50 > 500 mg/L (Scenedesmus subspicatus) NOEC (72h) 88 mg/L (biomass)(Pseudokirchnerella subcapitata)	LC50 > 1000 mg/L (Scophthalmus maximus, juvenile) LC50 (96h) 1474 mg/L (Oncorhynchus mykiss) NOEC (21d) > 100mg/L (Danio rerio)	TT/EC3 (48h) 463 mg/L (Uronema parduzci) TT/EC3 (72h) 73 mg/L (Entosiphon sulcatum) TT/EC3 (16h) 700 mg/L (Pseudomonas putida)	No information available

Diethylene glycol	111-46-6	TGK (8d) 2700 mg/L (Scenedesmus quadricauda)	LC50 75200 mg/L (Pimephales promelas)	EC20 (30m) > 1995 mg/L (domestic activated sludge)	EC50 84000 mg/L (Daphnia magna) EC50 >10000 mg/L (Daphnia magna)
-------------------	----------	---	--	---	---

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Salts of aliphatic sulfonic acids	Proprietary	Readily biodegradable (80-96% @ 28d)
Ethylene glycol monobutyl ether	111-76-2	Readily biodegradable (75-88% @ 28d)
Diethylene glycol	111-46-6	Readily biodegradable (90-100% @ 28d)

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Salts of aliphatic sulfonic acids	Proprietary	- 1.3
Ethylene glycol monobutyl ether	111-76-2	0.81
Diethylene glycol	111-46-6	BCF: 100 (Leuciscus idus melanotus)

12.4. Mobility in soil

Substances	Mobility
Salts of aliphatic sulfonic acids	No information available
Ethylene glycol monobutyl ether	No information available
Diethylene glycol	No information available

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1. Waste treatment methods

Disposal Method Disposal should be made in accordance with federal, state, and local regulations. Incineration recommended in approved incinerator according to federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. Transport Information

US DOT

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

US DOT Bulk

DOT (Bulk) NA1993, Combustible Liquid, N.O.S., Combustible Liquid, III
 (Contains Ethylene Glycol Monobutyl Ether)

Canadian TDG

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

IMDG/IMO

UN Number: Not restricted
 UN Proper Shipping Name: Not restricted
 Transport Hazard Class(es): Not applicable
 Packing Group: Not applicable
 Environmental Hazards: Not applicable

IATA/ICAO

UN Number: Not restricted
 UN Proper Shipping Name: Not restricted
 Transport Hazard Class(es): Not applicable
 Packing Group: Not applicable
 Environmental Hazards: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

Special Precautions for User: None

15. Regulatory Information

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances Not applicable

EPA SARA (311,312) Hazard Class Acute Health Hazard
 Chronic Health Hazard
 Fire Hazard

EPA SARA (313) Chemicals This product contains toxic chemical(s) listed below which is(are) subject to the reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372: Glycol Ethers//111-76-2

EPA CERCLA/Superfund Reportable Spill Quantity Not applicable.

EPA RCRA Hazardous Waste Classification If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

16. Other information**Preparation Information**

Prepared By Chemical Stewardship
Telephone: 1-580-251-4335
e-mail: fdunexchem@halliburton.com

Revision Date: 15-Apr-2015

Reason for Revision Update to Format SECTION: 2 3 4 6 7 8 10 11 12 16

Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

Key or legend to abbreviations and acronyms

bw – body weight
CAS – Chemical Abstracts Service
EC50 – Effective Concentration 50%
ErC50 – Effective Concentration growth rate 50%
LC50 – Lethal Concentration 50%
LD50 – Lethal Dose 50%
LL50 – Lethal Loading 50%
mg/kg – milligram/kilogram
mg/L – milligram/liter
NIOSH – National Institute for Occupational Safety and Health
NTP – National Toxicology Program
OEL – Occupational Exposure Limit
PEL – Permissible Exposure Limit
ppm – parts per million
STEL – Short Term Exposure Limit
TWA – Time-Weighted Average
UN – United Nations
h - hour
mg/m³ - milligram/cubic meter
mm - millimeter
mmHg - millimeter mercury
w/w - weight/weight
d - day

Key literature references and sources for data

www.ChemADVISOR.com/

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet