



## Safety Data Sheet

SDS No. 808A

## Section 1 - Chemical Product and Company Identification

**Product/Chemical Name:** Accel-T®**General Use:** Tin-Cure Silicone Catalyst**Manufacturer:** Smooth-On, Inc.,

5600 Lower Macungie Rd., Macungie, PA 18062

Phone (610) 252-5800, FAX (610) 252-6200

**Emergency Contact:** Chem-Tel

Domestic: 800-255-3924

International: 813-248-0585

## Section 2 - Hazards Identification

**Classification of the substance or mixture**

Serious eye damage – Category 1

Skin sensitization – Category 1

Reproductive toxicity – Category 2

Acute aquatic toxicity – Category 3

Chronic aquatic toxicity – Category 3

**GHS Label elements, including precautionary statements****Pictogram(s):****Signal Word:** Danger

|                         |                    |                                                                                                                                  |
|-------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Health Hazards:         | H317               | May cause an allergic skin reaction                                                                                              |
|                         | H318               | Causes serious eye damage                                                                                                        |
|                         | H361               | Suspected of damaging fertility or the unborn child.                                                                             |
| Environmental Hazards:  | H412               | Harmful to aquatic life with long lasting effects                                                                                |
| General Precautions:    | P101               | If medical advice is needed, have product container or label at hand.                                                            |
|                         | P102               | Keep out of reach of children.                                                                                                   |
|                         | P103               | Read label before use.                                                                                                           |
|                         | P201               | Obtain special instructions before use.                                                                                          |
| Prevention Precautions: | P202               | Do not handle until all safety precautions have been read and understood.                                                        |
|                         | P261               | Avoid breathing dust/fume/gas/mist/vapors/spray.                                                                                 |
|                         | P272               | Contaminated work clothing should not be allowed out of the workplace.                                                           |
|                         | P273               | Avoid release to the environment.                                                                                                |
|                         | P280               | Wear protective gloves/protective clothing/eye protection/face protection.                                                       |
| Response Precautions:   | P302 + P352        | IF ON SKIN: Wash with plenty of soap and water.                                                                                  |
|                         | P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |

|                                                     |             |                                                                           |
|-----------------------------------------------------|-------------|---------------------------------------------------------------------------|
| Storage<br>Precautions:<br>Disposal<br>Precautions: | P310        | Immediately call a POISON CENTER or doctor/physician.                     |
|                                                     | P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention.          |
|                                                     | P363        | Wash contaminated clothing before reuse.                                  |
|                                                     | P405        | Store locked up.                                                          |
|                                                     | P501        | Dispose of contents/container according to local, state and federal laws. |

**Hazards not otherwise classified (HNOC) or not covered by GHS - none**

### Section 3 - Composition / Information on Ingredients

The following ingredients are hazardous according to OSHA criteria.

| CAS      | Component                     | Concentration |
|----------|-------------------------------|---------------|
| 301-10-0 | Tin(II) bis(2-ethylhexanoate) | >97%          |

### Section 4 - First Aid Measures

**Inhalation:** Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

**Eye Contact:** Flush eyes with plenty of water. If irritation persists, seek medical attention.

**Skin Contact:** In case of skin contact, wash thoroughly with soap and water.

**Ingestion:** Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

**After first aid, get appropriate in-plant, paramedic, or community medical support.**

### Section 5 - Fire-Fighting Measures

**Flammable Classification:** Non-Flammable

**Extinguishing Media:** Water Fog, Dry Chemical, and Carbon Dioxide Foam

**Unusual Fire or Explosion Hazards:** None known.

**Fire-Fighting Instructions:** Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam.

**Further information:** Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

### Section 6 - Accidental Release Measures

**Spill /Leak procedures:** Only properly protected personnel should remain in the spill area; dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

**Environmental precautions:** Prevent spillage from entering drains and waterways.

### Section 7 - Handling and Storage

**Handling Precautions:** Minimize breathing of vapors and avoid prolong or repeated contact with skin. Wear proper protective equipment. If ventilation is not sufficient, wear proper respiratory equipment. Use good general housekeeping procedures. Wash hands after use.

**Storage Requirements:** Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

## Section 8 - Exposure Controls / Personal Protection

**Respiratory Protection:** Respiratory protection is not normally required when using this product with adequate ventilation. Should a respirator be needed, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with organic vapor cartridges.

**Hand Protection:** Should hand protection be needed, wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.

**Eye Protection:** Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

**Other Protective Clothing/Equipment:** Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

## Section 9 - Physical and Chemical Properties

**Appearance :** viscous light yellow liquid

**Odor/Threshold:** Not available

**pH:** N.A. (non-aqueous)

**Melting Point/Freezing Point:** 48 °F

**Low/High Boiling Point:** N.A.

**Flash Point:** 235 °F

**Evaporation Rate:** Not available

**Flammability:** f.p. at or above 200 °F

**UEL/LEL:** Not available

**Vapor Pressure:** None (Polymeric Resin)

**Vapor Density (Air=1):** >1

**Specific Gravity (H<sub>2</sub>O=1, at 4 °C):** 1.25

**Water Solubility:** 4.585 g/l @ 68 °F

**Partition coefficient:** Not available

**Auto-ignition temperature:** >752 °F

**Decomposition temperature:** Not available

**Viscosity:** ~ 400 centipoise

**% Volatile:** Nil

## Section 10 - Stability and Reactivity

**Stability:** These products are stable at room temperature in closed containers under normal storage and handling conditions.

**Polymerization:** Hazardous polymerization cannot occur.

**Chemical Incompatibilities:** Strong bases, and acids.

**Hazardous Decomposition Products:** Thermal oxidative decomposition can produce carbon oxides and traces of incompletely burned carbon compounds.

## Section 11- Toxicological Information

**Skin Corrosion/Irritation:** Mild skin irritation (Rabbit, 24 h)

**Serious Eye Damage/Irritation:** Severe eye irritation (OECD TG 405)

**Respiratory/Skin Sensitization:** May cause sensitization by skin contact (OECD TG 406)

**Germ Cell Mutagenicity:** negative (Ames Test, *S. typhimurium*)

**Carcinogenicity:** No component of this product present at levels greater than or equal to 0.1% is identified as probably, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP or OSHA.

**Reproductive Toxicity:** no data

**Specific Target Organ Toxicity – Single Exposure:** no data

**Specific Target Organ Toxicity – Repeated Exposure:** no data

**Aspiration Hazard:** no data

**Acute Toxicity:**

LD50 Oral: > 5,000 mg/kg (rat)

LD50 Inhalation: No data available

LD50 Dermal: >2,000 mg/kg (rabbit)

**Chronic Exposure:** no data

**Potential Health Effects – Miscellaneous:** no data

## Section 12 - Ecological Information

**Toxicity:**

LC50 *Oncorhynchus mykiss* (rainbow trout): > 116 mg/l (96 h)

EC50 *Pseudokirchneriella subcapitata* (green algae): 6.9 mg/l (72 h)

**Persistence and Degradability:** no data

**Bioaccumulative Potential:** no data

**Mobility in Soil:** no data

**Other Adverse Effects:** no data

## Section 13 - Disposal Considerations

**Disposal:** Under RCRA it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

## Section 14 - Transport Information

**DOT**

**IATA**

**IMDG**

**Not Regulated**

**Not Regulated**

**Not Regulated**

## Section 15 - Regulatory Information

**EPA**

**SARA 302:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313:** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312:** Acute Health Hazard, Chronic Health Hazard


**TSCA Inventory Status (40 CFR710):** All components of this formulation are listed in the TSCA Inventory.

**California Proposition 65:** This product does not intentionally contain any chemicals which have been identified by the state of California to cause cancer, birth defects or other reproductive harm.

**State Right-To-Know:** Tin(II) bis(2-ethylhexanoate) (CAS 301-10-0) – MA, PA, NJ

## 16 - Other Information

| HMIS |   |
|------|---|
| H    | 2 |
| F    | 1 |
| R    | 0 |



**NFPA**

**Revision:** 6

**Date Prepared:** May 11, 2015

**Glossary:** ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

**Disclaimer:** The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.