SAFETY DATA SHEE

SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

AEROSOL - MADE IN THE USA BY PLASTICOTE CO INC **Product Name:**

Other Names: Incl Super Gloss, Super Matt, Super Satin

Recommended Use:

Phone

Company Name: Resene Paints Limited New Zealand Address: 32-50 Vogel Street, Naenae, Wellington, NEW ZEALAND

P O Box 38242, Wellington Mail Centre

Phone: (04) 577 0500 Fax: (04) 577 0600

> 7 Production Avenue, Molendinar, Queensland 4214 Resene Paints Limited Australia Address

P O Box 785, Ashmore City, Queensland 4214

AUSTRALIA

1800 738 383

Emergency Telephone:

0800 737 363 Available Monday - Friday 8.00am - 4.30pm **New Zealand**

New Zealand Poisons Centre: 0800 764 766

Australia 1800 738 383

Australian Poisons Centre: 131 126

HAZARDS IDENTIFICATION SECTION 2.

Hazard Classificaton HAZARDOUS according to NZ HSNO Regulations

Regulated under NZS5433 for land transportation

Not assigned **Risk Phrases Safety Phrases** Not assigned

Substance Classification 2.1.2A 6.3B 6.4A 9.3C

Hazard Statements Flammable aerosol

> Causes mild skin irritation Causes eye irritation

Harmful to terrestrial vertebrates

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENT

Ingredients	%	CAS No	TWA	
Acetone	30-60	67-64-1	1185 mg/m ³ NZ OSH (WES	3) 2002
Methyl Isobutyl Ketone	10-30	108-10-1	205 mg/m ³ NZ OSH (WES	3) 2002
Butane	1-10	106-97-8	1900 mg/m³	
n-Butyl Acetate	1-10	123-86-4	713 mg/m ³ NZ OSH (WES	3) 1994
Ester Solvent	1-10	763-69-9	None Establish	

SECTION 4. FIRST AID MEASURES

Eyes Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so.

Continue rinsing. If eye irritation persists get medical attention/advice.

Call a POISON CENTRE (NZ 0800 764766) or Australia (131 126) or doctor/physician if you feel Swallowed:

unwell.

Remove/take off all contaminated clothing and wash before re-use. Wash skin with water/shower and Skin

plenty of soap. If skin irritation occurs get medical advice/attention.

Remove to fresh air and keep at rest in a position comfortable for breathing. Inhaled

Aggravated medical conditions caused by exposure

Chronic Health Effects Not Identified Advice to Doctor Treat symptomatically

SECTION 5. FIRE FIGHTING MEASURES

Extinguisher Foam, Carbon Dioxide, Dry Chemical Hazards from

combustion products

Special protective precautions and equipment for firefighters

Fire/Explosion Hazard Auto Ingnition Temperature Lower Explosion Limit **Upper Explosion Limit**

405°C **Hazchem Code Flash Point** 8.5%

2YE -40°C

SECTION 6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Keep spectators away and avoid breathing dust or vapours

Methods and materials for containment and clean up

Minor Spills Clean up spills immediately.

Major Spills Dike and contain spill with inert materials (eg. Sand).

Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and open bodies of water.

Restrict access to area. No smoking or naked lights.

Clear area of personnel and move upwind.

Alert Fire Brigade and tell them location and nature of hazard.

Consider evacuation (or protect in place).

Stop leak if safe to do so.

Collect recoverable product into labelled containers for recycling.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Pressurised container; Do not pierce or puncture container, even after use.

Conditions for safe storage including any incompatibilities. Not Identified

Storage Temperatures Max 50°C Min 1°C

EXPOSURE CONTROLS/PERSONAL PROTECTION SECTION 8.

National exposure No exposure standards has been established for this product

standards for mixture

Breathing Zone ppm Component

Breathing Zone mg/m³

Personal Protection

Eye: Safety eyewear with splash guards or side shields to prevent eye contact is recommended when using

any paint.

Hands/Feet Protective clothing. Gloves of neoprene or nitrile rubber - Industrial weight lined gauntlet

recommended.

Other Overalls, impervious clothing, barrier cream, eyewash unit, skin cleansing cream.

Practice good caution and personal cleanliness to avoid skin contact. Avoid breathing vapours of

heated materials. Wash hands thoroughly before handling food.

Respirator None required

PHYSICAL AND CHEMICAL PROPERTIES SECTION 9.

Appearance

Vapour Pressure Vapour Density **Boiling Point** Melt Freeze Solubility Volatile by Weigh рΗ Odour 211 kPa 2.1 -0.5°C 0 Insoluble >85 Ketone/buta

STABILITY AND ACTIVITY SECTION 10.

Chemical Stability Highly volatile

Conditions to Avoid Heat and other sources of ignition

Incompatible Materials

Hazardous decomposition product Oxides of carbon and hydrogen

Hazardous reactions Hazardous polymerisation will not occur.

Resene Paints Limited

AEROSOL - MADE IN THE USA BY PLASTICOTE CO INC

SECTION 11. TOXICOLOGICAL INFORMATION

No data available for this product

Component Oral:LD50 mg/kg Dermal:LD50 mg/kg Inhale:LC50 ppm

SECTION 12. HAZARDS IDENTIFICATION

No data available for this product

Do not allow the product to enter the environment

Component Fish:LC50 mg/Lt BCF:<100 Kow

SECTION 13. DISPOSAL CONSIDERATIONS

Special precautions for landfill or incineration

Consult manufacturer for recycling options and recycle where possible

SECTION 14. TRANSPORT INFORMATION

UN Number 1950

UN Proper Aerosols - Flammable

shipping

Subsidiary risk

Poison Schedule HAZCHEM Code 2YE

Packing Group: Class 2

Special precautions for user

SECTION 15. REGULATORY INFORMATION

Group Standard HSR002515 Aerosols - Flammable

Approved Handler Class 2.1.2A required when quantities exceed 3000Lt (water aggregate)

SECTION 16. OTHER INFORMATION

Date of Preparation 26/03/2010

Literature references MSDS's for individual raw material

Abbreviations:

NOHSC National Occupational Health and Safety Commission

TWA Time weighted average STEL Short term exposure limit

CAS Numbe Chemical Abstract Service registry number

TLV Threshold limit value

Marine Pollutant Marine Pollutant

☐

Safety data sheets are updated frequently. Please ensure that you have a current copy

The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. However no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use hereof. Resene Paints (New Zealand) Limited assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such users or vendors assume all risks associated with the use of the material. It is the users responsibility to satisfy themselves as to the suitability and completeness of the information for their own particular use. The users must determine whether the use of the information and data is in accordance with local laws and regulations.