

JOHNSON & JOHNSON HEALTH CARE -- AMOPLY AMMONIA INHALANTS

=====

MSDS Safety Information

=====

FSC: 6505
MSDS Date: 10/23/1991
MSDS Num: BLWXJ
LIIN: 00N022512
Product ID: AMOPLY AMMONIA INHALANTS
MFN: 01
Responsible Party
Cage: 79717
Name: JOHNSON & JOHNSON HEALTH CARE CO
Address: 501 GEORGE ST
City: NEW BRUNSWICK NJ 08903
Info Phone Number: 800-526-3967
Emergency Phone Number: 800-526-3967
Published: Y

=====

Contractor Summary

=====

Cage: 79717
Name: JOHNSON & JOHNSON HOSPITAL SERVICES INC.
Address: 501 GEORGE STREET
Box: 4000
City: NEW BRUNSWICK NJ 08903
Phone: 800-255-2500

=====

Ingredients

=====

Cas: 1336-21-6
RTECS #: BQ9625000
Name: AMMONIUM HYDROXIDE
% Wt: 15
OSHA PEL: 50 PPM
ACGIH TLV: 25 PPM
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

Cas: 64-17-5
RTECS #: KQ6300000
Name: ETHYL ALCOHOL (ETHANOL)
% Wt: 35
OSHA PEL: 1000 PPM
ACGIH TLV: 1000 PPM

Cas: 506-87-6
RTECS #: BP1925000
Name: AMMONIUM CARBONATE
% Wt: 4
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 7732-18-5
RTECS #: ZC0110000
Name: WATER
% Wt: 46

=====

Health Hazards Data

=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYES:AMMONIA GAS IS IRRIT TO EYES AT LOW CONC. EYE CNTCT W/THE SOLUTION MAY CAUSE CORNEAL EDEMA, SEVERE DAMAGE, & LOSS OF VISION. SDA ALCOHOL CAN CAUSE EYE IRRIT. SKIN: AMMONIA GAS IS IRRITATING TO TH E SKIN AT LOW CONC. SKIN CONTACT WITH THE SOLUTION CAN CAUSE BURNS AND IS CORROSIVE. INHAL AMMONIA (EFTS OF OVEREXP)

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptions Of Overexposure: HLTH HAZ: GAS IS IRRIT TO THE RESP SYS AT LOW CONC. EXCESS EXPOS MAY LEAD TO HDCH/COUGHING/LUNG CONGESTION/PULM EDEMA. SDA ALCOHOL CAN IRRIT MUC MEMB, DROWSINESS, STUPOR, & IS A CNS DEPRESSANT. INGEST : INGEST MAY CAUSE EFFECTS SIMILAR TO OTHER CORROSIVE ALKALIES & CAUSE DAMAGE TO THROAT/ESOPHAGUGS/DIGEST SYSTEM.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES:IMMED FLUSH W/CLEAN H*2O FOR @ LST 15 MIN. MAKE SURE TO FLUSH UNDER LIDS. SEEK PROMPT MED ATTN. SKIN:IMMED FLUSH W/CLEAN H*2O FOR @ LST 15 MIN. REMOVE CONTAM CLTHG/SHOES. SEEK PROMPT MED ATTN. IN HAL:REMOVE TO FRESH AIR. SEEK PROMPT MED ATTN. INGEST:DO NOT INDUCE VOMIT. IF SWALLOWED, GIVE H*2O/WEAK ACIDS SUCH AS LEMON/ORANGE JUICE/DILUTED VINEGAR. CONT POIS CTL CTR. SEEK PROMP MED ATTN.

Handling and Disposal

Spill Release Procedures: IN AREAS WHERE LARGE QUANTITIES OF PROD ARE STORED, IF PROD IS DAMAGED AMMONIA GAS WILL BE RELEASED. EVAC AREA. PROVIDE VENT. TO PROT CLEAN-UP CREW FROM INHAL & SKIN CNTCT W/AMMONIA GAS, WEAR NIOSH/MS HA APPRVOD SCBA & PROT CLOTHING.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. THE CRUSHED AMOPLY AMMONIA INHALANTS MAY BE DISPOSED OF IN ORDINARY LANDFILL.

Handling And Storage Precautions: AVOID TEMPERATURE EXTREMES.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

Fire and Explosion Hazard Information

Flash Point Method: CC

Flash Point Text: <64F,<18C

Lower Limits: 3.3%

Upper Limits: 19 %

Extinguishing Media: DRY CHEMICAL, CO*2, ALCOHOL FOAM.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: WHEN HEATED WITH MATERIAL WILL EMIT AMMONIA GAS.

Control Measures

Respiratory Protection: NONE REQUIRED UNDER NORMAL PROD USE. IF LRG QTYS OF AMOPLY AMMONIA INHALANTS ARE DAMAGED, AMMONIA GAS WILL BE RELEASED. FOR AMMONIA CONC < 300 PPM, A NIOSH/MSHA APPRVD FULL FACEPIECE CHEM CARTRIDGE RE SP W/AMMONIA CARTRIDGE RESP IS REQUIRED.

Ventilation: NORMAL DILUTION VENTILATION IS SUFFICIENT FOR NORMAL PRODUCT USE.

Protective Gloves: RUBBER OR NEOPRENE GLOVES

Eye Protection: CHEMICAL WORKERS GOGGLES (FP N).

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: APPEARANCE AND ODOR. CONTAINING CONCENTRATED AMMONIA SOLUTION COVERED WITH FILTER PAPER. THE INHALANT WHEN BROKEN RELEASES A SOLUTION HAVING AN AROMATIC AND PUNGENT ODOR OF AMMONIA WHICH IMMEDIATELY COLORES THE FILTER PAPER PINK FROM RUBINEDYE.

=====

Physical/Chemical Properties

=====

Appearance and Odor: AMOPLY AMMONIA INHALANTS CONSISTS OF A 0.33 ML GLASS AMPULE (SUPP DATA)

=====

Reactivity Data

=====

Stability Indicator: YES

Stability Condition To Avoid: HEAT, SPARKS, FLAME.

Materials To Avoid: AMMONIUM HYDROXIDE IS INCOMPATIBLE WITH ACIDS, COPPER, TIN, ZINC, ALUMINUM, PROPYLENE OXIDE, AND HALOGENS.

Hazardous Decomposition Products: WHEN HEATED WITH MATERIAL WILL EMIT AMMONIA GAS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT

=====

Toxicological Information

=====

Ecological Information

=====

MSDS Transport Information

=====

Regulatory Information

=====

Other Information

=====

Transportation Information

=====

Responsible Party Code: 79717

Trans ID NO: 27162

Product ID: AMOPLY AMMONIA INHALANTS

MSDS Prepared Date: 10/23/1991

Review Date: 02/26/1992

MFN: 1

Multiple KIT Number: 0

Review IND: Y

=====

Detail DOT Information

=====

DOT PSN Code: FTO

DOT Proper Shipping Name: ETHANOL OR ETHYL ALCOHOL OR ETHANOL SOLUTIONS OR ETHYL ALCOHOL SOLUTIONS

Hazard Class: 3

UN ID Num: UN1170

DOT Packaging Group: III

Label: FLAMMABLE LIQUID

Special Provision: 24, B1, T1

Packaging Exception: 150

Non Bulk Pack: 203

Bulk Pack: 242
Max Qty Pass: 60 L
Max Qty Cargo: 220 L
Vessel Stow Req: A

=====

Detail IMO Information

=====

IMO PSN Code: GPL
IMO Proper Shipping Name: ETHYL ALCOHOL
IMDG Page Number: 3219
UN Number: 1170
UN Hazard Class: 3.2
IMO Packaging Group: II
Subsidiary Risk Label: -
EMS Number: 3-06
MED First Aid Guide NUM: 305

=====

Detail IATA Information

=====

IATA PSN Code: KXV
IATA UN ID Num: 1170
IATA Proper Shipping Name: ETHANOL
IATA UN Class: 3
IATA Label: FLAMMABLE LIQUID
UN Packing Group: III
Packing Note Passenger: 309
Max Quant Pass: 60L
Max Quant Cargo: 220L
Packaging Note Cargo: 310

=====

Detail AFI Information

=====

AFI PSN Code: KXV
AFI Proper Shipping Name: ETHANOL OR THANOL SOLUTIONS OR ETHYL ALCOHOL OR ETHYL
ALCOHOL SOLUTIONS
AFI Hazard Class: 3
AFI UN ID NUM: UN1170
AFI Packing Group: III
Special Provisions: P5
Back Pack Reference: A7.3

=====

HAZCOM Label

=====

Product ID: AMOPLY AMMONIA INHALANTS
Cage: 79717
Company Name: JOHNSON & JOHNSON HOSPITAL SERVICES INC.
Street: 501 GEORGE STREET
PO Box: 4000
City: NEW BRUNSWICK NJ
Zipcode: 08903
Health Emergency Phone: 800-526-3967
Label Required IND: Y
Date Of Label Review: 12/10/1991
Status Code: C
Label Date: 12/10/1991
Origination Code: G
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: YES

Health Hazard: Severe
Contact Hazard: Severe
Fire Hazard: Severe
Reactivity Hazard: None

Hazard And Precautions: AVOID TEMP EXTREMES. HIGHLY FLAMMMABLE MATERIAL. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. ACUTE: CAN CAUSE SKIN BURNS, CORNEAL EDEMA, LOSS OF VISION, PULMONARY EDEMA AND DAMAGE TO GI TRACT AT HIGH C ONC. IS IRRITATING TO EYES, SKIN AND RESPIRATORY TRACT AT LOW CONC. CHRONIC: NONE LISTED BY MANUFACTURER.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.