

## SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

### BARACARB®-DF 5

Revision Date: 07-May-2014

Revision Number: 8

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1 Product Identifier

Product Name BARACARB®-DF 5

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Bridging Agent
Sector of use	SU2 - Mining, (including offshore industries)
Product category	PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents, other unspecified
Process categories	PROC 26 - Handling of solid inorganic substances at ambient temperature

##### 1.3 Details of the supplier of the safety data sheet

Halliburton Manufacturing Services, Ltd.  
Halliburton House, Howemoss Crescent  
Kirkhill Industrial Estate  
Dyce  
Aberdeen, AB21 0GN  
United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

[www.halliburton.com](http://www.halliburton.com)

For further information, please contact

E-Mail address: [fdunexchem@halliburton.com](mailto:fdunexchem@halliburton.com)

##### 1.4 Emergency telephone number

+44 1224 795277 or +1 281 575 5000

Emergency telephone - §45 - (EC)1272/2008	
Europe	112
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

#### 2. Hazards Identification

##### 2.1 Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Carcinogenicity	Category 1A - (H350)
Specific Target Organ Toxicity - (Repeated Exposure)	Category 1 - (H372)

Classification according to EU Directives 67/548/EEC or 1999/45/EC



**4.2 Most Important symptoms and effects, both acute and delayed**

May cause mild eye, skin, and respiratory irritation. Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically

## 5. Firefighting Measures

**5.1 Extinguishing media****Suitable Extinguishing Media**

All standard fire fighting media

**Extinguishing media which must not be used for safety reasons**

None known.

**5.2 Special hazards arising from the substance or mixture****Special Exposure Hazards**

Not applicable.

**5.3 Advice for firefighters****Special Protective Equipment for Fire-Fighters**

Not applicable.

## 6. Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Use appropriate protective equipment. Avoid creating and breathing dust.

See Section 8 for additional information

**6.2 Environmental precautions**

None known.

**6.3 Methods and material for containment and cleaning up**

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

**6.4 Reference to other sections**

See Section 8 and 13 for additional information.

## 7. Handling and Storage

**7.1 Precautions for Safe Handling**

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice

**7.2 Conditions for safe storage, including any incompatibilities**

Store away from acids. Store in a cool, dry location. Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Do not reuse empty container. Product has a shelf life of 60 months.

**7.3 Specific End Use(s)****Exposure Scenario**

No information available

**Other Guidelines**

No information available

## 8. Exposure Controls/Personal Protection

**8.1 Control parameters****Exposure Limits**

Substances	CAS Number	EU	UK OEL	Netherlands	France OEL
Calcium carbonate	471-34-1	Not applicable	10 mg/m <sup>3</sup>	Not applicable	10 mg/m <sup>3</sup>
Crystalline silica, quartz	14808-60-7	Not applicable	STEL: 0.3 mg/m <sup>3</sup> TWA: 0.3 mg/m <sup>3</sup>	TWA: 0.075 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>

Substances	CAS Number	Germany MAK/TRK	Spain	Portugal	Finland
Calcium carbonate	471-34-1	Not applicable	VLA-ED: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	Not applicable
Crystalline silica, quartz	14808-60-7	0,15 mg/m <sup>3</sup>	VLA-ED: 0.1 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> TWA: 0.2 mg/m <sup>3</sup>

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Calcium carbonate	471-34-1	Not applicable	Not applicable	Not applicable	Not applicable
Crystalline silica, quartz	14808-60-7	Not applicable	Not applicable	Not applicable	STEL: 0.9 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup> TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Calcium carbonate	471-34-1	Not applicable	NDS: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>
Crystalline silica, quartz	14808-60-7	Not applicable	NDS: 2 mg/m <sup>3</sup> NDS: 0.3 mg/m <sup>3</sup> NDS: 4.0 mg/m <sup>3</sup> NDS: 1.0 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>	Not applicable

Substances	CAS Number	Denmark
Calcium carbonate	471-34-1	Not applicable
Crystalline silica, quartz	14808-60-7	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL) Worker** No information available.

**General Population**

**Predicted No Effect Concentration (PNEC)** No information available.

**8.2 Exposure controls**

**Engineering Controls** Use in a well ventilated area. Use approved industrial ventilation and local exhaust as required to maintain exposures below applicable exposure limits.

**Personal protective equipment Respiratory Protection** Wear a NIOSH certified, European Standard EN 149 (FFP2/FFP3), AS/NZS 1715, or equivalent respirator when using this product.

**Hand Protection** Normal work gloves.

**Skin Protection** Wear clothing appropriate for the work environment. Dusty clothing should be laundered before reuse. Use precautionary measures to avoid creating dust when removing or laundering clothing.

**Eye Protection** Wear safety glasses or goggles to protect against exposure.

**Other Precautions** None known.

**Environmental Exposure Controls** No information available

**9. Physical and Chemical Properties**

**9.1 Information on basic physical and chemical properties**

**Physical State:** Solid **Color:** White to tan  
**Odor:** Odorless **Odor Threshold:** No information available

Property	Values
Remarks/ - Method	
<b>pH:</b>	8-9
<b>Freezing Point/Range</b>	No data available
<b>Melting Point/Range</b>	No data available
<b>Boiling Point/Range</b>	No data available
<b>Flash Point</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	2.7

<b>Water Solubility</b>	Insoluble in water
<b>Solubility in other solvents</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive Properties</b>	No information available
<b>Oxidizing Properties</b>	No information available

**9.2 Other information**

<b>VOC Content (%)</b>	No data available
------------------------	-------------------

<b>10. Stability and Reactivity</b>
-------------------------------------

**10.1 Reactivity**

Not applicable

**10.2 Chemical Stability**

Stable

**10.3 Possibility of Hazardous Reactions**

Will Not Occur

**10.4 Conditions to Avoid**

None anticipated

**10.5 Incompatible Materials**

Strong acids.

**10.6 Hazardous Decomposition Products**

Carbon monoxide and carbon dioxide. Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C).

<b>11. Toxicological Information</b>
--------------------------------------

**11.1 Information on Toxicological Effects**

**Acute Toxicity**

**Inhalation**

Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental animals for the carcinogenicity of tridymite (IARC, Group 2A).

Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects (See "Chronic Effects/Carcinogenicity" subsection below).

**Eye Contact**

May cause eye irritation

**Skin Contact**

May cause skin irritation.

**Ingestion**

None known

**Chronic Effects/Carcinogenicity**

Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2).

There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

**Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium carbonate	471-34-1	6450 mg/kg (Rat) > 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 3 mg/L (Rat) 4h
Crystalline silica, quartz	14808-60-7	> 5000 mg/kg (Rat)	No data available	No data available

Substances	CAS Number	Skin corrosion/irritation
Calcium carbonate	471-34-1	Non-irritating to the skin (rabbit)
Crystalline silica, quartz	14808-60-7	Non-irritating to the skin

Substances	CAS Number	Eye damage/irritation
Calcium carbonate	471-34-1	Non-irritating to the eye (rabbit)
Crystalline silica, quartz	14808-60-7	Mechanical irritation of the eyes is possible.

Substances	CAS Number	Skin Sensitization
Calcium carbonate	471-34-1	Did not cause sensitization on laboratory animals (mouse)
Crystalline silica, quartz	14808-60-7	Did not cause sensitization on laboratory animals

Substances	CAS Number	Respiratory Sensitization
Calcium carbonate	471-34-1	No information available
Crystalline silica, quartz	14808-60-7	No information available

Substances	CAS Number	Mutagenic Effects
Calcium carbonate	471-34-1	In vitro tests did not show mutagenic effects
Crystalline silica, quartz	14808-60-7	Not regarded as mutagenic.

Substances	CAS Number	Carcinogenic Effects
Calcium carbonate	471-34-1	No information available.
Crystalline silica, quartz	14808-60-7	Contains crystalline silica which may cause silicosis, a delayed and progressive lung disease. The IARC and NTP have determined there is sufficient evidence in humans of the carcinogenicity of crystalline silica with repeated respiratory exposure.

Substances	CAS Number	Reproductive toxicity
------------	------------	-----------------------

Calcium carbonate	471-34-1	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.
Crystalline silica, quartz	14808-60-7	No information available

Substances	CAS Number	STOT - single exposure
Calcium carbonate	471-34-1	No significant toxicity observed in animal studies at concentration requiring classification.
Crystalline silica, quartz	14808-60-7	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - repeated exposure
Calcium carbonate	471-34-1	No significant toxicity observed in animal studies at concentration requiring classification.
Crystalline silica, quartz	14808-60-7	Causes damage to organs through prolonged or repeated exposure if inhaled Lungs

Substances	CAS Number	Aspiration hazard
Calcium carbonate	471-34-1	Not applicable
Crystalline silica, quartz	14808-60-7	Not applicable

## 12. Ecological Information

### 12.1 Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Calcium carbonate	471-34-1	EC50(72h): > 14 mg/L (growth rate) (Desmodesmus subspicatus)	LC50(96h): > 100 mg/L (saturated solution) (Oncorhynchus mykiss)	EC50(3h): > 1000 mg/L (Activated sludge)	EC50(48h): > 100 mg/L (saturated solution) (Daphnia magna)
Crystalline silica, quartz	14808-60-7	EC50(72h): 89 mg/L (biomass) (Scenedesmus subspicatus) (similar substance)	LC50(96h): 508 mg/L (Danio rerio) (similar substance)	No information available	LC50(48h): 731 mg/L (Daphnia magna) (similar substance) LC50(48h) 33.5 mg/L (Ceriodaphnia dubia) (similar substance)

### 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

Substances	CAS Number	Persistence and Degradability
Calcium carbonate	471-34-1	The methods for determining biodegradability are not applicable to inorganic substances.
Crystalline silica, quartz	14808-60-7	The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

Does not bioaccumulate

Substances	CAS Number	Log Pow
Calcium carbonate	471-34-1	No information available
Crystalline silica, quartz	14808-60-7	No information available

### 12.4 Mobility in soil

No information available

### 12.5 Results of PBT and vPvB assessment

No information available.

Substances	PBT and vPvB assessment
Crystalline silica, quartz	Not PBT/vPvB

### 12.6 Other adverse effects

#### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 13. Disposal Considerations

### 13.1 Waste treatment methods

**Disposal Method** Bury in a licensed landfill according to federal, state, and local regulations.  
**Contaminated Packaging** Follow all applicable national or local regulations.

## 14. Transport Information

### IMDG/IMO

**UN Number:** Not restricted.  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

### RID

**UN Number:** Not restricted.  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental hazard:** Not applicable

### ADR

**UN Number:** Not restricted.  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental hazard:** Not applicable

### IATA/ICAO

**UN Number:** Not restricted.  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental hazard:** Not applicable

**Special Precautions for User** None

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable

## 15. Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

**EINECS Inventory** This product, and all its components, complies with EINECS  
**US TSCA Inventory** All components listed on inventory or are exempt.  
**Canadian DSL Inventory** All components listed on inventory or are exempt.

#### **Legend**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**Germany, Water Endangering Classes (WGK)** WGK 0: Generally not water endangering.

### 15.2 Chemical Safety Assessment

No information available

## 16. Other Information

**Full text of R-phrases referred to under Sections 2 and 3**

R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.

R49 May cause cancer by inhalation.

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)

**Revision Date:** 07-May-2014

**Revision Note**

Not applicable

**This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010**

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**