

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

BARACARB®-DF FINE

Revision Date: 07-May-2014

Revision Number: 4

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name BARACARB®-DF FINE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Bridging Agent
Sector of use	SU2 - Mining, (including offshore industries)
Product category	PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents, other unspecified
Process categories	PROC 26 - Handling of solid inorganic substances at ambient temperature

1.3 Details of the supplier of the safety data sheet

Halliburton Manufacturing Services, Ltd.
Halliburton House, Howemoss Crescent
Kirkhill Industrial Estate
Dyce
Aberdeen, AB21 0GN
United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4 Emergency telephone number

+44 1224 795277 or +1 281 575 5000

Emergency telephone - §45 - (EC)1272/2008	
Europe	112
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

2. Hazards Identification

2.1 Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Carcinogenicity	Category 1A - (H350)
Specific Target Organ Toxicity - (Repeated Exposure)	Category 1 - (H372)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

May cause mild eye, skin, and respiratory irritation. Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

5.2 Special hazards arising from the substance or mixture

Special Exposure Hazards

Not applicable.

5.3 Advice for firefighters

Special Protective Equipment for Fire-Fighters

Not applicable.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust.

See Section 8 for additional information

6.2 Environmental precautions

None known.

6.3 Methods and material for containment and cleaning up

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

6.4 Reference to other sections

See Section 8 and 13 for additional information.

7. Handling and Storage

7.1 Precautions for Safe Handling

This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet. Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

7.2 Conditions for safe storage, including any incompatibilities

Store away from acids. Store in a cool, dry location. Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Do not reuse empty container. Product has a shelf life of 60 months.

7.3 Specific End Use(s)

Exposure Scenario No information available

Other Guidelines No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits

Substances	CAS Number	EU	UK OEL	Netherlands	France OEL
Crystalline silica, quartz	14808-60-7	Not applicable	STEL: 0.3 mg/m ³ TWA: 0.3 mg/m ³	TWA: 0.075 mg/m ³	0.1 mg/m ³

Substances	CAS Number	Germany MAK/TRK	Spain	Portugal	Finland

Crystalline silica, quartz	14808-60-7	0,15 mg/m ³	VLA-ED: 0.1 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.05 mg/m ³ TWA: 0.2 mg/m ³
----------------------------	------------	------------------------	-------------------------------	------------------------------	---

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Crystalline silica, quartz	14808-60-7	Not applicable	Not applicable	Not applicable	STEL: 0.9 mg/m ³ STEL: 0.3 mg/m ³ TWA: 0.3 mg/m ³ TWA: 0.1 mg/m ³

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Crystalline silica, quartz	14808-60-7	Not applicable	NDS: 2 mg/m ³ NDS: 0.3 mg/m ³ NDS: 4.0 mg/m ³ NDS: 1.0 mg/m ³	TWA: 0.15 mg/m ³	Not applicable

Substances	CAS Number	Denmark
Crystalline silica, quartz	14808-60-7	TWA: 0.3 mg/m ³ TWA: 0.1 mg/m ³

Derived No Effect Level (DNEL) Worker No information available.

General Population

Predicted No Effect Concentration (PNEC) No information available.

8.2 Exposure controls

Engineering Controls Use in a well ventilated area. Use approved industrial ventilation and local exhaust as required to maintain exposures below applicable exposure limits.

Personal protective equipment

Respiratory Protection Wear a NIOSH certified, European Standard EN 149 (FFP2/FFP3), AS/NZS 1715, or equivalent respirator when using this product.

Hand Protection Normal work gloves.

Skin Protection Wear clothing appropriate for the work environment. Dusty clothing should be laundered before reuse. Use precautionary measures to avoid creating dust when removing or laundering clothing.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

Environmental Exposure Controls No information available

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical State: Solid **Color:** White to tan
Odor: Odorless **Odor Threshold:** No information available

Property	Values
Remarks/ - Method	
pH:	8-9
Freezing Point/Range	No data available
Melting Point/Range	No data available
Boiling Point/Range	No data available
Flash Point	No data available
Evaporation rate	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	2.7
Water Solubility	Insoluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available

Oxidizing Properties No information available

9.2 Other information

VOC Content (%) No data available

10. Stability and Reactivity

10.1 Reactivity

Not applicable

10.2 Chemical Stability

Stable

10.3 Possibility of Hazardous Reactions

Will Not Occur

10.4 Conditions to Avoid

None anticipated

10.5 Incompatible Materials

Strong acids.

10.6 Hazardous Decomposition Products

Carbon monoxide and carbon dioxide. Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C).

11. Toxicological Information

11.1 Information on Toxicological Effects

Acute Toxicity

Inhalation

Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental animals for the carcinogenicity of tridymite (IARC, Group 2A).

Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects (See "Chronic Effects/Carcinogenicity" subsection below).

Eye Contact

May cause eye irritation

Skin Contact

May cause skin irritation.

Ingestion

None known

Chronic Effects/Carcinogenicity

Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2).

There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica, quartz	14808-60-7	> 5000 mg/kg (Rat)	No data available	No data available

Substances	CAS Number	Skin corrosion/irritation
Crystalline silica, quartz	14808-60-7	Non-irritating to the skin

Substances	CAS Number	Eye damage/irritation
Crystalline silica, quartz	14808-60-7	Mechanical irritation of the eyes is possible.

Substances	CAS Number	Skin Sensitization
Crystalline silica, quartz	14808-60-7	Did not cause sensitization on laboratory animals

Substances	CAS Number	Respiratory Sensitization
Crystalline silica, quartz	14808-60-7	No information available

Substances	CAS Number	Mutagenic Effects
Crystalline silica, quartz	14808-60-7	Not regarded as mutagenic.

Substances	CAS Number	Carcinogenic Effects
Crystalline silica, quartz	14808-60-7	Contains crystalline silica which may cause silicosis, a delayed and progressive lung disease. The IARC and NTP have determined there is sufficient evidence in humans of the carcinogenicity of crystalline silica with repeated respiratory exposure.

Substances	CAS Number	Reproductive toxicity
Crystalline silica, quartz	14808-60-7	No information available

Substances	CAS Number	STOT - single exposure
Crystalline silica, quartz	14808-60-7	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - repeated exposure
Crystalline silica, quartz	14808-60-7	Causes damage to organs through prolonged or repeated exposure if inhaled Lungs

Substances	CAS Number	Aspiration hazard
Crystalline silica, quartz	14808-60-7	Not applicable

12. Ecological Information

12.1 Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Crystalline silica, quartz	14808-60-7	EC50(72h): 89 mg/L (biomass) (Scenedesmus subspicatus) (similar substance)	LC50(96h): 508 mg/L (Danio rerio) (similar substance)	No information available	LC50(48h): 731 mg/L (Daphnia magna) (similar substance) LC50(48h) 33.5 mg/L (Ceriodaphnia dubia) (similar substance)

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

Substances	CAS Number	Persistence and Degradability
------------	------------	-------------------------------

Crystalline silica, quartz	14808-60-7	The methods for determining biodegradability are not applicable to inorganic substances.
----------------------------	------------	--

12.3 Bioaccumulative potential

Does not bioaccumulate

Substances	CAS Number	Log Pow
Crystalline silica, quartz	14808-60-7	No information available

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

No information available.

Substances	PBT and vPvB assessment
Crystalline silica, quartz	Not PBT/vPvB

12.6 Other adverse effects**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations

13.1 Waste treatment methods**Disposal Method**

Bury in a licensed landfill according to federal, state, and local regulations.

Contaminated Packaging

Follow all applicable national or local regulations.

14. Transport Information

IMDG/IMO

UN Number:	Not restricted.
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental Hazards:	Not applicable

RID

UN Number:	Not restricted.
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental hazard:	Not applicable

ADR

UN Number:	Not restricted.
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental hazard:	Not applicable

IATA/ICAO

UN Number:	Not restricted.
UN Proper Shipping Name:	Not restricted
Transport Hazard Class(es):	Not applicable
Packing Group:	Not applicable
Environmental hazard:	Not applicable

Special Precautions for User None**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory

This product, and all its components, complies with EINECS

US TSCA Inventory

All components listed on inventory or are exempt.

Canadian DSL Inventory

All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Classes (WGK)

WGK 0: Generally not water endangering.

15.2 Chemical Safety Assessment

No information available

16. Other Information

Full text of R-phrases referred to under Sections 2 and 3

R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.

R49 May cause cancer by inhalation.

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date:

07-May-2014

Revision Note

Not applicable

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet