

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

BARACARB

Revision Date: 31-Aug-2015

Revision Number: 32

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier	
Product Name	BARACARB
Internal ID Code	HM004943

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Bridging Agent
Sector of use	SU2 - Mining, (including offshore industries)
Product category	PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents,
	other unspecific
Process categories	PROC 26 - Handling of solid inorganic substances at ambient temperature

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services Halliburton House, Howemoss Place Kirkhill Industrial Estate Dyce Aberdeen, AB21 0GN United Kingdom

www.halliburton.com For further information, please contact **E-Mail address:** fdunexchem@halliburton.com **1.4. Emergency telephone number** +44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §45 - (EC)1272/2008				
Europe	112			
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)			
Cyprus	+210 7793777			
Denmark	Poison Control Hotline (DK): +45 82 12 12 12			
France	ORFILA (FR): + 01 45 42 59 59			
Germany	Poison Center Berlin (DE): +49 030 30686 790			
Italy	Poison Center, Milan (IT): +39 02 6610 1029			
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)			
Norway	Poisons Information (NO):+ 47 22 591300			
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97			
Romania	+40 21 318 36 06			
Spain	Poison Information Service (ES): +34 91 562 04 20			
United Kingdom	NHS Direct (UK): +44 0845 46 47			

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Not classified

2.2. Label Elements Not classified

Hazard Pictograms

Signal Word

None

Hazard Statements Not Classified

Precautionary Statements - EU (§28, 1272/2008) None

Contains Substances Crystalline silica, quartz

CAS Number 14808-60-7

2.3. Other Hazards

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT) This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.1. Substances

Substance

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Crystalline silica, quartz	238-878-4	14808-60-7	0.1 - 1%	Carc. 2 (H351) STOT RE 1 (H372)	No data available

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory
_	irritation develops or if breathing becomes difficult.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15
	minutes and get medical attention if irritation persists.
Skin	Wash with soap and water. Get medical attention if irritation persists.
Ingestion	Under normal conditions, first aid procedures are not required.

4.2. Most Important symptoms and effects, both acute and delayed

Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media Suitable Extinguishing Media All standard fire fighting media Extinguishing media which must not be used for safety reasons None known.

5.2. Special hazards arising from the substance or mixture Special Exposure Hazards Not applicable.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters Not applicable.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Evacuate all persons from the area. See Section 8 for additional information

6.2. Environmental precautions

None known.

6.3. Methods and material for containment and cleaning up

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from acids. Store in a cool, dry location. Store locked up. Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Do not reuse empty container. Product has a shelf life of 60 months.

7.3. Specific End Use(s)

Exposure Scenario	
Other Guidelines	

No information available No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters Exposure Limits

Substances	CAS Number	EU	UK	Netherlands	France
Crystalline silica, quartz	14808-60-7	Not applicable	TWA: 0.1 mg/m ³	TWA: 0.075 mg/m ³	TWA: 0.1 mg/m ³

Substances	CAS Number	Germany	Spain	Portugal	Finland
Crystalline silica, quartz	14808-60-7	Not applicable	TWA: 0.1 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.05 mg/m ³

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Crystalline silica, quartz	14808-60-7	TWA: 0.15 mg/m ³	0.1 mg/m ³ TWA (respirable dust) 0.3 mg/m ³ STEL (calculated, respirable dust)	TWA: 0.15 mg/m ³	TWA: 0.3 mg/m ³ TWA: 0.1 mg/m ³ STEL: 0.9 mg/m ³ STEL: 0.3 mg/m ³

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Crystalline silica, quartz	14808-60-7	Not applicable	TWA: 2 mg/m ³ TWA: 0.3 mg/m ³ TWA: 4.0 mg/m ³ TWA: 1.0 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Crystalline silica, quartz	14808-60-7	TWA: 0.3 mg/m³ TWA: 0.1 mg/m³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	Not applicable

Derived No Effect Level (DNEL) Worker		No information available.	
General Population			
Predicted No Effect Concentration	n (PNEC)	No information available.	
8.2. Exposure controls Engineering Controls Personal protective equipment	below applicable exposu t		
		excessive exposures, the selection and proper use of personal I hygienist or other qualified professional based on the specific	
Respiratory Protection	Wear a NIOSH certified, European Standard EN 149 (FFP2/FFP3), AS/NZS 1719 equivalent respirator when using this product.		
Hand Protection Skin Protection	Normal work gloves. Wear clothing appropriate for the work environment. Dusty clothing should be launder before reuse. Use precautionary measures to avoid creating dust when removing or laundering clothing.		
Eye Protection Other Precautions	v	goggles to protect against exposure.	

Environmental Exposure Controls No information available

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State:	Solid Powder	Color: White	
Odor:	Odorless	Odor Threshold: No information avai	lable
Property		Values	
Remarks/ - Meth	nod		
pH:		8-9	
Freezing Point/I	Range	No data available	
Melting Point/Ra		No data available	
Boiling Point/Ra	ange	No data available	
Flash Point		No data available	
Flammability (se	olid, gas)	No data available	
upper flamm	nability limit	No data available	
lower flamm	ability limit	No data available	
Evaporation rat	-	No data available	
Vapor Pressure		No data available	
Vapor Density		No data available	
Specific Gravity	,	2.7	
Water Solubility		Insoluble in water	
Solubility in oth		No data available	
•	ient: n-octanol/water	No data available	
Autoignition Te	mperature	No data available	
Decomposition		No data available	
Viscosity	-	No data available	
Explosive Prope	erties	No information available	
Oxidizing Prope		No information available	
9.2. Other inform	nation		
VOC Content (%		No data available	

SECTION 10: Stability and Reactivity

10.1. Reactivity Not expected to be reactive.10.2. Chemical Stability Stable10.3. Possibility of Hazardous Reactive.10.4. Conditions to Avoid None anticipated10.5. Incompatible Materials Strong acids.10.6. Hazardous Decomposition P Carbon monoxide and carbon dioxid cristobalite (1470 C).	
	SECTION 11: Toxicological Information
11.1. Information on Toxicological	Effects
Acute Toxicity	
Inhalation	Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental animals for the carcinogenicity of tridymite (IARC, Group 2A).
	Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects (See "Chronic Effects/Carcinogenicity" subsection below).
Eye Contact	May cause mechanical irritation to eye.
-	
Skin Contact Ingestion	May cause mechanical skin irritation. None known.
Chronic Effects/Carcinogenicity	Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.
	Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2). There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica, quartz	14808-60-7	>15,000 mg/kg (Human)	No data available	No data available
Substances	CAS Number	Skin corrosion/irritation		
Crystalline silica, quartz	14808-60-7	Non-irritating to the skin		

Substances	CAS Number	Eye damage/irritation
Crystalline silica, quartz	14808-60-7	Mechanical irritation of the eyes is possible.
Substances	CAS Number	Skin Sensitization
Crystalline silica, quartz	14808-60-7	No information available.
Substances	CAS	Respiratory Sensitization
	Number	
Crystalline silica, quartz	14808-60-7	No information available
Substances	CAS Number	Mutagenic Effects
Crystalline silica, quartz	14808-60-7	Not regarded as mutagenic.
Substances	CAS Number	Carcinogenic Effects
Crystalline silica, quartz	14808-60-7	Contains crystalline silica which may cause silicosis, a delayed and progressive lung disease. The IARC and NTP have determined there is sufficient evidence in humans of the carcinogenicity of crystalline silica with repeated respiratory exposure. Based on available scientific evidence, this substance is a threshold carcinogen with a mode of action involving indirect genotoxicity secondary to lung injury.
Substances	CAS	Reproductive toxicity
	Number	
Crystalline silica, quartz	14808-60-7	No information available
Substances	CAS Number	STOT - single exposure
Crystalline silica, quartz	14808-60-7	No significant toxicity observed in animal studies at concentration requiring classification.
Substances	CAS Number	STOT - repeated exposure
Crystalline silica, quartz	14808-60-7	Causes damage to organs through prolonged or repeated exposure if inhaled: (Lungs)
Substances	CAS Number	Aspiration hazard
		Not applicable

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Crystalline silica, quartz	14808-60-7	No information available	LL0 (96h) 10,000 mg/L (Danio rerio) (similar substance)	No information available	LL50 (24h) > 10,000 mg/L (Daphnia magna) (similar substance)

12.2. Persistence and degradability The methods for determining biodegradability are not applicable to inorganic substances.

Substances	CAS Number	Persistence and Degradability
Crystalline silica, quartz	14808-60-7	No information available

12.3. Bioaccumulative potential Does not bioaccumulate

Substances	CAS Number	Log Pow
Crystalline silica, quartz	14808-60-7	No information available

12.4. Mobility in soil

Substances	CAS Number	Mobility
Crystalline silica, quartz	14808-60-7	No information available

12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment	
Crystalline silica, quartz	Not PBT/vPvB	

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal Method Contaminated Packaging Bury in a licensed landfill according to federal, state, and local regulations. Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

SECTION 14: Transport Information

IMDG/IMO

UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
RID UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
ADR UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
IATA/ICAO UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group: Environmental Hazards:	Not restricted Not restricted Not applicable Not applicable Not applicable
14.1. UN Number: 14.2. UN Proper Shipping Name:	Not restricted
14.3. Transport Hazard Class(es): 14.4. Packing Group:	Not applicable Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories
EINECS Inventory
US TSCA Inventory
Canadian DSL Inventory

This product, and all its components, complies with EINECS All components listed on inventory or are exempt. All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Classes (WGK)

WGK 0: Generally not water endangering.

List of the carcinogenic, mutagenic and toxic for reproduction substances SZW Crystalline silica, quartz

15.2. Chemical Safety Assessment

No information available

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3

H351 - Suspected of causing cancer if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure if inhaled

Key or legend to abbreviations and acronyms bw - body weight CAS - Chemical Abstracts Service CLP - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures EC – European Commission EC10 – Effective Concentration 10% EC50 - Effective Concentration 50% EEC – European Economic Community ErC50 – Effective Concentration growth rate 50% IBC Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk LC50 – Lethal Concentration 50% LD50 – Lethal Dose 50% LL0 – Lethal Loading 0% LL50 - Lethal Loading 50% MARPOL - International Convention for the Prevention of Pollution from Ships mg/kg - milligram/kilogram mg/L - milligram/liter NIOSH - National Institute for Occupational Safety and Health NOEC - No Observed Effect Concentration NTP - National Toxicology Program OEL – Occupational Exposure Limit PBT - Persistent Bioaccumulative and Toxic PC - Chemical Product category PEL - Permissible Exposure Limit ppm - parts per million PROC – Process category REACH - REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals STEL – Short Term Exposure Limit SU - Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/ NZ CCID

Revision Date:	31-Aug-2015
Revision Note	-
SDS sections updated: 1 3	

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet