

## SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

### BARITE COATED WITH THERMOPLASTIC POLYMER

Revision Date: 04-Sep-2015

Revision Number: 4

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product Identifier

Product Name BARITE COATED WITH THERMOPLASTIC POLYMER  
Internal ID Code HM006672

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Additive

##### 1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services  
Halliburton House, Howemoss Place  
Kirkhill Industrial Estate  
Dyce  
Aberdeen, AB21 0GN  
United Kingdom

[www.halliburton.com](http://www.halliburton.com)

For further information, please contact

E-Mail address: [fdunexchem@halliburton.com](mailto:fdunexchem@halliburton.com)

##### 1.4. Emergency telephone number

+44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §45 - (EC)1272/2008	
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

#### SECTION 2: Hazards Identification

##### 2.1. Classification of the substance or mixture

###### REGULATION (EC) No 1272/2008

Carcinogenicity	Category 2 - H351
Specific Target Organ Toxicity - (Repeated Exposure)	Category 2 - H373

##### 2.2. Label Elements

Hazard Pictograms



**Signal Word**

**Warning**

**Hazard Statements**

H351 - Suspected of causing cancer if inhaled  
 H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

**Precautionary Statements - EU (§28, 1272/2008)**

P201 - Obtain special instructions before use  
 P202 - Do not handle until all safety precautions have been read and understood  
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
 P281 - Use personal protective equipment as required  
 P308 + P313 - IF exposed or concerned: Get medical advice/attention  
 P314 - Get medical attention/advice if you feel unwell

**Contains**

**Substances**

Crystalline silica, quartz

**CAS Number**

14808-60-7

**2.3. Other Hazards**

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).  
 This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

**SECTION 3: Composition/information on Ingredients**

**3.1. Substances**

Substance

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Crystalline silica, quartz	238-878-4	14808-60-7	1 - 5%	Carc. 2 (H351) STOT RE 1 (H372)	No data available

For the full text of the H-phrases mentioned in this Section, see Section 16

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.  
**Eyes** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.  
**Skin** Wash with soap and water. Get medical attention if irritation persists.  
**Ingestion** Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease. May cause damage to internal organs.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically

**SECTION 5: Firefighting Measures**

**5.1. Extinguishing media****Suitable Extinguishing Media**

All standard fire fighting media

**Extinguishing media which must not be used for safety reasons**

None known.

**5.2. Special hazards arising from the substance or mixture****Special Exposure Hazards**

Not applicable.

**5.3. Advice for firefighters****Special Protective Equipment for Fire-Fighters**

Not applicable.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use appropriate protective equipment. Avoid creating and breathing dust. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

See Section 8 for additional information

**6.2. Environmental precautions**

Prevent from entering sewers, waterways, or low areas.

**6.3. Methods and material for containment and cleaning up**

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

**6.4. Reference to other sections**

See Section 8 and 13 for additional information.

**SECTION 7: Handling and Storage****7.1. Precautions for Safe Handling**

This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities**

Do not reuse empty container. Store in a cool, dry location. Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use.

**7.3. Specific End Use(s)****Exposure Scenario**

No information available

**Other Guidelines**

No information available

**SECTION 8: Exposure Controls/Personal Protection****8.1. Control parameters****Exposure Limits**

Substances	CAS Number	EU	UK	Netherlands	France
Crystalline silica, quartz	14808-60-7	Not applicable	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.075 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>

Substances	CAS Number	Germany	Spain	Portugal	Finland
Crystalline silica, quartz	14808-60-7	Not applicable	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Crystalline silica, quartz	14808-60-7	TWA: 0.15 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup> TWA (respirable dust) 0.3 mg/m <sup>3</sup> STEL (calculated, respirable dust)	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL: 0.9 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Crystalline silica, quartz	14808-60-7	Not applicable	TWA: 2 mg/m <sup>3</sup> TWA: 0.3 mg/m <sup>3</sup> TWA: 4.0 mg/m <sup>3</sup> TWA: 1.0 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Crystalline silica, quartz	14808-60-7	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	Not applicable

**Derived No Effect Level (DNEL)**  
**Worker** No information available.

**General Population**

**Predicted No Effect Concentration (PNEC)** No information available.

**8.2. Exposure controls**

**Engineering Controls** Use approved industrial ventilation and local exhaust as required to maintain exposures below applicable exposure limits.

**Personal protective equipment**

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

**Respiratory Protection** Wear a NIOSH certified, European Standard EN 149 (FFP2/FFP3), AS/NZS 1715, or equivalent respirator when using this product.

**Hand Protection** Normal work gloves.  
**Skin Protection** Wear clothing appropriate for the work environment. Dusty clothing should be laundered before reuse. Use precautionary measures to avoid creating dust when removing or laundering clothing.

**Eye Protection** Wear safety glasses or goggles to protect against exposure.  
**Other Precautions** None known.

**Environmental Exposure Controls** Do not allow material to contaminate ground water system

**SECTION 9: Physical and Chemical Properties**

**9.1. Information on basic physical and chemical properties**

**Physical State:** Solid **Color:** White to tan  
**Odor:** Odorless **Odor Threshold:** No information available

<u>Property</u>	<u>Values</u>
<u>Remarks/ - Method</u>	
<b>pH:</b>	No data available
<b>Freezing Point/Range</b>	No data available
<b>Melting Point/Range</b>	No data available
<b>Boiling Point/Range</b>	No data available
<b>Flash Point</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
upper flammability limit	No data available
lower flammability limit	No data available
<b>Evaporation rate</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	No data available
<b>Water Solubility</b>	Insoluble in water
<b>Solubility in other solvents</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive Properties</b>	No information available
<b>Oxidizing Properties</b>	No information available

**9.2. Other information**

VOC Content (%)

No data available

**SECTION 10: Stability and Reactivity**

**10.1. Reactivity**

Not expected to be reactive.

**10.2. Chemical Stability**

Stable

**10.3. Possibility of Hazardous Reactions**

Will Not Occur

**10.4. Conditions to Avoid**

None anticipated

**10.5. Incompatible Materials**

None known.

**10.6. Hazardous Decomposition Products**

Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C).

**SECTION 11: Toxicological Information**

**11.1. Information on Toxicological Effects**

**Acute Toxicity**

**Inhalation**

Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental animals for the carcinogenicity of tridymite (IARC, Group 2A).

Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects (See "Chronic Effects/Carcinogenicity" subsection below).

**Eye Contact**

May cause mild eye irritation.

**Skin Contact**

None known.

**Ingestion**

May produce nervous system effects such as feeling of weakness, unsteady walk, and dilation of blood vessels. May affect the heart and cardiovascular system.

**Chronic Effects/Carcinogenicity**

Prolonged inhalation of fine barium sulfate dusts form harmless nodular granules in lung, an affliction called baritosis. Baritosis produces no symptoms of bronchitis or emphysema, and lung functioning is not affected although dyspnea, upon exertion, may occur. The nodulation disappears if exposure is stopped. Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2). There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

**Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
------------	------------	-----------	-------------	-----------------

Crystalline silica, quartz	14808-60-7	>15,000 mg/kg (Human)	No data available	No data available
<b>Substances</b>	<b>CAS Number</b>	<b>Skin corrosion/irritation</b>		
Crystalline silica, quartz	14808-60-7	Non-irritating to the skin		
<b>Substances</b>	<b>CAS Number</b>	<b>Eye damage/irritation</b>		
Crystalline silica, quartz	14808-60-7	Mechanical irritation of the eyes is possible.		
<b>Substances</b>	<b>CAS Number</b>	<b>Skin Sensitization</b>		
Crystalline silica, quartz	14808-60-7	No information available.		
<b>Substances</b>	<b>CAS Number</b>	<b>Respiratory Sensitization</b>		
Crystalline silica, quartz	14808-60-7	No information available		
<b>Substances</b>	<b>CAS Number</b>	<b>Mutagenic Effects</b>		
Crystalline silica, quartz	14808-60-7	Not regarded as mutagenic.		
<b>Substances</b>	<b>CAS Number</b>	<b>Carcinogenic Effects</b>		
Crystalline silica, quartz	14808-60-7	Contains crystalline silica which may cause silicosis, a delayed and progressive lung disease. The IARC and NTP have determined there is sufficient evidence in humans of the carcinogenicity of crystalline silica with repeated respiratory exposure. Based on available scientific evidence, this substance is a threshold carcinogen with a mode of action involving indirect genotoxicity secondary to lung injury.		
<b>Substances</b>	<b>CAS Number</b>	<b>Reproductive toxicity</b>		
Crystalline silica, quartz	14808-60-7	No information available		
<b>Substances</b>	<b>CAS Number</b>	<b>STOT - single exposure</b>		
Crystalline silica, quartz	14808-60-7	No significant toxicity observed in animal studies at concentration requiring classification.		
<b>Substances</b>	<b>CAS Number</b>	<b>STOT - repeated exposure</b>		
Crystalline silica, quartz	14808-60-7	Causes damage to organs through prolonged or repeated exposure if inhaled: (Lungs)		
<b>Substances</b>	<b>CAS Number</b>	<b>Aspiration hazard</b>		
Crystalline silica, quartz	14808-60-7	Not applicable		

**SECTION 12: Ecological Information**

**12.1. Toxicity**  
**Ecotoxicity Effects**

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Crystalline silica, quartz	14808-60-7	No information available	LL0 (96h) 10,000 mg/L (Danio rerio) (similar substance)	No information available	LL50 (24h) > 10,000 mg/L (Daphnia magna) (similar substance)

**12.2. Persistence and degradability**

Substances	CAS Number	Persistence and Degradability
Crystalline silica, quartz	14808-60-7	No information available

**12.3. Bioaccumulative potential**

Substances	CAS Number	Log Pow
Crystalline silica, quartz	14808-60-7	No information available

**12.4. Mobility in soil**

Substances	CAS Number	Mobility
Crystalline silica, quartz	14808-60-7	No information available

**12.5. Results of PBT and vPvB assessment**

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment
Crystalline silica, quartz	Not PBT/vPvB

**12.6. Other adverse effects**

**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

**SECTION 13: Disposal Considerations**

**13.1. Waste treatment methods**

**Disposal Method** Bury in a licensed landfill according to federal, state, and local regulations.  
**Contaminated Packaging** Follow all applicable national or local regulations.

**SECTION 14: Transport Information**

**IMDG/IMO**

**UN Number:** Not restricted  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

**RID**

**UN Number:** Not restricted  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

**ADR**

**UN Number:** Not restricted  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

**IATA/ICAO**

**UN Number:** Not restricted  
**UN Proper Shipping Name:** Not restricted  
**Transport Hazard Class(es):** Not applicable  
**Packing Group:** Not applicable  
**Environmental Hazards:** Not applicable

**14.1. UN Number:** Not restricted

**14.2. UN Proper Shipping Name:** Not restricted

**14.3. Transport Hazard Class(es):** Not applicable

**14.4. Packing Group:** Not applicable

**14.5. Environmental Hazards:** Not applicable

**14.6. Special Precautions for User:** None

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable

**SECTION 15: Regulatory Information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****International Inventories****EINECS Inventory**

This product, and all its components, complies with EINECS

**US TSCA Inventory**

All components listed on inventory or are exempt.

**Canadian DSL Inventory**

All components listed on inventory or are exempt.

**Legend**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

**Germany, Water Endangering Classes (WGK)**

WGK 0: Generally not water endangering.

**15.2. Chemical Safety Assessment**

No information available

**SECTION 16: Other Information****Full text of H-Statements referred to under sections 2 and 3**

H351 - Suspected of causing cancer if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

**Key or legend to abbreviations and acronyms**

bw – body weight

CAS – Chemical Abstracts Service

CLP – REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification, Labelling and Packaging of substances and mixtures

EC – European Commission

EC10 – Effective Concentration 10%

EC50 – Effective Concentration 50%

EEC – European Economic Community

ErC50 – Effective Concentration growth rate 50%

IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 – Lethal Concentration 50%

LD50 – Lethal Dose 50%

LL0 – Lethal Loading 0%

LL50 – Lethal Loading 50%

MARPOL – International Convention for the Prevention of Pollution from Ships

mg/kg – milligram/kilogram

mg/L – milligram/liter

NIOSH – National Institute for Occupational Safety and Health

NOEC – No Observed Effect Concentration

NTP – National Toxicology Program

OEL – Occupational Exposure Limit

PBT – Persistent Bioaccumulative and Toxic

PC – Chemical Product category

PEL – Permissible Exposure Limit

ppm – parts per million

PROC – Process category

REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL – Short Term Exposure Limit

SU – Sector of Use category

**Key literature references and sources for data**[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)**Revision Date:**

04-Sep-2015

**Revision Note**

SDS sections updated: 1

**This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010**

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**