HALLIBURTON

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

BAROID® F10

Revision Date: 09-May-2011 Revision Number: 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name BAROID® F10

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Weight Additive
Uses Advised Against No information available

Details of the supplier of the safety data sheet

Halliburton Energy Services

Halliburton House, Howemoss Place

Kirkhill Industrial Estate

Dyce

Aberdeen, AB21 0GN United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

Emergency telephone number

+44 1224 795277 or +1 281 575 5000

Emergency telephone §45	- (EC)1272/2008
Europe	112
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Carcinogenicity	Category 1A - (H350)
Specific Target Organ Toxicity - (Repeated Exposure)	Category 1 - (H372)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

2. HAZARDS IDENTIFICATION

Classification Crystalline silica is not classified as a carcinogen in EU Council Directives

67/548/EEC and 88/379/EEC.

Risk Phrases None

Label Elements

Hazard Pictograms



Signal Word Danger

Hazard Statements

H350i - May cause cancer by inhalation

H372 - Causes damage to organs through prolonged or repeated exposure

Contains

CAS Number Substances 14808-60-7 Crystalline silica, quartz Barite 13462-86-7

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Other Hazards

None known

3. COMPOSITION/INFORMATION ON INGREDIENTS						
Substances EINECS CAS Number PERCENT EEC EU - CLP Substance REACH No. Classification Classification						
Crystalline silica, quartz	238-878-4	14808-60-7	5 - 10%	Not applicable	Carc. 1A (H350i) STOT RE 1 (H372)	No data available
Barite	236-664-5	13462-86-7	60 - 100%	Not applicable	Not applicable	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of first aid measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

In case of contact, immediately flush eyes with plenty of water for at least 15 **Eyes**

minutes and get medical attention if irritation persists.

Wash with soap and water. Get medical attention if irritation persists. Skin

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek Ingestion

medical attention. Never give anything by mouth to an unconscious person.

4. FIRST AID MEASURES

Most Important symptoms and effects, both acute and delayed

May cause eye irritation. Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIREFIGHTING MEASURES

Extinguishing mediaó

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

Special hazards arising from the substance of mixture

Special Exposure Hazards

Not applicable.

Advice for firefighters

Special Protective Equipment for Fire-Fighters

Not applicable.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust.

See Section 12 for additional information

Environmental precautions

None known.

Methods and material for containment and cleaning up

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

Reference to other sections

See Section 12 for additional information.

7. HANDLING AND STORAGE

Precautions for Safe Handling

This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

Conditions for safe storage, including any incompatibilities

Do not reuse empty container. Store in a cool, dry location. Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use.

Specific End Use(s)

Exposure ScenarioNo information availableOther GuidelinesNo information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

8. EXPOSURE CONTROLS/PERSONAL PROTECTION					
Substances	EU	UK OEL	Netherlands	France OEL	Germany MAK/TRK
Crystalline silica, quartz	Not applicable	0.1 mg/m ³	0,075 mg/m ³	0.1 mg/m ³	0,15 mg/m ³
Barite	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Substances	Italy	Poland	Hungary	Czech Republic	Denmark
Crystalline silica, quartz	Not applicable	2 mg/m ³	0.15 mg/m ³	Not applicable	Not applicable
Barite	Not applicable	Not applicable	Not applicable	10.0 mg/m ³	Not applicable

Derived No Effect Level (DNEL)
Predicted No Effect Concentration

No information available. No information available.

(PNEC)

Exposure controls

Engineering Controls

Use approved industrial ventilation and local exhaust as required to maintain exposures

below applicable exposure limits listed in Section 2.

Personal protective equipment

Respiratory Protection Wear a NIOSH certified, European Standard EN 149 (FFP2/FFP3), or equivalent respirator

when using this product.

Hand Protection Normal work gloves.

Skin Protection Wear clothing appropriate for the work environment. Dusty clothing should be laundered

before reuse. Use precautionary measures to avoid creating dust when removing or

laundering clothing.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

Values

Information on basic physical and chemical properties

Physical State: Powder Color: Pink to tan to gray

Odor: Odorless Odor Threshold: No information available

Property

Remarks/ Method

pH: 7-8 (10%)
Melting Point/Range No data available

Freezing Point/Range (C): 1580

Boiling Point/RangeNo data availableFlash PointNo data availableEvaporation rateNo data availableVapor PressureNo data availableVapor DensityNo data available

Specific Gravity 4.23

Water Solubility

Solubility in other solvents

Partition coefficient: n-octanol/water

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available

No data available

No data available

No data available

Explosive PropertiesNo information available **Oxidizing Properties**No information available

Other information

Molecular Weight 233.4

VOC Content (%)

Bulk Density

No data available
1250 - 1500

10. STABILITY AND REACTIVITY

Reactivity

Not applicable

Chemical Stability

Stable

Possibility of Hazardous Reactions

Will Not Occur

Conditions to Avoid

None anticipated

Incompatible Materials

Prolonged contact with aluminum. Should not be combined with phosphorus materials. Potassium.

Hazardous Decomposition Products

Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C).

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Acute Toxicity

Inhalation Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is

carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental

animals for the carcinogenicity of tridymite (IARC, Group 2A).

Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects

(See "Chronic Effects/Carcinogenicity" subsection below).

May cause allergic respiratory reaction.

Eye Contact May cause mild eye irritation. May cause an allergic skin reaction. **Skin Contact**

Ingestion May cause constipation. May cause allergic reaction.

Chronic Effects/Carcinogenicity Prolonged inhalation of fine barium sulfate dusts form harmless nodular granules in lung, an affliction called baritosis. Baritosis produces no symptoms of bronchitis or emphysema, and lung functioning is not affected although dyspnea, upon exertion, may occur. The nodulation disappears if exposure is stopped. Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

> Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2).

> There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

11. TOXICOLOGICAL INFORMATION

Substances	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica, quartz	No data available	No data available	No data available
Barite	No data available	No data available	No data available

12. ECOLOGICAL INFORMATION

Toxicity

Ecotoxicity Effects

Substances	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Crystalline silica, quartz	No information available	No information available	No information available	No information available
Barite	No information available	No information available	No information available	No information available

Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

No information available

Mobility in soil

No information available

Results of PBT and vPvB assessment

No information available.

Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal Method Bury in a licensed landfill according to federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

IMDG/IMO

UN Number: Not restricted. UN Proper Shipping Name: Not restricted Not restricted Not applicable

RID

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable

ADR

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable

14. TRANSPORT INFORMATION

IATA/ICAO

UN Number: Not restricted. UN Proper Shipping Name: Not restricted Not restricted Not applicable

Special Precautions for User None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory All components listed on inventory or are exempt.

Canadian DSL Inventory Product contains one or more components not listed on the inventory.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering

Classes (WGK)

WGK 0: Generally not water endangering.

Chemical Safety Assessment

No information available

16. OTHER INFORMATION

Full text of R-phrases referred to under Sections 2 and 3

None

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: 09-May-2011 **Revision Note** Not applicable

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet