

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

1 Identification

- **Product Identifier:**
- **Product Name:** 10% Potassium Hydroxide Solution
- **Catalog Number:** 261191
- **Application of the substance / the mixture**
Laboratory Chemicals
Laboratory Chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
BD Diagnostic Systems
7 Loveton Circle
Sparks, MD 21152
Telephone: (410) 771 - 0100 or (800) 638 - 8663
Email Address: Technical_Services@bd.com
- **Information Department:** Technical Service
- **Emergency telephone number:**
In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
potassium hydroxide
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P260 Do not breathe dusts or mists.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)



Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: 10% Potassium Hydroxide Solution

(Contd. of page 1)

- P264 Wash thoroughly after handling.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P363 Wash contaminated clothing before reuse.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· NFPA ratings (scale 0-4)**· HMIS ratings (scale 0-4)**

HEALTH	4	Health = 4
FIRE	0	Flammability = 0
REACTIVITY	0	Reactivity = 0

· Other hazards**· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixture**· Description:** Mixture consisting of the following components.**· Dangerous Components:**

CAS: 1310-58-3	potassium hydroxide	10.0%
EINECS: 215-181-3	Skin Corr. 1A, H314; Acute Tox. 4, H302	
CAS: 67-68-5	dimethyl sulfoxide	1.0%
EINECS: 200-664-3		

· Additional information Risk phrases refer to section 15.

US

(Contd. on page 3)



Safety Data Sheet

acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: 10% Potassium Hydroxide Solution

(Contd. of page 2)

4 First-aid measures

- **Description of first aid measures**
- **General information** Immediately remove contaminated clothing.
- **After inhalation** In case of unconsciousness place patient on side position for transportation.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing**
Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor** Show this product label or this SDS.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Wipe up with damp sponge or mop.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Use neutralizing agent.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

US
(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: 10% Potassium Hydroxide Solution

(Contd. of page 3)

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**
No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**
Store away from oxidizing agents.
Do not store together with acids.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed containers.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:**
No further data; see Section 7.
 - **Control parameters**
 - **Components with limit values that require monitoring at the workplace:**
- | | |
|--------------------------------------|--|
| 1310-58-3 potassium hydroxide | |
| REL | Ceiling limit value: 2 mg/m ³ |
| TLV | Ceiling limit value: 2 mg/m ³ |
| 67-68-5 dimethyl sulfoxide | |
| WEEL | Long-term value: 250 ppm |
- **Additional information:** The lists that were valid during the creation were used as basis.
 - **Exposure controls**
 - **Personal Protective Equipment**
 - **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
 - **Breathing equipment:**
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: 10% Potassium Hydroxide Solution

(Contd. of page 4)

Protection of hands:


Chemical resistant gloves (i.e. nitrile, or equivalent).

Eye protection:

Safety glasses

Tightly sealed goggles.

Body protection: Protective work clothing (lab coat).

9 Physical and chemical properties

Information on basic physical and chemical properties
General Information
Appearance:
Form: Liquid

Color: Colorless

Odor: Characteristic

pH-value: 12.5

Change in condition
Melting point/Melting range: Not determined

Boiling point/Boiling range: Not determined

Flash point: Not applicable

Auto igniting: Product is not self igniting.

Danger of explosion: Product does not present an explosion hazard.

Density: Not determined

Solubility in / Miscibility with
Water: Soluble

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability
Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: 10% Potassium Hydroxide Solution

(Contd. of page 5)

- **Hazardous decomposition products:**
Corrosive gases/vapors
Sulfur oxides (SOx)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

1310-58-3 potassium hydroxide

Oral	LD50	273 mg/kg (mou)
		365 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Subacute to chronic toxicity:** Target organs: respiratory tract, eyes, kidneys, and skin.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Corrosive (causes skin burns)
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: 10% Potassium Hydroxide Solution

(Contd. of page 6)

- **Ecotoxicological effects:**
- **Other information:**
The ecological effects have not been thoroughly investigated, but currently none have been identified.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed of with solid waste.
Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.
RCRA hazardous waste - RCRA # D002 (Corrosive).
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to state and federal regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---|------------------------------|
| · UN-Number | |
| · DOT, IMDG, IATA | UN1814 |
| · UN proper shipping name | |
| · IMDG, IATA | POTASSIUM HYDROXIDE SOLUTION |
| · Transport hazard class(es) | |
| · DOT | |
|  | |
| · Class | 8 Corrosive substances |
| · Label | 8 |

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: 10% Potassium Hydroxide Solution

(Contd. of page 7)

· IMDG, IATA


· Class	8 Corrosive substances
· Label	8

· Packing group

· DOT, IMDG, IATA	III
--------------------------	-----

· Environmental hazards:

· Marine pollutant:	No
----------------------------	----

· Special precautions for user	Warning: Corrosive substances
---------------------------------------	-------------------------------

· Danger code (Kemler):	80
--------------------------------	----

· EMS Number:	F-A,S-B
----------------------	---------

· Segregation groups	Alkalis
-----------------------------	---------

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
--	-----------------

· Transport/Additional information:	Not dangerous according to the above specifications.
--	--

· DOT

· Remarks:	This product can be transported using the "small quantity" exception. This package conforms to 49 CFR 173.4 for domestic highway or rail transport only. The Hazard Class, Identification number, and Packing group listed above is for informational purposes only.
-------------------	--

· IMDG

· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Remarks:	Limited quantity

· IATA

· Remarks:	This product can be transported using the exception: Dangerous Goods in Excepted Quantities. The Hazard class, Identification
-------------------	---

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: 10% Potassium Hydroxide Solution

(Contd. of page 8)

- | | |
|---------------------------------|---|
| · | <i>number, and Packing group listed above is for informational purposes only.</i> |
| · UN "Model Regulation": | UN1814, POTASSIUM HYDROXIDE SOLUTION, 8, III |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

- **SARA Section 313 (specific toxic chemical listings)**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

- **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05

- **Signal word** *Danger*

(Contd. on page 10)



Safety Data Sheet acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: 10% Potassium Hydroxide Solution

(Contd. of page 9)

· Hazard-determining components of labeling:*potassium hydroxide***· Hazard statements***H314 Causes severe skin burns and eye damage.***· Precautionary statements***P260 Do not breathe dusts or mists.**P280 Wear protective gloves/protective clothing/eye protection/face protection.**P264 Wash thoroughly after handling.**P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P310 Immediately call a POISON CENTER/doctor.**P321 Specific treatment (see on this label).**P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.**P363 Wash contaminated clothing before reuse.**P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.**P405 Store locked up.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.***· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

· Department issuing SDS:*Environmental, Health & Safety**Created by Michael J. Spinazzola***· Contact: Technical Service Representative****· Date of preparation / last revision 06/03/2016 / -****· Abbreviations and acronyms:***IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**ACGIH: American Conference of Governmental Industrial Hygienists**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)*

(Contd. on page 11)

US



Safety Data Sheet
acc. to OSHA HCS

Date Prepared: 06/03/2016

Reviewed On: 04/22/2016

Product Name: 10% Potassium Hydroxide Solution

(Contd. of page 10)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

US