



5-MINUTE WAX & ACRYLIC REMOVER HOUSEHOLD (S

MSDS Number

BPPWS

National Stock Number

7930-00N031795

Product Name

5-MINUTE WAX & ACRYLIC REMOVER HOUSEHOLD (S

Manufacturer

DIAL CORP

Product Identification

Product ID:5-MINUTE WAX & ACRYLIC REMOVER HOUSEHOLD (S MSDS Date:09/22/1986 FSC:7930 NIIN:00N031795 MSDS Number: BPPWS

Responsible Party

DIAL CORP

111 W CLARENDON AVE

PHOENIX, AZ 85077

US

Emergency Phone: 602-253-3334

Info Phone: 602-991-3000

Cage: IO307

Contractor

DIAL CORP THE MILITARY ORDER DEPT

PHOENIX, AZ 85077

602-207-4000

US

Cage: 0EK53

Ingredients

EMPLOYER PROVIDES REMOVAL OF MATL FROM IT. EMPLOYER

RTECS: 9999999ZZ

PROPERTIES OF THIS PRODUCT. DO NOT WEAR CONTACT

RTECS: 9999999ZZ

98.7 (WT).

RTECS: 9999999ZZ

12.6-13.

RTECS: 9999999ZZ





AMMONIA

CAS: 7664-41-7 RTECS: BO0825000 OSHA PEL50 PPM

ACGIH TLV: 25 PPM/35 STEL; 9293

EPA Report Quantity: 100 LBS
DOT Report Quantity: 100 LBS

2-PROPANOL, CAS: 20324-33-8 RTECS: UB7875900

ETHANOL, 2,2'-IMINODI-;(DIETHANOLAMINE) (SARA III)

CAS: 111-42-2 RTECS: KL2975000 OSHA PEL3 PPM ACGIH TLV: 3 PPM

EPA Report Quantity: 1 LB DOT Report Quantity: 1 LB

ETHANOL, N-NITROSOIMINODI-;(N-NITROSDIETHANOLAMINE)

CAS: 1116-54-7 RTECS: KL9550000

EPA Report Quantity: 1 LB DOT Report Quantity: 1 LB

EYE CNTCT MAY PRODUCE

RTECS: 9999999ZZ

AIR IMMED. IF BRTHG STOPPED, GIVE ARTF RESP,

RTECS: 9999999ZZ

IMMED. DO NOT INDUCE VOMIT UNLESS DIRECTED BY MD.

RTECS: 9999999ZZ

& WATER BEFORE ENGAGING IN ANY OF THESE

RTECS: 9999999ZZ

FACILITIES. IMMED REMOVE ANY CLTHG THAT BECOMES WET

RTECS: 9999999ZZ

Hazards





LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation: YES Skin: YES Ingestion: NO Reports of Carcinogenicity: NTP: YES IARC: YES OSHA: NO Health Hazards Acute and Chronic: ACUTE: INHAI: AMMONT

Health Hazards Acute and Chronic:ACUTE:INHAL:AMMONIA MAY IRRITATE UPPER & LOWER RESP TRACT. INGEST:PRODUCT IS ALKALINE AND MAY PRODUCE ORAL, ESOPHAGEAL, & GASTRIC DAMAGE. HIGH DOSES OF TRIPROPYLENE GLYCOL MONOMETHYL ETHER GIVEN TO AN IMALS HAS RESULTED IN MARCOSIS & CNS DEPRESS THAT IN TURN MAY RSLT IN RESP FAILURE. EYE:IRRITANT. (EFTS OF OVEREXP)

Explanation of Carcinogenicity: N-NITROSDIETHANOLAMINE: GROUP 2B (IARC), GROUP 2 (NTP).

Effects of Overexposure: HLTH HAZ: CHRONIC: SKIN: IN AN ANIMAL TEST, PROLONGED AND REPEATED SKIN EXPOSURES TO LARGE DOSES OF TRIPROPYLENE GLYCOL MONOMETHYL ETHER RESULTED IN NARCOSIS AND KIDNEY INJURY. SIGNS/SYMPS: AMMONIA MAY P RODUCE EYE, NOSE, THROAT & CHEST DISCOMFORT. THESE EFTS MAY BE ACCOMPANIED BY TEARING, COUGHING OR DFCLTY IN (SUPP DATA)

Medical Cond Aggravated by Exposure:AMMONIA RELD FROM PROD COULD POSS AGGRAVATE PRE-EXISTING RESP TRACT DISORDERS. BASED UPON PRODS EFFECT ON ANIMAL SKIN, PRLNGD/RPTD CNTCT W/PROD COULD POSS AGGRAVATE PRE-EXISTING SKIN DISORDERS.

First Aid

First Aid:EYE:WASH IMMED/GENTLY W/LRG AMOUNTS OF WATER FOR AT LEAST 15 MINS OCCASIONALLY LIFTING UPPER/LOWER LIDS, UNTIL NO EVIDENCE OF CHEM REMAINS. GET MD IMMED, PREF AN OPTHAMOLOGIST. SKIN:REMOVE CONTAM CLTH G & SHOES IMMED. WASH AFFECTED AREA W/LRG AMTS OF WATER UNTIL NO EVIDENCE OF CHEM REMAINS. WASH CLTHG & CLEAN ANY RESIDUE FROM SHOES BEFORE REUSE. IN CASE OF IRRIT, GET MD. INHAL:MOVE TO FRESH(ING 6)

Fire Fighting

Flash Point: NON-FLAMMABLE

Extinguishing Media: USE MEDIA SUITABLE FOR SURROUNDING FIRE CONDITIONS

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard: NOT APPLICABLE.

Accidental Release

Spill Release Procedures: RINSE WITH WATER. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: AVOID OVERHEATING CONTAINERS. Other Precautions: NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection: SELECT NIOSH/MSHA APPROVED RESPRIATOR FOR THE CONTAMINATION LEVELS FOUND.

Ventilation: PROVIDE GENERAL DILUTION VENTILATION.

Protective Gloves: IMPERMEABLE GLOVES.

Eye Protection: CHEMICAL WORKERS GOGGLES .

Other Protective Equipment: APRONS, SHOE COVERS, & OTHER EQUIPMENT AS NECESSARY. EYE WASH FOUNTAIN & SAFETY SHOWER.

Work Hygienic Practices: DO NOT SMOKE, EAT, DRINK, CHEW GUM, OR APPLY LIPSTICK IN WORK AREA. WASH HANDS THORO W/SOAP OR MILD DETERGENT (ING 8)

Supplemental Safety and Health

MFR PT#/TRADE NAME:(FLOOR CARE PRODUCT). EFTS OF OVEREXP:BRTHG. ODOR/IRRIT OF AMMONIA PROVIDE WARNING OF EXPOS TO HAZ CONC OF IT. INGEST:BECAUSE DMG OF MUC MEMB IS POSS, PROD MAY PRODUCE PAIN/DISCOMFO RT IN MOUTH/CHEST/ABDOMEN, NAUS/VOMIT/DIARR. SKIN:PRLNG/RPTD EXPOS MAY PRODUCE LOC IRRIT SUCH AS REDNESS/SWELLING(ING 5)

Chemical Properties





HCC:C2

Boiling Pt:B.P. Text:206F,97C

Vapor Pres:Spec Gravity:1.006 (WATER=1)

pH:ING 13

Evaporation Rate & Reference:Solubility in Water:COMPLETE

Appearance and Odor:YELLOW-GREEN LIQUID WITH AMMONIACAL, ETHERAL ODOR

Percent Volatiles by Volume: ING 12

Stability

Stability Indicator/Materials to Avoid:YES DO NOT MIX WITH MATERIALS CONTAINING CHLORINE SUCH AS BLEACH. Stability Condition to Avoid:EXCESSIVE HEAT. Hazardous Decomposition Products:DIETHANOLAMINE MAY REACT WITH NITRITES TO FORM NITROSAMINES.

Disposal

Waste Disposal Methods: DISPOSE OF BY DILUTING WITH LARGE AMOUNTS OF WATER. DISPOSAL MUST CONFORM WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.