



The Procter & Gamble Company

5299 Spring Grove Avenue Cincinnati, OH 45217-1087

MATERIAL SAFETY DATA SHEET

MSDS #: RQ1109921 Issue Date: 3/14 Supersedes: NEW Issue Date: NEW

SECTION I - PRODUCT IDENTIFICATION

Identity: Shaver Oil Finished Product

Brands: Braun

P&G Telephone Number: 1-800-272-8611 or call Local Poison Control Center or your physician.

SECTION II - HAZARDS IDENTIFICATION

Potential Health Hazards (Acute and Chronic): (See Section 11 for more information)

Ingestion: May result in nausea, vomiting and/or diarrhea.

Eye Contact: Contact causes mild irritation.

Skin Contact: Oil acne / folliculitis signs and symptoms may include formation of black pustules and

spots on the skin of exposed skin.

Inhalation: Prolonged high level exposures may cause slight drowsiness, headache and / or mild

respiratory tract irritation.

Signs and Symptoms of Exposure:

Ingestion: May cause minor Gastrointestinal upset such as vomiting. May cause nausea.

Eye Contact: May cause redness or stinging of eyes.

Skin: Prolonged contact may cause itching or dryness of skin.

Inhalation: May cause mild symptoms of nose or throat irritation or congestion.

Medical Conditions Generally Know to be Aggravated by Exposure: None

Potential Environmental Effects: (See Section 12 for more information)

| SECTION III - COMPOSITION AND INGREDIENTS | | Hazardous Ingredients as defined by OSHA, 29 CFR 1910.1200. and/or WHMIS under the HPA: | Chemical Name | Common Name | CAS No. | Composition Range | LD50/LC50 | | White mineral oil (petroleum) | Mineral Oil | 8042-47-5 | 100% | >5000 mg/kg (oral) |

SECTION IV - FIRST AID INFORMATION

First Aid Procedures:

Ingestion: In general no treatment is necessary unless large quantities are swallowed, however,

get medical advice.

Eye Contact: Immediately flush eyes with water for at least 15 minutes. Call a physician, if

symptoms persist.

Skin: Remove contaminated clothing. Flush exposed area with water and follow by

washing with soap if available. If persistent irritation occurs, obtain medical

attention.

No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice. Inhalation:

Note to Physician: (if applicable)

Other: NA

SECTION V - FIRE FIGHTING INFORMATION

Flash Point (Method Used): Closed Cup FP

Flashpoint: 240 °C (464°F)

This product does not sustain combustion when exposed to an open flame.

Flammable Properties:

Upper Flammable Limit: 10% V/V Lower Flammable Limit: 1% V?V

Explosive Limits: UEL: unknown LEL: unknown

Auto-ignition Temperature: > 320 °C

Hazardous Combustion Products: Unknown

Explosion Data (Sensitivity to Mechanical Impact): NA

Explosion Data (Sensitivity to Static Discharge):NA

Extinguishing Media:

Suitable: CO2, dry chemical or water can be used.

Unsuitable: Full water jet

Protection of Firefighters:

Specific Hazards Arising from the Material: In the event of a fire, the following can be released: Carbon

Dioxide (CO2); Carbon Monoxide (CO)

Protective Equipment and Precautions for Firefighters: Fire fighting operations, rescue and clearing work under effect of combustion and smolder gases may be done with breathing apparatus. Wear protective clothing.

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions:

For non-emergency personnel: refer to protective measures listed in sections 7 & 8.

For emergency responders: Personal Protection Equipment (PPE)

Environmental Precautions: DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL

FEDERAL, STATE, PROVINCIAL AND LOCAL REGULATIONS. Contain all spills.

Methods for Containment: Absorbent material. Methods for Cleanup: Absorbent material. Other Information: (if applicable) NA

SECTION VII – HANDLING AND STORAGE

Precautions To Be Taken in Handling: No special measures necessary if stored and handled as prescribed. Provide good ventilation of working area – local exhaust if necessary.

Precautions To Be Taken in Storage: Keep container tightly closed in a cool, well ventilated area. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines: Local Exhaust: NA; Special: NA; Mechanical (General): Workplace should have sufficient general ventilation to have sufficient general ventilation to disperse vapors in the event of a spill of the contents of this product.

Ingredient	Exposure Limit Type*	Exposure Limit	Regulatory Agency
Mineral Oil (TWA/PEL)	8-Hour	5 mg/m ³	ACGIH OSHA
Mineral Oil (STEL)	8-Hour	10 mg/m ³	ACGIH

Engineering Controls:

Personal Protective Equipment (PPE):

Eye/Face Protection: Safety Glasses

Skin Protection: Sufficient protection is given wearing suitable protective gloves. Before use, the protective gloves should be tested for this specific work situation suitablility. Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn.

Respiratory Protection: If workplace exposure limits are exceeded, respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specific.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance (color, physical form, shape): Clear Flash Point (Method Used): Closed cup flash

point – This material does not sustain combustion oil.

in open flame testing.

Odor: None **Reserve Alkalinity:** NK **Odor Threshold: NK Solubility in Water: NK**

Physical State: Liquid **Decomposition Temperature: NK** Vapor Pressure (mm Hg): NK **Evaporation Rate (nBuOAc=1):** NK

Specific Gravity/Density: 865 kg/mg @ 15 °C Vapor Density (Air=1): NK

Boiling Point: NK Melting/Freezing Point: NK Partition Coefficient (n-octanol/water): NK pH (100 % solution): NK

Volatile Organic Compound (VOC): Not applicable - Product not regulated for VOC Content at State

or Federal level.

SECTION X - STABILITY AND REACTIVITY

Chemical Stability: Stable under ambient conditions. Does not undergo violent exothermic reactions at

elevated temperatures or pressures.

Conditions to Avoid: Avoid ignition sources and open flames. **Incompatible Materials:** Avoid contact with strong oxidizers.

Hazardous Decomposition Products: Carbon monoxide and other products of combustion will be generated if the contents of this product are involved with a fire situation.

Possibility of Hazardous Reactions: No systemic effects expected.

SECTION XI - TOXICOLOGICAL INFORMATION

Chronic Effects: No chronic health effects reported.

Target Organs: No target organs reported.

Carcinogenicity: This finished consumer product is not carcinogenic.

NTP: No IARC: No

SECTION XII - ECOLOGICAL INFORMATION

This product is expected to be safe at relevant environmental concentrations. It is intended for dispersive use and should not be disposed of directly into the environment. The article, packaging, or container is compatible with municipal solid waste systems and will not pose a hazard to the environment when the waste is properly handled.

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Disposal should to be performed in compliance with federal, state/provincial and local regulations.

Non-Household Setting (US Federal): Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations.

Non-Household Setting (California): No

Household Use:

Product used in household may be disposed of in refuse.

SECTION XIV - TRANSPORT INFORMATION

Ground Transport (US DOT): Not Dangerous for transportation

IMDG (Vessel) - Not Dangerous for transportation under UN, IMO and IATA/ICA

IATA (Air) - Not Dangerous for transportation under UN, IMO and IATA/ICA

SECTION XV - REGULATORY INFORMATION

United States

All intentionally-added components of this product are listed on the US TSCA Inventory.

EPA Registration Number: Not Applicable

SARA 313/302/304/311/312 chemicals: None

California: This product has been evaluated and does not require warning labeling under California

Proposition 65

California Registration Number: Not Applicable

State Right-to-Know and CERCLA:

The following ingredients present in the finished product are listed on state right-to-know lists or state worker exposure lists

Ingredient	CAS#	Level	CERCLA	State				
			RQ	IL	MA	NJ	PA	RI
Mineral Oil	8042-47-5	100%			X	X	X	

Canada

All ingredients are CEPA approved for import to Canada by Procter & Gamble. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and this MSDS contains all information required by the Controlled Products Regulations.

SECTION XVI - OTHER INFORMATION

P&G Hazard Rating: Health: 1 4=EXTREME

Flammability: 1 3=HIGH Reactivity: 0 2=MODERATE

Z=MODERATE

1=SLIGHT

0=NOT SIGNIFICANT

Data supplied is for use only in connection with occupational safety and health.

DISCLAIMER: This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Procter & Gamble to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Procter & Gamble assumed no responsibility for injury to the recipient or third persons or for any damage to any property resulting from misuse of the product.