

# SAFETY DATA SHEET

Revision Date 01/30/2015 REVISION NUMBER: 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name BSC-30

Other means of identification

 Product code
 100560

 UN/ID No.
 1824

 Synonyms
 NONE

Recommended use of the chemical and restrictions on use
Recommended Use Water treatment chemical.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Importer

Rochester Midland Corporation

Rochester Midland Limited
155 Paragon Drive

Rochester Midland Limited
5353 John Lucas Drive

Rochester, New York 14624 USA Suite 103

Burlington, ON L7L 6G5

Canada

Emergency telephone number

**EMERGENCY TELEPHONE** INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500 CANUTEC: 613-996-6666

## 2. HAZARDS IDENTIFICATION

## Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Label elements

## **Emergency Overview**

### DANGER

### Hazard statements

Causes severe skin burns and eye damage

May be corrosive to metals

**Revision Date** 01/30/2015

100560 BSC-30



Appearance Clear, Colorless

Physical state Liquid

**Odor** Odorless

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Absorb spillage to prevent material damage

#### **Precautionary Statements - Storage**

Store locked up

Store in corrosive resistant container

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

No information available

### Other Information

- Harmful to aquatic life with long lasting effects.
- · Harmful to aquatic life.

**Unknown Acute Toxicity** 

3.58% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Sodium Hydroxide	1310-73-2	20 - 30	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

First aid measures

Immediately call a POISON CENTER or doctor/physician. **General advice** 

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

#### **Explosion data**

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

#### Protective equipment and precautions for firefighters

CORROSIVE MATERIAL. Avoid exposure to mist and splashes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling DANGER: Concentrated, caustic material. Avoid contact with eyes, skin and clothing. Do

not breathe mist or vapors. Mix only with water. Read and follow label instructions. Keep out

of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Empty containers

may retain product residue, follow SDS/label precautions even after container is emptied.

Incompatible materials

Avoid contact with concentrated acids; may cause violent reactions. Avoid contact with

aluminum, zinc, other soft metals or galvanized metals.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

Exposure Guidelines

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
1310-73-2	_	TWA: 2 mg/m <sup>3</sup>	_

#### **Appropriate engineering controls**

**ENGINEERING CONTROLS**General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

Corrosion resistant equipment recommended. Showers. Eyewash stations.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Goggles and face shield are recommended to minimize eye contact.

**Skin and body protection**Chemical resistant gloves are recommended to minimize skin contact. Appropriate

protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. It is the responsibility of the end user of this product to determine

None to boiling.

level of PPE required that is consistent with safe use of this product.

RESPIRATORY PROTECTION Not normally required. If product is used in a manner which creates dust or mist above

recommended exposure limits, a NIOSH/MSHA approved respirator with dust/mist filter

may be needed in the absence of proper environmental controls.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

AppearanceClear, ColorlessOdorOdorless

Color No information available Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** 14.0

Melting point/freezing point No information available

Boiling point / boiling range 100 °C / 212 °F

Flash point -

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific gravity 1.28

Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

Dynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

#### **Other Information**

Softening point No information available

VOC (EPA METH.24) (G/L): 0

DensityNo information availableBulk densityNo information available

## 10. STABILITY AND REACTIVITY

#### **REACTIVITY**

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **CONDITIONS TO AVOID**

Extremes of temperature and direct sunlight.

#### **Incompatible materials**

Avoid contact with concentrated acids; may cause violent reactions. Avoid contact with aluminum, zinc, other soft metals or galvanized metals.

#### **Hazardous Decomposition Products**

Oxides of Carbon. Oxides of Nitrogen.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** Causes severe skin burns and eye damage.

**Inhalation** Causes burns.

**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.

**Skin contact** Causes burns.

**Ingestion** Causes burns.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hydroxide	-	= 1350 mg/kg ( Rabbit )	-
1310-73-2			

## Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization
Germ cell mutagenicity
Carcinogenicity
Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.

#### Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 3.58% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (dermal) 5071 mg/kg

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

3.58% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus	-
1310-73-2		mykiss mg/L LC50 static	

#### Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

## 14. TRANSPORT INFORMATION

**DEPT. OF TRANSPORTATION** 

**UN/ID No.** 1824

Proper shipping name SODIUM HYDROXIDE SOLUTION

Hazard Class 8
Packing Group ||

**Description** 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

**TDG** 

**UN/ID No.** 1824

Proper shipping name SODIUM HYDROXIDE SOLUTION

Hazard Class 8
Packing Group | |

**Description** 1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

Revision Date 01/30/2015

100560 BSC-30

## 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

**EINECS/ELINCS** Does not Comply

ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD

CHRONIC HEALTH HAZARD

FIRE HAZARD

Sudden release of pressure hazard

REACTIVE HAZARD

YES

No

YES

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Sodium Hydroxide 1310-73-2	1000	

## **US State Regulations**

## California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Sodium Hydroxide	1706	Listed	Listed
1310-73-2			

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION
-----------------------

NFPA

Health hazards 3 Flammability 0 Instability 2

Physical and Chemical Properties CORR

HMIS

Health hazards 3
Flammability 0
Physical hazards 2
Personal protection C

Prepared By EH&S DEPARTMENT

Revision Date 01/30/2015

Revision Note <u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

\*\*\* END OF SDS \*\*\*