

Product identifier used on the label: ALLIED MTX PLUS 15W40 CK-4 Stock Number: DSL00073 - 9007541401 Revision Date: 01-19-2017 Replaces:

1. Identification		
Product identifier used on the label: Stock Number:	ALLIED MTX PLUS 15W40 CK-4 DSL00073 - 9007541401	
Other means of identification: Synonyms:	No data available	
Recommended use of the chemical and restrictions on use: Recommended use: Motor Oil		
Restrictions on use:	Uses other than those described above	
Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:	Allied Oil & Tire Company	
	2209 S. 24th Street	
	Omaha, NE 68108	
Phone number:	402-344-4343	
E-mail address:	info@allied-oil.com	
Emergency phone number:	CHEMTREC: +1 (800) 424-9300	

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

А

GHS Hazard Symbols:	
GHS Classification:	Carcinogenicity Category 1B
	Hazardous to the aquatic environment - Acute Category 3
	Hazardous to the aquatic environment - Chronic Category 4
Signal Word:	Danger
Hazard Statements:	May cause cancer.; Harmful to aquatic life; May cause long lasting harmful effects to aquatic life
Precautionary Statements:	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Product identifier used on the label: ALLIED MTX PLUS 15W40 CK-4 Stock Number: DSL00073 - 9007541401 Revision Date: 01-19-2017 Replaces:

Response:	If exposed or concerned: Get medical advice/attention.
Storage:	Store locked up.
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazards not otherwise classified:	Avoid prolonged or repeated contact with used motor oil. Used motor oil has been shown to cause skin cancer in laboratory animals.
% unknown toxicity (Oral):	12.511691 % of the mixture consists of ingredient(s) of unknown toxicity.
% unknown toxicity (Dermal):	12.511691 % of the mixture consists of ingredient(s) of unknown toxicity.
% unknown toxicity (Inhalation Gas):	93.447491 % of the mixture consists of ingredient(s) of unknown toxicity.
% unknown toxicity (Inhalation Vapor):	93.447491 % of the mixture consists of ingredient(s) of unknown toxicity.
% unknown toxicity (Inhalation Dust):	93.447491 % of the mixture consists of ingredient(s) of unknown toxicity.

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Lubricating oils, petroleum, hydrotreated spent	No data available	64742-58-1	60 - 90

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eye Contact:	Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if irritation persists.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.
Ingestion:	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.
Most important symptoms/effects,	None Known

Product identifier used on the label: ALLIED MTX PLUS 15W40 CK-4 Stock Number: DSL00073 - 9007541401 Revision Date: 01-19-2017 Replaces:

acute and delayed:

Indication of immediate medical attention and special treatment needed, if necessary:

If exposed or concerned: Get medical advice/attention.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
Unsuitable extinguishing media:	No data available
Specific hazards arising from the chemical:	No data available
Hazardous combustion products:	Carbon monoxide, Hydrogen sulfide, Nitrogen containing gases
Special protective equipment and precautions for fire-fighters:	No data available

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Avoid release to the environment.
Methods and materials for containment and cleaning up:	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

7. Handling and storage	
Precautions for safe handling:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
Conditions for safe storage, including any incompatibilities: Safe storage conditions:	Store locked up.

Product identifier used on the label: ALLIED MTX PLUS 15W40 CK-4 Stock Number: DSL00073 - 9007541401 Revision Date: 01-19-2017 Replaces:

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Lubricating oils, petroleum, hydrotreated spent	5 mg/m3	5 mg/m3	10 mg/m3	No data available

Appropriate engineering controls:

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection:	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Respirator Type(s):	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye protection:	No special requirements under normal industrial use.
Skin protection:	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Gloves:	Neoprene, Nitrile
General hygiene conditions:	Wear protective gloves/protective clothing/eye protection/face protection.

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state:

Liquid

Product identifier used on the label: ALLIED MTX PLUS 15W40 CK-4 Stock Number: DSL00073 - 9007541401 Revision Date: 01-19-2017 Replaces:

Color:	Brown
Odor:	Mild
Odor Threshold:	Not determined
pH:	Not determined
Melting point/freezing point:	
Melting Point:	No data available
Freezing point:	No data available
Initial boiling point and boiling range (°C):	Not determined
Flash Point (°C):	223
Flash Point Method:	COC
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	= 10
Lower flammability or explosive limits:	= 1
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.87
Solubility(ies):	Negligible
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	No data available
Decomposition Temperature:	Not determined
Viscosity:	117.4
Volatile organic compound (VOC)	0.000000
content and percentage of volatiles:	

10. Stability and reactivity

Reactivity:

Chemical stability:

No data available

Stable under normal conditions.

Product identifier used on the label: ALLIED MTX PLUS 15W40 CK-4 Stock Number: DSL00073 - 9007541401 Revision Date: 01-19-2017 Replaces:

Possibility of hazardous reactions:	No data available
Conditions to avoid (e.g., static discharge, shock, or vibration):	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.
	Moisture (will lead to product performance degradation).
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon monoxide, Hydrogen sulfide, Nitrogen containing gases, Carbon monoxide, sulfur oxides, aldehydes, and other petroleum decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus, calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

8	,,,,,,
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	No data available
Symptoms related to the physical, chemical and toxicological characteristics:	None Known
Delayed and immediate effects and also c	hronic effects from short- and long-term exposure:
Ingestion Toxicity:	Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.
Skin Contact:	This material is likely to be slightly irritating to skin based on animal data.Can cause minor skin irritation, defatting, and dermatitis.
Absorption:	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity:	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact:	This material is likely to be non-irritating to eyes based on animal data.
Sensitization:	No data available
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity:	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International

Product identifier used on the label: ALLIED MTX PLUS 15W40 CK-4 Stock Number: DSL00073 - 9007541401 Revision Date: 01-19-2017 Replaces:

	Agency for Research on Cancer.
STOT-single exposure:	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
STOT-repeated exposure:	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.
Aspiration hazard:	Non-hazardous under Aspiration category.
Other information:	No data available

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Lubricating oils, petroleum, hydrotreated spent	OLD50 Rat > 2000 mg/kg	Dermal LD50 Rabbit > 4480 mg/kg Dermal LD50 Rat > 2000 mg/kg	No data available

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, No data available where available):

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

Persistence and degradability:	Biodegrades at a moderate rate.
Bioaccumulative potential:	Bioconcentration may occur.
Mobility in soil:	This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
Other adverse effects (such as	No data available

Product identifier used on the label: ALLIED MTX PLUS 15W40 CK-4 Stock Number: DSL00073 - 9007541401 Revision Date: 01-19-2017 Replaces:

hazardous to the ozone layer):

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:	Dispose of contents and container in accordance with local/regional/national/international regulations.
Contaminated packaging:	Recycle containers whenever possible.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

Carriage of dangerous goods by road (DO	i), rail or inland water
No data available	
International carriage of dangerous goods	s by sea (IMDG/IMO):
No data available	
International carriage of dangerous goods	s by air (IATA):
No data available	
Environmental hazards (e.g., Marine pollutant (Yes/No)):	Yes
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	No data available
Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:	No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status:

All components of this material are on the US TSCA Inventory or are exempt.

Product identifier used on the label: ALLIED MTX PLUS 15W40 CK-4 Stock Number: DSL00073 - 9007541401 Revision Date: 01-19-2017 Replaces:

Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Lubricating oils,					
petroleum,	64742-58-1	Ν	N	N	Ν
hydrotreated spent					
Petroleum distillates,					
hydrotreated heavy	64742-54-7	Ν	N	N	Ν
paraffinic					
Petroleum distillates,					
solvent dewaxed	64742-65-0	Ν	N	N	Ν
heavy paraffinic					

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	Ν	Ν	Ν	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Ν	Ν	Ν
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Ν	Ν	Ν	Ν

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	Ν	Ν	Ν	N	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	Z	Ζ	Ν	Ν
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Ν	Ν	Ν	Ν	Ν

Product identifier used on the label: ALLIED MTX PLUS 15W40 CK-4 Stock Number: DSL00073 - 9007541401 Revision Date: 01-19-2017 Replaces:

16. Other information, including date of	f preparation or last revision.
SDS Prepared by:	CHOLMES
Revision Date:	01-19-2017
Revision Number:	8
Reason for revision: References: Other Info:	NEW VERSION No data available No data available
Disclaimer:	This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.