

# NATIONAL CHEMICAL LABORATORIES, INC.

#### SAFETY DATA SHEET

#### Section 1 - Identification

**Product Identifier**BARE BONES LOW ODOR Low Odor All-Purpose Speed Stripper

Other means of identification 1051

Recommended use Floor stripper.

**Recommended restrictions** For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.
Address 401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

### Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

	Classification	Category	Target Organ
Physical Hazards	Not Classified		
Health Hazards	Acute toxicity, inhalation	4	
	Acute toxicity, oral	4	
	Serious eye damage/eye irritation	1	
	Skin corrosion/irritation	1	
	Specific target organ toxicity, single exposure	3	respiratory tract irritation

OSHA defined hazards Label Elements

**Hazard Symbol** 



Not Classified.

Signal Word Danger

Hazard Statement Causes severe skin burns and eye damage. Harmful if swallowed. Harmful if inhaled. May cause respiratory irritation.

**Precautionary statement** 

**Prevention** Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only

 $outdoors\ or\ in\ a\ well-ventilated\ area.\ Wear\ protective\ gloves/protective\ clothing/eye\ protection/face\ protection.$ 

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a poison center/doctor. Wash contaminated clothing before reuse.

 Storage
 Store in a well-ventilated place. Keep container tightly closed. Store locked up.

 Disposal
 Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC)

None known.

### Section 3 - Composition/Information on ingredients

Mixture
---------

ixtuic			
<b>Hazardous Components</b>	Ingredient Name	CAS#	%
	2-Amino Ethanol	141-43-5	5 - 10
	2-Butoxyethanol	111-76-2	25 - 45
	Benzyl Alcohol	100-51-6	1-5
	Dipropylene Glycol Monomethyl Ether	34590-94-8	1 - 5

## Section 4 - First-aid Measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician

if you feel unwell.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center

immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Eye contact

Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low

so that stomach content doesn't get into the lungs.

Most Important symptoms /effects, acute and delayed

Burning pain and severe corrosive skin damage. May cause respiratory tract irritation. Headache. Nausea, vomiting. Irritation of nose and throat. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Causes skin and eye burns.

Indication of immediate medical attention and special treatment

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to

hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

## Section 5 - Fire-fighting measures

Suitable extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

**General Information** 

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed. The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment /instructions

Move containers from fire area if you can do it without risk.

General fire hazards No unusual fire or explosion hazards noted.

Specific Methods Use standard firefighting procedures and consider the hazards of other involved materials.

#### Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

SMALL SPILLAGE: Absorb spillage with suitable absorbent material. Absorb spill with vermiculite or other inert material,

then place in a container for chemical waste. After removal flush contaminated area thoroughly with water.

LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After

removal flush contaminated area thoroughly with water.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

## Section 7 - Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage. including any incompatibilities Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# Section 8 - Exposure control/personal protection

#### Occupational exposure limits

US. Workplace environmental Exposure Level (WEEL) Guides

Component Type Value Benzyl Alcohol (CAS 100-51-6) LTV 10 mg/m³, (H); MW>200

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Value Components Type 6 mg/m<sup>3</sup>, 3 ppm 2-Amino Ethanol (CAS 141-43-5) PEL 2-Butoxyethanol (CAS 111-76-2) PEL 240 mg/m<sup>3</sup>, 50 ppm

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

PEL 600 mg/m<sup>3</sup>, 100ppm

**US. ACGIH Threshold Limit Values** 

Value Component Type Form 2-Butoxyethanol (CAS 111-76-2) 20 ppm TWA

2-Amino Ethanol (CAS 141-43-5) STEL 6 ppm 2-Amino Ethanol (CAS 141-43-5) **TWA** 3 ppm STEL Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) 150 ppm Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8) TWA 100 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Form

Components Type Value Form

2-Amino Ethanol (CAS 141-43-5)

2-Amino Ethanol (CAS 141-43-5)

TWA 8 mg/m³, 3 ppm

2-Butoxyethanol (CAS 111-76-2)

TWA 24 mg/m³, 5 ppm

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

TWA 600 mg/m³, 100 ppm

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

STEL 900 mg/m³, 150 ppm

US. ACGIH. BEIs. Biological Exposure Indices

Sampling

Components Value Determinate Specimen Time 2-Butoxyethanol (CAS 111-76-2) 200 mg/g Butoxyacetic acid (BAA), Creatinine in urine \*

with hydrolysis

\* - For sampling details, please see the source document.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components Exposure

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed though the skin.

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

Can be absorbed through the skin.

US. Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

**US.NIOSH: Pocket Guide to Chemical Hazards** 

Component Exposure

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed though the skin.

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

Can be absorbed through the skin.

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed though the skin.

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

Can be absorbed through the skin.

US.OSHA Table Z-1-A (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Rhode Island Hazardous Substances Right-to-Know Act (R.I. Gen. Laws Section 28-21-1 et. seq.)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Tennesee. OELs Occupational Exposure Limkits, Table Z1A

Components Exposure

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed though the skin.

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Component Exposure

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment. **Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants

Section 9 - Physical and chemical properties

Appearance Clear colorless liquid.

Physical stateLiquid.FormThin iquid.ColorClear, colorless

Odor Mild.

Odor threshold Not available.

pH (Concentrate) 11.7

Melting point/freezing point Not available.

Initial boinging point and 212 °F (100 °C)

boiling range

Flash point > 212.0 °F (> 100.0 °C)

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Vapor density Similar to water. Relative density  $0.98 \pm 0.01$ Relative density temperature 75 °F (23.89 °C)

Partition Coefficient n-

octanol/water

Solubilities

Auto-ignition temperature Decomposition temperature

Viscosity
Viscosity Temperature

Not Available. Not Available. < 10 cP

Not available.

Not available.

75 °F (23.89 °C)

### Section 10 - Stability and reactivity

**Reactivity** Reacts violently with strong acids. This product may react with oxidizing agents.

**Chemical stability** Material is stable under normal conditions.

**Possiblity of hazardous reactions** No dangerous reaction known under conditions of normal use.

**Conditions to Avoid** Do not mix with other chemicals. Contact with incompatible materials.

Incompatible materials Strong acids. Acids. Strong oxidizing agents. Oxidizing agents.

Hazardous Decomposition No haza

**Products** 

No hazardous decomposition products are known.

#### Section 11 - Toxicological information

Information on likely routes of exposure

**Ingestion** Causes digestive tract burns. Harmful if swallowed. May cause burns of the gastrointestinal tract if swallowed.

Level

Inhalation Harmful if inhaled.

Skin contact Causes severe skin burns...

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects

have not been observed in humans.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Type

**Eye contact** Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Headache. Nausea, vomiting. Irritation of nose and throat. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage

Code

**Species** 

1051

Results

oxicological characteristics including blindness could result. May cause respiratory irritation.

Information on toxicological effects

Components

Acute toxicity Harmful if inhaled, absorbed through skin, or swallowed.

2-Butoxyethanol (CAS 111-76-2) Rabbit Acute Dermal LD50 400 mg/kg Acute Inhalation LC50 Rat 450 mg/l, 4 hrs 560 mg/kg Oral LD50 Acute Rat 2-Amino Ethanol (CAS 141-43-5) LD50 1025 mg/kg Acute Dermal Rabbit Oral LD50 1715 mg/kg Acute Rat Benzyl Alcohol (CAS 100-51-6) LD50 Rabbit 2000 mg/kg Acute Dermal Acute Inhalation LC100 Rat 200 - 300 mg/l, Inhalation LC50 8.8 mg/l, 4 Hou Acute Rat Oral LD50 1150 mg/kg Acute Mouse Acute Oral LD50 Rat 1230 - 3100 mg LD50 Acute Other 480 mg/kg Mouse Other LD50 Rat 400 mg/kg

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/ eye

irritation

Causes serious eye damage.

**Respiratory sensitization**This product is not expected to cause respiratory sensitization. **Skin sensitization**This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Component Result Commer

2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to

humans.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Chronic effects May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects

have not been observed in humans.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

#### Section 12 - Ecological Information

**Ecotoxicity** The product contains a substance which is very toxic to aquatic organisms.

Component(s)

2-Amino Ethanol, 141-43-5

Aquatic

 EcoName
 EcoCode
 EcoSpecies
 EcoTestResults

 Algae
 EC50
 Selenastrum capricornutum (new name Pseudokirchnerella
 2.5 mg/l, 48 hours

subca

Crustacea EC50 Daphnia magna 65 mg/l, 48 hours
Fish LC50 Cyprinus carpio 349 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available
Partition coeficient n-octanol / water log (Kow)

 Components
 Results

 2-Butoxyethanol (CAS 111-76-2)
 0.83

 Benzyl Alcohol (CAS 100-51-6)
 1.1

 2-Amino Ethanol (CAS 141-43-5)
 -1.31

Mobility in soilNo data available.Mobility in generalNo data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

**Disposal instructions** Dispose in accordance with applicable federal, state, and local regulations.

**Local disposal regulations** Dispose of in accordance with local regulations.

Hazardous waste code

Waste codes should be assigned by the user base

Waste from residues / unused

Contaminated packaging

products

Waste codes should be assigned by the user based on the application for which the product was used. Dispose in accordance with all applicable regulations.

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOTNot regulated as dangerous goods.IATANot regulated as dangerous goods.IMDGNot regulated as dangerous goods.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

This substance/mixture is not intended to be transported in bulk.

#### **Section 15 - Regulatory Information**

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) Not regulated.

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result 2-Butoxyethanol (CAS 111-76-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes

Delayed Hazard No
Fire Hazard Yes
Pressure Hazard No
Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.
SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

 Chemical name
 CAS #
 % by wt.

 2-Butoxyethanol
 111-76-2
 25 - 45

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

**US state regulations** California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to

contain any chemicals currently listed as carcinogens or reproductive toxins.

US.Massachusetts RTK - Substance List Components

2-Butoxyethanol (CAS 111-76-2) 2-Amino Ethanol (CAS 141-43-5) Benzyl Alcohol (CAS 100-51-6)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.New Jersey Worker and Community Right-to-Know Act Components

2-Butoxyethanol (CAS 111-76-2) 2-Amino Ethanol (CAS 141-43-5)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.Pennsylvania RTK - Hazardous Substances Components

2-Butoxyethanol (CAS 111-76-2) 2-Amino Ethanol (CAS 141-43-5) Benzyl Alcohol (CAS 100-51-6)

Dipropylene Glycol Monomethyl Ether (CAS 34590-94-8)

US.Rhode Island RTK Components

2-Butoxyethanol (CAS 111-76-2) 2-Amino Ethanol (CAS 141-43-5)

US - California Propsition 65 - Carcinogens Reproductive

Toxicity (CRT): Listed substance

Not listed.

#### International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

#### Section 16 - Other information, including date of preparation or last version

Issue date 2/11/2015 Version # 01

<sup>\*</sup>A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.