Issued: Jun-06-2013

SAFETY DATA SHEET

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name: Biaxin Filmtab 500mg

Synonyms: Biaxin 500 mg tablets; Biaxin Filmtabs; Clarithromycin tablets, 500 mg

List Number: 2586; 4325

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Pharmaceuticals

1.3 Details of the supplier of the safety data sheet

Supplier: AbbVie Inc.

1 North Waukegan Road North Chicago, IL 60064

USA

1-800-255-5162 +1-847-937-7433

Customer Service Telephone: 1-800-255-5162 (US and Canada only)

+1-847-937-7433

E-mail Address: AbbVie.SDS@abbvie.com

1.4 Emergency telephone number

Emergency Telephone: CHEMTREC: 1(800) 424-9300 (in USA and Canada)

or +1-703-527-3887 (international)

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute oral toxicity Category 4

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Indication of danger: Xn - Harmful

Risk Phrases: R22 - Harmful if swallowed

2.2 Label elements

Issued: Jun-06-2013

Section 2. Hazards identification



Signal Word: Warning

Hazard Statements: H302 - Harmful if swallowed

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if

you feel unwell P330 - Rinse mouth

P501 - Dispose of contents/container to an approved waste disposal plant

2.3 Other hazards

Not determined

Section 3. Composition/information on ingredients

Chemical Name	Percent	EINECS/ELINCS Number	EEC Classification	EU - GHS Substance Classification	REACH No.
Clarithromycin 81103-11-9	50-70	NA	Xn, R22	Acute Tox. 4 (H302)	No data available
Cellulose Microcrystalline 9004-34-6	10-20	Present		Not Hazardous*	No data available
Croscarmellose Sodium 9000-11-7	1-10	NA		Not Hazardous*	No data available
Kollidon 9003-39-8	1-10	NA		Not Hazardous*	No data available
Propylene Glycol 57-55-6	1-5	Present		Not Hazardous*	No data available
Magnesium Stearate 557-04-0	1-5	Present		Not Hazardous*	No data available
Titanium Dioxide 13463-67-7	0.1-1	Present		Not Hazardous*	No data available
Colloidal Silicon Dioxide 7631-86-9	0.1-1	Present		Not Hazardous*	No data available

Not Hazardous* - Based on available data, not classified as hazardous according to the criteria of the Globally Harmonized System.

For the full text of the R-phrases mentioned in this Section, see Section 16

For the full text of the H-Statements mentioned in this Section, see Section 16

Section 4. First aid measures

Issued: Jun-06-2013

Section 4. First aid measures

4.1 Description of first aid measures

Eye Contact: Remove from source of exposure. Flush with copious amounts of water. If irritation

persists or signs of toxicity occur, seek medical attention. Provide

symptomatic/supportive care as necessary.

Skin Contact: Remove from source of exposure. Flush with copious amounts of water. If irritation

persists or signs of toxicity occur, seek medical attention. Provide

symptomatic/supportive care as necessary.

Inhalation: Remove from source of exposure. If signs of toxicity occur, seek medical attention.

Provide symptomatic/supportive care as necessary.

Ingestion: Remove from source of exposure. If signs of toxicity occur, seek medical attention.

Provide symptomatic/supportive care as necessary.

Protection of First-aiders: Use personal protective equipment

4.2 Most important symptoms and effects, both acute and delayed

Signs and Symptoms: None known from occupational exposure. Clinical data suggests the following:

diarrhea, nausea, vomiting, headaches, abnormal liver function, abnormal kidney

function, gastrointestinal upset, taste alterations.

Medical Conditions None known from occupational exposure. Data suggest any pre-existing ailments in

Aggravated by Exposure: the following organs: kidney, liver, gastrointestinal system. Hypersensitivity to the

material and/or similar materials. Pregnancy.

4.3 Indication of any immediate medical attention and special treatment needed

Notes To Physician: Treat symptomatically

Additional Information: Clarithromycin: Pseudomembranous colitis has been reported with use of nearly all

antibiotics including clarithromycin.

Section 5. Firefighting measures

5.1 Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire **Suitable Extinguishing Media:**

Unsuitable Extinguishing Media: Not determined

5.2 Special hazards arising from the substance or mixture

Not determined **Special Exposure Hazards:**

5.3 Advice for firefighters

Precautions for Firefighters:

Protective Equipment and

As in any fire, wear self-contained breathing apparatus and full protective gear

Section 6. Accidental release measures

Issued: Jun-06-2013

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: For personal protection see section 8

6.2. Environmental precautions

Environmental Precautions: Contain material and prevent release to waterways or soil.

6.3. Methods and material for containment and cleaning up

Methods for Cleaning Up: Recover product and place in an appropriate container for disposal.

6.4. Reference to other sections

Refer to Sections 8, 12, and 13 for further information.

Section 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store according to label instructions

7.3. Specific end use(s)

Recommended use: Pharmaceuticals

Section 8. Exposure controls/personal protection

8.1. Control parameters

Exposure limits:

Chemical Name	Employee Exposure Limit	Skin Notation
Clarithromycin 81103-11-9	1 mg/m ³	None
Cellulose Microcrystalline 9004-34-6	Not Applicable	None
Croscarmellose Sodium 9000-11-7	Not Applicable	None
Kollidon 9003-39-8	Not Applicable	None
Propylene Glycol 57-55-6	Not Applicable	None
Magnesium Stearate 557-04-0	Not Applicable	None
Titanium Dioxide 13463-67-7	Not Applicable	None
Colloidal Silicon Dioxide 7631-86-9	Not Applicable	None

Chemical Name	ACGIH TLV	France	German MAK	Ireland	Italy
Cellulose Microcrystalline 9004-34-6	10 mg/m³ total dust	TWA: 10 mg/m ³		20 mg/m ³ (STEL) 10 mg/m ³ (TWA) 4 mg/m ³ (TWA)	
Croscarmellose Sodium 9000-11-7	10 mg/m ³ as nuisance dust, 3 mg/m ³ for respirable particulate				

Product Name: Biaxin Filmtab 500mg Issued: Jun-06-2013

Chemical Name	ACGIH TLV	France	German MAK	Ireland	Italy
Kollidon	10 mg/m ³ for nuisance				
9003-39-8	dust; 3 mg/m ³ respirable				
	particulate				
Propylene Glycol				150 ppm (TWA)	
57-55-6				470 mg/m ³ (TWA)	
				10 mg/m ³ (TWA)	
Magnesium Stearate	10 mg/m³ total dust				
557-04-0					
Titanium Dioxide	10 mg/m ³ TWA	TWA: 10 mg/m ³		10 mg/m ³ (TWA)	
13463-67-7				$4 \text{ mg/m}^3 \text{ (TWA)}$	
Colloidal Silicon Dioxide	10 mg/m ³ for nuisance		4 mg/m ³ TWA	6 mg/m³ (TWA)	
7631-86-9	dust; 3 mg/m³ respirable			$2.4 \text{ mg/m}^3 \text{ (TWA)}$	
	particulate			6 mg/m ³ (TWA)	

Chemical Name	The Netherlands	Spain	Switzerland	UK OEL/MEL
Cellulose Microcrystalline		10 mg/m ³ (TWA)	3 mg/m³ (TWA)	20 mg/m ³ (STEL)
9004-34-6		_		12 mg/m ³ (STEL)
				20 mg/m³ (STEL)
				10 mg/m ³ (TWA)
				4 mg/m³ (TWA)
Propylene Glycol				450 ppm (STEL)
57-55-6				1422 mg/m ³ (STEL)
				30 mg/m ³ (STEL)
				150 ppm (TWA)
				474 mg/m ³ (TWA)
				10 mg/m ³ (TWA)
Titanium Dioxide		$10 \text{ mg/m}^3 \text{ (TWA)}$	$3 \text{ mg/m}^3 \text{ (TWA)}$	30 mg/m ³ (STEL)
13463-67-7				12 mg/m ³ (STEL)
				10 mg/m ³ (TWA)
				$4 \text{ mg/m}^3 \text{ (TWA)}$
Colloidal Silicon Dioxide			0.3 mg/m ³ (TWA)	18 mg/m³ (STEL)
7631-86-9				7.2 mg/m ³ (STEL)
				18 mg/m³ (STEL)
				6 mg/m ³ (TWA)
				2.4 mg/m ³ (TWA)

8.2. Exposure controls

Engineering Controls: No special provisions are required under normal product use conditions.

When handling bulk formulation, use in a well-ventilated area.

Respiratory Protection: Respiratory protection is not needed during normal product use. When handling the

bulk formulation, an approved respirator (i.e. NIOSH, EN, etc.) should be worn when

exposures are expected to exceed the applicable limits.

Eyes: Eye protection not needed during typical product use conditions. Wear eye

protection as appropriate when handling the bulk formulation.

Gloves: Gloves not required during normal product use conditions. Wear impervious gloves

when handling the bulk formulation.

Other PPE Data: Wear appropriate body coverings if contact may occur.

Environmental Exposure

Controls:

Not determined

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Issued: Jun-06-2013

Appearance: Pale Yellow Ovaloid tablet

Odor: Not determined. **Odor Threshold:** Not determined pH: Not determined. **Boiling Pt.** @ 760 mm Hg (°C): Not determined. **Melting/Freezing Point (°C):** Not determined Flash Point (°C): Not determined. **Evaporation Rate at 20°C:** Not determined. Flammability (Solid): Not determined. **Lower Explosive Limit:** Not determined. **Upper Explosive Limit:** Not determined. Vapor Pressure (mm Hg): Not determined. Vapor Density (Air = 1): Not determined.

Not determined.

Solubility(ies): Not determined. **Partition coefficient: n-** Not determined.

octanol/water

Specific Gravity:

Autoignition Temp. (°C): Not determined.

Decomposition temperature (°C): Not determined.

Viscosity (centipoise): Not determined.

Explosion Severity: Not determined.

Oxidizer Properties: Not determined.

9.2. Other information

Not determined

Section 10. Stability and reactivity

10.1. Reactivity

Not determined

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

Hazardous reactions: Not determined.

10.4. Conditions to avoid

Not determined.

10.5 Incompatible materials

Not determined

10.6 Hazardous decompostion products

Not determined.

Section 11. Toxicological information

Issued: Jun-06-2013

Section 11. Toxicological information

11.1. Information on toxicological effects

Routes of Exposure:

Oral: Clinical Route

Dermal: Yes **Inhalation:** Unlikely

Acute Toxicity - Oral: Data for component (s) given below.

Chemical Name	Acute Test	Value	Units	Species
Clarithromycin	LD50 >=	1230	mg/kg	Rats
81103-11-9				Mice
Cellulose Microcrystalline	LD50 >	5000	mg/kg	Rats
9004-34-6				
Croscarmellose Sodium	LD50 >	5050	mg/kg	Rats
9000-11-7				
Kollidon	LD50 =	100000	mg/kg	Rats
9003-39-8		1040		Rabbits
	LD50 >	40000		Mice
Propylene Glycol	LD50 =	10,000-33,700	mg/kg	Animals
57-55-6				
Colloidal Silicon Dioxide	LD50 =	3160	mg/kg	Rats
7631-86-9				

Acute Toxicity - Dermal: Data for component (s) given below.

Chemical Name	Acute Test	Value	Units	Species	
Cellulose Microcrystalline	LD50 >	2000	mg/kg	Rabbits	
9004-34-6					
Croscarmellose Sodium	LD50 >	2000	mg/kg	Rabbits	
9000-11-7					
Propylene Glycol	LD50 =	20,800	mg/kg	Rabbits	
57-55-6					

Acute Toxicity - Inhalation: Data for component (s) given below.

Chemical Name	Test	Value	Units	Species	
Cellulose Microcrystalline	LC 50 >	5800	mg/m³, 4 hour	Rats	
9004-34-6					
Croscarmellose Sodium	LC 50 >	0.13	mg/L, 4 hour	Rats	
9000-11-7					
Magnesium Stearate	LC 50 >	2000	mg/m ³ , 1 hour	Rats	
557-04-0					
Colloidal Silicon Dioxide	LC 50 >	200	mg/L, 1 hour	Rats	
7631-86-9					

Corrosivity: Not determined.

Dermal Irritation: Not determined.

Eye Irritation: Not determined.

Sensitization: Not determined.

Toxicokinetics/Metabolism: Not determined.

Target Organ Effects: Data for component (s) given below.

Issued: Jun-06-2013

Chemical Name	Target	Species	Dosage	Units	Route	Duration
	Organs:					
Clarithromycin	Liver Kidney Eyes	Monkeys	100	mg/kg	Oral	28 days
81103-11-9	Gastrointestinal	Dogs	100			1 Month
	Tract	Rats	600			30 days
Titanium Dioxide	Lungs	Rats	10,000	mg/L	Inhalation	2 years
13463-67-7						-
Colloidal Silicon Dioxide	Respiratory System	Rats	126	mg/L	Inhalation	2 years
7631-86-9						-

Reproductive Effects: Active Ingredient : In animals adverse reproductive effects include: fetal

abnormalities, fetal toxicity. Based on these experimental results, protection against maternal toxicity will provide adequate protection against potential embryo-fetal

toxicity and teratogenicity

Data for component (s) given below.

Chemical Name	Species	Dosage	Units	Route	Duration
Clarithromycin	Mice	1000	mg/kg	Oral	During Gestation
81103-11-9	Rats	160			_

Carcinogenicity: Data for component(s) given below.

Chemical Name	Site of Tumors	Species	Dosage	Route	Units	Duration
Titanium Dioxide	Lungs	Rats	250,000	Inhalation	mg/L	2 years
13463-67-7						·

Mutagenicity: Data for component (s) given below.

Chemical Name	Micronucleus Assay	Ames Test:	Mouse Lymphoma	Chromosomal Abbr.
			Assay	Assay
Clarithromycin 81103-11-9	Negative	Negative	Negative	Negative

Aspiration hazard: Not determined

Notes:

1. ALD: Approximate lethal dosage

2. LC50: Concentration in air that produces 50% mortality

3. LD50: Oral or dermal dosage that produces 50% mortality

Section 12. Ecological information

12.1. Toxicity

Data for component (s) given below.

···· I · · · · · · · · · · · · · · · ·				
Chemical Name	Percent	LC 50 (mg/l)	Species	Duration
Colloidal Silicon Dioxide	0.1-1	5000	Brachydanio rerio	96 Hours
7631-86-9				

Chemical Name	Percent	EC 50 (mg/l)	Species	Duration
Colloidal Silicon Dioxide	0.1-1	7600	Daphnia magna	48 Hours
7631-86-9				

Chemical Name	Percent	EB 50/ErC 50 (mg/l)	Species	Duration
Colloidal Silicon Dioxide	0.1-1	440	Unicellular Green Algae	72 Hours
7631-86-9				

Issued: Jun-06-2013

12.2. Persistence and degradability

Not determined.

12.3. Bioaccumulative potential

Not determined

12.4. Mobility in soil

Not determined.

12.5. Results of PBT or vPvB assessment

Chemical safety report is not required for this substance/product.

12.6. Other adverse effects

Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system.

Notes

- 1. EC50: Concentration in water that produces 50% mortality in Daphnia sp.
- 2. LC50: Concentration in water that produces 50% mortality in fish.
- 3. EbC50/ErC50: Concentration in water that produces 50% inhibition of growth and in algae.

Section 13. Disposal considerations

13.1 Waste treatment methods

Waste Disposal Methods: Disposal should be made in accordance with country, federal, state and local

regulations.

Section 14. Transport information

ADR, DOT, ICAO/IATA, IMDG/IMO

Status: Not regulated

14.1. UN Number: Not applicable
14.2. Proper shipping name: Not applicable
14.3. Hazard class: Not applicable
14.4. Packing group: Not applicable
14.5. Environmental hazard: Not applicable
14.6. Special Provisions: Not applicable
14.7. Transport in bulk according Not applicable

to Annex II of MARPOL 73/78

and the IBC Code:

Section 15. Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Product Name: Biaxin Filmtab 500mg Issued: Jun-06-2013

International Inventories

Chemical Name	EINECS/ ELINCS	TSCA	DSL	NDSL	PICCS
Clarithromycin 81103-11-9	-	-	-	Not listed.	-
Cellulose Microcrystalline 9004-34-6	Present	X	X	Not listed.	X
Croscarmellose Sodium 9000-11-7	-	X	X	Not listed.	X
Kollidon 9003-39-8	-	X	X	Not listed.	X
Propylene Glycol 57-55-6	Present	X	X	Not listed.	X
Magnesium Stearate 557-04-0	Present	X	X	Not listed.	X
Titanium Dioxide 13463-67-7	Present	X	X	Not listed.	X
Colloidal Silicon Dioxide 7631-86-9	Present	X	X	Not listed.	X

Chemical Name	ENCS	ISHL	IECSC	AICS	KECL	New Zealand
Clarithromycin 81103-11-9	-	Present	-	-	-	HSR007090
Cellulose Microcrystalline 9004-34-6	Present	-	X	X	Present	
Croscarmellose Sodium 9000-11-7	Present	=	X	X	Present	
Kollidon 9003-39-8	Present	-	X	X	Present	
Propylene Glycol 57-55-6	Present	Present	X	X	Present	
Magnesium Stearate 557-04-0	Present	-	X	X	Present	
Titanium Dioxide 13463-67-7	Present	-	X	X	Present	
Colloidal Silicon Dioxide 7631-86-9	Present	-	X	X	Present	

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

ISHL - Japan Industrial Safety and Health Law

IECSC - China Inventory of Existing Chemical Substances

 \boldsymbol{AICS} - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

Carcinogenicity Rating:

Chemical Name	Percent	NTP:	IARC:	ACGIH:
Clarithromycin	50-70	Not Listed	Not Listed	Not Listed
Cellulose Microcrystalline	10-20	Not Listed	Not Listed	Not Listed
Croscarmellose Sodium	1-10	Not Listed	Not Listed	Not Listed
Kollidon	1-10	Not Listed	Not Listed	Not Listed
Propylene Glycol	1-5	Not Listed	Not Listed	Not Listed
Magnesium Stearate	1-5	Not Listed	Not Listed	Not Listed
Titanium Dioxide	0.1-1	Not Listed	Not Listed	Not Listed
Colloidal Silicon Dioxide	0.1-1	Not Listed	Not Listed	Not Listed

SARA 313 Information

Chemical Name	Percent	SARA 313 Chemical:	CERCLA RQ/SARA	SARA EHS TPQ (lbs):
			EHS RQ (lbs):	
Clarithromycin	50-70	No	Not Applicable	Not applicable

Issued: Jun-06-2013

Chemical Name	Percent	SARA 313 Chemical:	CERCLA RQ/SARA	SARA EHS TPQ (lbs):
			EHS RQ (lbs):	
Cellulose Microcrystalline	10-20	No	Not Applicable	Not applicable
Croscarmellose Sodium	1-10	No	Not Applicable	Not applicable
Kollidon	1-10	No	Not Applicable	Not applicable
Propylene Glycol	1-5	No	Not Applicable	Not applicable
Magnesium Stearate	1-5	No	Not Applicable	Not applicable
Titanium Dioxide	0.1-1	No	Not Applicable	Not applicable
Colloidal Silicon Dioxide	0.1-1	No	Not Applicable	Not applicable

Immediate Health:YesDelayed Health:NoFire:NoSudden Pressure:NoReactivity:No

RCRA Status: Not a hazardous waste.

Proposition 65 Status: Chemicals known to the State of California to cause cancer or reproductive harm

listed below.

Chemical Name	Percent	Proposition 65 Listed Materials
Clarithromycin	50-70	Developmental toxicity, initial date 5/1/97

WHMIS Hazard Class: Not determined.

NFPA Rating:

Health: 1 Fire: 1 Reactivity: 0

Notes:

- $1.\ SARA = Superfund\ Amendments\ and\ the\ Reauthorization\ Act.$
- 2. CERCLA = Comprehensive Environmental Response, Compensation and Liability Act.
- 3. FIFRA = Federal Insecticide, Fungicide and Rodenticide Act.
- 4. TSCA = Toxic Substances Control Act.
- 5. EC = European Community.
- 6. WHMIS = Canadian Workplace Hazardous Materials Information System.
- 7. UN GHS = United Nations Globally Harmonized System for Hazard Identification.

15.2. Chemical safety assessment

Chemical safety assessment has not been conducted on the substance/product.

Section 16. Other information

Risk Phrases: R22 - Harmful if swallowed

Document Authored By: Global Occupational Toxicology (D-03QC)

Issued: Jun-06-2013

Supersedes the SDS dated: Aug-08-2011

Product Name: Biaxin Filmtab 500mg Issued: Jun-06-2013

Disclaimer:

The information and recommendations contained herein are based upon tests believed to be reliable. However, AbbVie Inc. does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. AbbVie Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.