SAFETY DATA SHEET

SDS 0045

```
______
       Section 1 -- PRODUCT AND COMPANY IDENTIFICATION
                                               HMIS CODES
PRODUCT NAME
                                            Health
                                            Flammability
  Break-Out
                                                          1
                                            Reactivity
PRODUCT CODES
                                            PPI
  73551, 73431, 73333, 73271,73361
CHEMICAL FAMILY
  Organic
USF
  Lubricant
MANUFACTURER'S NAME
                                   EMERGENCY TELEPHONE NO.
  The RectorSeal Corporation
                                    Chemtrec 24 Hours
  2601 Spenwick Drive
                                    (800)424-9300 USA
  Houston, Texas 77055 USA
                                    (703)527-3887 International
DATE OF VALIDATION
                                   TECHNICAL SERVICE TELEPHONE NO.
  November 13, 2012
                                    (800)231-3345 or (713)263-8001
DATE OF PREPARATION
  November 13, 2012
______
        Section 2 -- HAZARDS IDENTIFICATION
______
GHS CLASSIFICATION
PHYSICAL HAZARDS: None
HEALTH HAZARDS
Acute Toxicity:
Oral: Not Classified
Dermal: Not Classified
Inhalation: Not Classified
Skin Corrosion/Irritation: Not Classified
Serious Eye Damage/Eye Irritation: Not Classified
Respiratory or Skin Sensitization: Not Classified
Germ Cell Mutagenicity: Not Classified
Carcinogenicity: Not Classified
Reproductive Toxicology: Not Classified
Target Organ Systemic Toxicity - Single Exposure: Not Classified
Target Organ Systemic Toxicity - Repeated Exposure: Not Classified
Aspiration Toxicity: Not Classified
______
ENVIRONMENTAL HAZARDS
Hazardous to the Aquatic Environment: Not Classified
Acute aquatic toxicity: Not Classified
Chronic aquatic toxicity: Not Classified
Bioaccumulation potential: Not Classified
Rapid degradability: Not Classified
______
GHS Label elements, including precautionary statements
Pictogram: None
Signal Word: None
Hazard Statements: None
Precautionary Statements:
P102 - Keep out of reach of children.
P264 - Wash hands thoroughly after handling.
```

```
SUMMARY OF ACUTE HAZARDS
```

Repeated contact may cause skin irritation.

ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS

INHALATION

None

EYE CONTACT

Irritation, blurred vision.

SKIN CONTACT

Irritation, dermatitis, defatting.

INGESTION

Gastro-intestinal irritation, nausea, vomiting and diarrhea.

SUMMARY OF CHRONIC HAZARDS

Prolonged skin contact may result in irritation and absorption.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

None known.

Section 3 -- COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT: Petroleum Oil PERCENTAGE BY WEIGHT: 50-70

CAS#: 64741-96-4 EC#: 265-097-6

INGREDIENT: Copper Flakes
PERCENTAGE BY WEIGHT: 15 Max

CAS#: 7440-50-8 EC#: 231-159-6

Section 4 -- FIRST AID MEASURES

If INHALED: If overcome by exposure, remove victim to fresh air

immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt

action is essential.

If on SKIN: Immediately flush with large amounts of water; use soap

if available. Remove contaminated clothing.

If in EYES: Immediately flush with large amounts of water.

If SWALLOWED: If swallowed, call a physician immediately. Only induce

vomiting at the instruction of a physician. Never give

anything by mouth to an unconscious person.

Section 5 -- FIRE FIGHTING MEASURES

FLASH POINT LEL UEL 466 F (241 C) SETA CC N/D N/D

EXTINGUSING MEDIA

Foam, dry chemical, carbon dioxide or water fog.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus (SCBA) and other protective clothing. Hazardous decomposition products possible (see Section 10).

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

Section 6 -- ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Use absorbent materials to prevent footing hazard and to contain. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing during cleanup.

Section 7 -- HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep away from heat, sparks

```
4/26/2016
                            ows.rectorseal.com/product-data/break-out/Break-Out.html
 and open flames.
 OTHER PRECAUTIONS: Avoid prolonged or repeated contact with skin or clothing.
 Empty containers may contain residues and vapors; treat as if full and observe
 all product precautions. Do not reuse empty containers. KEEP OUT OF REACH OF
 CHILDREN.
 ______
         Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION
 INGREDIENT
                   UNITS
 Petroleum Oil
     ACGIH TLV
                5 mg/m3
                5 mg/m3
     OSHA PEL
  ______
 Copper Flakes
     ACGIH TLV
                1 mg/m3
     OSHA PEL 1 mg/m3
 -----
 RESPIRATORY PROTECTION (SPECIFY TYPE): None required.
 VENTILATION - LOCAL EXHAUST: Acceptable
 SPECIAL: N/A
 MECHANICAL (GENERAL): Preferable
 OTHER: N/A
 PROTECTIVE GLOVES: Wear rubber gloves.
 EYE PROTECTION: Chemical splash goggles (ANSI Z-87.1 or equivalent)
 OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended.
 WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed
   areas thoroughly before eating, drinking, smoking, or leaving work area.
   Launder contaminated clothing before reuse.
 ______
         Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES
 -----
 BOILING POINT:
                                624 F (329 C) @ 760mm Hg
 SPECIFIC GRAVITY (H20 = 1):
                               1.20
 VAPOR PRESSURE (mm Hg):
                                0.01 @ 68 F (20 C)
 MELTING POINT:
                                N/A
 VAPOR DENSITY (AIR = 1):
                                <1
 EVAPORATION RATE (ETHYL ACETATE = 1):
                                <1
                                Copper / Petroleum Odor
 APPEARANCE/ODOR:
 SOLUBILITY IN WATER:
                                Insoluble
                                466 F (241 C) SETA CC
 FLASH POINT
 LOWER EXPLOSION LIMIT
                                N/D
 UPPER EXPLOSION LIMIT
 VOLATILE ORGANIC COMPOUNDS(VOC)Content
 (Theoretical Percentage By Weight): 0% or (0 g/L)
 ______
         Section 10 -- STABILITY AND REACTIVITY
 _____
 STABILITY: Stable
 CONDITIONS TO AVOID: Heat, sparks, open flames.
 INCOMPATIBILITY (MATERIALS TO AVOID): Oxidizers, acids and bases.
 HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2, fragmented hydrocarbons.
 HAZARDOUS POLYMERIZATION: Will not occur.
```

Section 11 -- TOXICOLOGY INFORMATION

TOXICOLOGY DATA Ingredient Name

Petroleum Oil

Oral-Rat LD50:N/D Inhalation-Rat LC50:N/D

```
Copper Flakes
```

Oral-Rat LD50:N/D

Oral-Rat TDLo:152 mg/kg (22W pre)

Section 12 -- Ecological Information

ECOLOGICAL DATA Ingredient Name

Petroleum Oil

Food Chain Concentration Potential: N/D

WATERFOWL TOXICITY: N/D

BOD: N/D

AQUATIC TOXICITY: N/D

Copper Flakes

Food Chain Concentration Potential: N/D

WATERFOWL TOXICITY: N/D

BOD: N/D

AQUATIC TOXICITY: N/D

Section 13 -- DISPOSAL CONSIDERATIONS

Waste Classification: Non-regulated waste oil. Dispose of in accordance with

all local, state and federal regulations.

Disposal Method: Used oil recycler

Section 14 -- TRANSPORTATION INFORMATION

DOT: Non-regulated

OCEAN (IMDG): Non-regulated AIR (IATA): Non-regulated WHMIS (CANADA): Non-regulated

Section 15 -- REGULATORY INFORMATION

REGULATORY DATA Ingredient Name

Petroleum Oil

SARA 313 No TSCA Inventory Yes CERCLA RQ N/A RCRA Code N/A

Copper Flakes

SARA 313 Yes
TSCA Inventory Yes
CERCLA RQ 5,000 lb.
RCRA Code N/A

Section 16 -- OTHER INFORMATION

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001