



Material Safety Data Sheet

Section 1. Product and Company Identification

Product Name	Buffered Neutral Formalin 10%	Product Code	R04586
Manufacturer	EMD Chemicals Inc. P.O. Box 70 480 Democrat Road Gibbstown, NJ 08027 Prior to January 1, 2003 EMD Chemicals Inc. was EM Industries, Inc. or EM Science, Division of EM Industries, Inc.	Effective Date	10/14/2005
		Print Date	12/8/2005

For More Information Call

856-423-6300 Technical Service
Monday-Friday: 8:00 AM - 5:00 PM

In Case of Emergency Call

800-424-9300 CHEMTREC (USA)
613-996-6666 CANUTEC (Canada)
24 Hours/Day: 7 Days/Week

Synonym None.

Material Uses Laboratory Reagent

Chemical Family Mixture.

Section 2. Composition and Information on Ingredients

Component	CAS #	% by Weight
Formaldehyde.	50-00-0	3.7
Methanol	67-56-1	1.5
Sodium Phosphate, Dibasic	7558-79-4	<0.7
Sodium Dihydrogen Phosphate, Monohydrate	10049-21-5	<0.5
Water	7732-18-5	>94

+ Section 3. Hazards Identification

Physical State and Appearance Liquid.

Emergency Overview

WARNING !
HARMFUL IF SWALLOWED.
CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION.
CANCER HAZARD
CONTAINS MATERIAL WHICH CAN CAUSE CANCER
CONTAINS MATERIAL WHICH CAUSES DAMAGE TO THE FOLLOWING ORGANS: MUCOUS MEMBRANES, GASTROINTESTINAL TRACT, RESPIRATORY TRACT, SKIN, CENTRAL NERVOUS SYSTEM, EYE, LENS OR CORNEA.

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

Routes of Entry Absorbed through skin. Dermal contact. Eye contact. Inhalation. Ingestion.

Potential Acute Health Effects

Eyes Hazardous in case of eye contact (irritant). Inflammation of the eye is characterized by redness, watering, and itching.

Skin Hazardous in case of skin contact (irritant). Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. Non-permeator by skin.

Inhalation Hazardous in case of inhalation (lung irritant). Non-hazardous in case of inhalation.

Ingestion Hazardous in case of ingestion. Do not take internally.

Potential Chronic Health Effects

Carcinogenic Effects Classified + (Proven.) by OSHA [Formaldehyde.]. Classified A2 (Suspected for human.) by ACGIH, 2A (Probable for human.) by IARC [Formaldehyde.].

Additional information See Toxicological Information (section 11)

Medical Conditions Aggravated by Overexposure: Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Section 4. First Aid Measures

Eye Contact Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Skin Contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

+ Section 5. Fire Fighting Measures

Flammability of the Product Non-flammable.

Auto-ignition Temperature Not applicable.

Flash Points Not applicable.

Flammable Limits Not applicable.

Products of Combustion Not applicable.

Fire Hazards in Presence of Various Substances Not applicable.

Explosion Hazards in Presence of Various Substances

Risks of explosion of the product in presence of static discharge:
Slightly explosive in presence of open flames, sparks and static discharge.

Risks of explosion of the product in presence of mechanical impact:
Slightly explosive in presence of shocks.

Fire Fighting Media and Instructions Not applicable.

Protective Clothing (Fire) Not applicable.

Special Remarks on Fire Hazards Development of hazardous combustion gases or vapors possible in the event of fire.

**Special Remarks on
Explosion Hazards**

Not available.

+ Section 6. Accidental Release Measures

Small Spill and Leak

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

Large Spill and Leak

Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Spill Kit Information

The following EMD Chemicals Inc. SpillSolv (TM) absorbent is recommended for this product:
SX1340 Formaldehyde Treatment Kit

Section 7. Handling and Storage

Handling

Avoid prolonged contact with eyes, skin, and clothing. Avoid contact with eyes. Do not ingest. Avoid breathing vapors or spray mists. Avoid prolonged or repeated contact with skin. Use only with adequate ventilation. Wash thoroughly after handling.

Storage

Keep container tightly closed. Keep container in a cool, well-ventilated area.

+ Section 8. Exposure Controls/Personal Protection

Engineering Controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits.

Personal Protection

Eyes Splash goggles.


Body Lab coat.

Respiratory Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Hands Gloves.

Feet Not applicable.

**Protective Clothing
(Pictograms)**



**Personal Protection in
Case of a Large Spill**

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Product Name

Formaldehyde.

Exposure Limits

EH40-MEL (United Kingdom (UK), 1997).

STEL: 2.5 mg/m³ 15 minute(s).

STEL: 2 ppm 15 minute(s).

TWA: 2.5 mg/m³ 8 hour(s).

TWA: 2 ppm 8 hour(s).

ACGIH (United States, 2000).

CEIL: 0.37 mg/m³

CEIL: 0.3 ppm

NIOSH REL (United States, 1994).

CEIL: 0.1 ppm 15 minute(s).

TWA: 0.01 ppm 10 hour(s).

OSHA Final Rule (United States, 1989).

STEL: 2 ppm 15 minute(s).

TWA: 0.75 ppm 8 hour(s).

OSHA Transitional Rule (United States, 1993).

STEL: 2 ppm 15 minute(s).

TWA: 0.75 ppm 8 hour(s).

ACGIH (United States, 1994). Skin

TWA: 262 mg/m³

STEL: 328 mg/m³

OSHA (United States, 1989). Skin

TWA: 260 mg/m³

STEL: 325 mg/m³

ACGIH (United States, 1994). Skin

STEL: 328 mg/m³ 15 minute(s).

STEL: 250 ppm 15 minute(s).

TWA: 262 mg/m³ 8 hour(s).

TWA: 200 ppm 8 hour(s).

NIOSH REL (United States, 1994). Skin

STEL: 325 mg/m³ 15 minute(s).

STEL: 250 ppm 15 minute(s).

TWA: 260 mg/m³ 10 hour(s).

TWA: 200 ppm 10 hour(s).

OSHA Final Rule (United States, 1989). Skin

STEL: 325 mg/m³ 15 minute(s).

STEL: 250 ppm 15 minute(s).

TWA: 260 mg/m³ 8 hour(s).

TWA: 200 ppm 8 hour(s).

Not available.

Not available.

Not available.

Methanol

Sodium Phosphate, Dibasic

Sodium Dihydrogen Phosphate, Monohydrate

Water

Section 9. Physical and Chemical Properties

Odor	Pungent.
Color	Clear. Colorless.
Physical State and Appearance	Liquid.
Molecular Weight	Not applicable.
Molecular Formula	Not applicable.
pH	7 [Neutral.]
Boiling/Condensation Point	The lowest known value is 64.55°C (148.2°F) (Methanol). Weighted average: 99.27°C (210.7°F)
Melting/Freezing Point	May start to solidify at -0.1°C (31.8°F) based on data for: Water. Weighted average: -4.96°C (23.1°F)
Specific Gravity	Weighted average: 0.98 (Water = 1)
Vapor Pressure	The highest known value is 12.9 kPa (97 mmHg) (@ 20°C) (METHANOL).
Vapor Density	The highest known value is 1.11 (Air = 1) (METHANOL). Weighted average: 1.06 (Air = 1)
Volatility	99.9% (v/v). (METHANOL.)
Odor Threshold	The lowest known value is 0.05 ppm (Formaldehyde.) Weighted average: 28.88 ppm
Evaporation Rate	0.36 (Water) compared to(n-Butyl Acetate =1)
VOC	5 (%)
LogK _{ow}	Not available.

Solubility

Soluble in water.

+ Section 10. Stability and Reactivity**Stability and Reactivity** The product is stable.**Conditions of Instability** Not available.**Incompatibility with Various Substances** Highly reactive with oxidizing agents, acids, alkalis.
Slightly reactive to reactive with metals.**Rem/Incompatibility** Not available.**Hazardous Decomposition Products** COx , Na2O**Hazardous Polymerization** Will not occur.**Section 11. Toxicological Information****RTECS Number:**
Formaldehyde LP8925000
Methanol PC1400000
Sodium Phosphate, Dibasic, Anhydrous WC4500000
Sodium dihydrogen phosphate monohydrate Not available.
Water ZC0110000**Toxicity**
Acute oral toxicity (LD₅₀): 100 mg/kg [Rat]. (Formaldehyde.).
Acute dermal toxicity (LD₅₀): 15800 mg/kg [Rabbit]. (Methanol).
Acute toxicity of the vapor (LC₅₀): 64000 ppm 4 hour(s) [Rat]. (Methanol).**Chronic Effects on Humans** **CARCINOGENIC EFFECTS:** Classified + (Proven.) by OSHA [Formaldehyde.]. Classified A2 (Suspected for human.) by ACGIH, 2A (Probable for human.) by IARC [Formaldehyde.].**Acute Effects on Humans** Hazardous in case of eye contact (irritant). Inflammation of the eye is characterized by redness, watering, and itching. Hazardous in case of skin contact (irritant). Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. Non-permeator by skin. Hazardous in case of inhalation (lung irritant). Non-hazardous in case of inhalation. Hazardous in case of ingestion.**Synergetic Products (Toxicologically)** Not available.**Irritancy** Draize Test: Not available.**Sensitization** Not available.**Carcinogenic Effects** Classified + (Proven.) by OSHA [Formaldehyde.]. Classified A2 (Suspected for human.) by ACGIH, 2A (Probable for human.) by IARC [Formaldehyde.].**Toxicity to Reproductive System** Not available.**Teratogenic Effects** Not available.**Mutagenic Effects** Not available.**Section 12. Ecological Information****Ecotoxicity** Not available.**BOD5 and COD** Not available.**Toxicity of the Products of Biodegradation** The products of degradation are less toxic than the product itself.

Section 13. Disposal Considerations

EPA Waste Number U122 U154

Treatment Incineration, fuels blending or recycle. Contact your local permitted waste disposal site (TSD) for permissible treatment sites. ALWAYS CONTACT PERMITTED WASTE DISPOSER (TSD) TO ASSURE COMPLIANCE WITH ALL CURRENT LOCAL, STATE AND FEDERAL REGULATIONS.

Section 14. Transport Information

DOT Classification Not available.

TDG Classification Not available.

IMO/MDG Classification Not available.

ICAO/IATA Classification Not available.

+ Section 15. Regulatory Information

U.S. Federal Regulations TSCA 8(b) inventory: Formaldehyde.; Methanol; Sodium Phosphate, Dibasic ; Sodium Dihydrogen Phosphate, Monohydrate; Water
SARA 302/304/311/312 extremely hazardous substances: Formaldehyde.
SARA 302/304 emergency planning and notification: Formaldehyde.
SARA 302/304/311/312 hazardous chemicals: Formaldehyde.; Methanol; Sodium Phosphate, Dibasic
SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Formaldehyde.: Fire Hazard, Immediate (Acute) Health Hazard, Delayed (Chronic) Health Hazard; Methanol: Fire Hazard, Immediate (Acute) Health Hazard, Delayed (Chronic) Health Hazard; Sodium Phosphate, Dibasic : Immediate (Acute) Health Hazard
SARA 313 toxic chemical notification and release reporting: Formaldehyde. 3.7%; Methanol 1.5%
Clean Water Act (CWA) 307: No products were found.
Clean Water Act (CWA) 311: Formaldehyde.; Sodium Phosphate, Dibasic
Clean air act (CAA) 112 accidental release prevention: Formaldehyde.
Clean air act (CAA) 112 regulated flammable substances: No products were found.
Clean air act (CAA) 112 regulated toxic substances: Formaldehyde.

WHMIS (Canada) Class D-2A: Material causing other toxic effects (VERY TOXIC).

CEPA DSL: Formaldehyde.; Methanol; Sodium Phosphate, Dibasic ; Water

This product has been classified in accordance with the hazard criteria of the Controlled Product Regulations and the MSDS contains all required information.

International Regulations

EINECS	Formaldehyde.	200-001-8
	Methanol	200-659-6
	Sodium Phosphate, Dibasic	231-448-7
	Sodium Dihydrogen Phosphate, Monohydrate	231-449-2
	Water	231-791-2

DSCL (EEC) R22- Harmful if swallowed.
R36/38- Irritating to eyes and skin.

International Lists Australia (NICNAS): Formaldehyde.; Methanol; Sodium Phosphate, Dibasic ; Sodium Dihydrogen Phosphate, Monohydrate; Water

Japan (MITI): Formaldehyde.; Methanol; Sodium Phosphate, Dibasic ; Water

Japan (MOL): Formaldehyde.

Korea (TCCL): Formaldehyde.; Methanol; Sodium Phosphate, Dibasic ; Water

Philippines (RA6969): Formaldehyde.; Methanol; Sodium Phosphate, Dibasic ; Water

China: No products were found.

State Regulations

Pennsylvania RTK: Formaldehyde.: (special hazard, environmental hazard, generic environmental hazard); Methanol: (environmental hazard, generic environmental hazard); Sodium Phosphate, Dibasic : (environmental hazard, generic environmental hazard)
Massachusetts RTK: Formaldehyde.; Methanol; Sodium Phosphate, Dibasic
New Jersey: Buffered Neutral Formalin 10%

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Formaldehyde.

California prop. 65 (no significant risk level): Formaldehyde.

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Formaldehyde.

Section 16. Other Information

**National Fire
Protection
Association
(U.S.A.)**



**Changed Since Last
Revision**



Notice to Reader

The statements contained herein are based upon technical data that EMD Chemicals Inc. believes to be reliable, are offered for information purposes only and as a guide to the appropriate precautionary and emergency handling of the material by a properly trained person having the necessary technical skills. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use, storage and disposal of these materials and the safety and health of employees and customers and the protection of the environment. EMD CHEMICALS INC. MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, WITH RESPECT TO THE INFORMATION HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Buffered Neutral Formalin 10%

R04586

Page: 7/7

Continued on Next Page