

SDS Preparation Date (mm/dd/yyyy): 10/19/2015

Page 1 of 9

# SAFETY DATA SHEET

# SECTION 1. IDENTIFICATION

Product identifier used on the label

: Butyl Carbitol

Product Code(s) : Not available.

Recommended use of the chemical and restrictions on use

: Antifreeze; Plasticiser; Solvent Use pattern: Professional Use Only Restriction on use: None known

Chemical family : Aliphatic ether alcohol

Name, address, and telephone number

of the supplier:

Name, address, and telephone number of

the manufacturer:

Refer to supplier

Comet Chemical Company Ltd. 3463 Thomas Street

Innisfill, ON, Canada

L9S 3W4

Supplier's Telephone # : 705-436-5580

24 Hr. Emergency Tel # : TERRRAPURE ENVIRONMENTAL: 800-567-7455

# SECTION 2. HAZARDS IDENTIFICATION

#### Classification of the chemical

Clear colourless liquid. Ether like odour.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Flammable Liquid - Category 4 Serious eye damage/eye irritation - Category 2A

#### Label elements

Hazard pictogram(s)



Signal Word

Warning!

Hazard statement(s)

Combustible liquid.

Causes serious eye irritation.

.

**Butyl Carbitol** 

SDS Preparation Date (mm/dd/yyyy): 10/19/2015

Page 2 of 9

# SAFETY DATA SHEET

#### Precautionary statement(s)

Keep away from flames and hot surfaces. - No smoking.

Wash hands thoroughly after handling.

Wear protective gloves and eye/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: get medical advice/attention.

In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam for extinction.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Other hazards

Other hazards which do not result in classification:

May cause skin and respiratory irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Pure substance

Inhalation

Skin contact

Chemical name	Common name and synonyms	nyms CAS# Concen	
Ethanol, 2-Butoxyethoxy	Diethylene glycol monobutyl ether; DEGBE	112-34-5	100.00

#### SECTION 4. FIRST-AID MEASURES

#### Description of first aid measures

Ingestion

 Call a physician or poison control centre immediately. Induce vomiting ONLY under the direct supervision of qualified medical personnel or a poison control centre. Never

give anything by mouth to an unconscious person.

: Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. Get medical attention if symptoms persist.

: Immediately flush with plenty of water, while removing contaminated clothing. If

irritation persists, seek prompt medical attention. Launder clothing before reuse.

Eye contact: Immediately flush eye(s) with plenty of water. After initial flushing, remove any contact.

: Immediately flush eye(s) with plenty of water. After initial flushing, remove any contact lenses if worn, and continue flushing for at least 5 to 10 minutes. If irritation persists,

seek prompt medical attention.

#### Most important symptoms and effects, both acute and delayed

: Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Direct skin contact may cause slight or mild, transient irritation. Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea or narcotic effects.

#### Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.

# SECTION 5. FIRE-FIGHTING MEASURES

# **Extinguishing media**

Suitable extinguishing media

: Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

**Butyl Carbitol** 

SDS Preparation Date (mm/dd/yyyy): 10/19/2015

Page 3 of 9

# SAFETY DATA SHEET

: Burning produces obnoxious and toxic fumes. Combustible liquid and vapor. Vapors are heavier then air and will settle and collect in low areas and pits, displacing breathing air.

#### Flammability classification (OSHA 29 CFR 1910.106)

: Flammable Liquid - Category 4

#### Hazardous combustion products

: Carbon oxides, formaldehyde and other irritating fumes and smoke.

#### Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### Special fire-fighting procedures

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

#### **Environmental precautions**

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

#### Methods and material for containment and cleaning up

: Ventilate the area. Stop spill or leak at source if safely possible. Dike for water control. Use only non-sparking tools. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).

#### Special spill response procedures

In case of transportation accident, contact TERRAPURE ENVIRONMENTAL at 1-800-567-7455.

US CERCLA Reportable quantity (RQ): None.

# SECTION 7. HANDLING AND STORAGE

#### Precautions for safe handling

: Wear protective gloves and eye/face protection. Keep away from heat and open flames. - No smoking. Use with adequate ventilation. Do not breathe mist or vapor. Avoid contact with eyes, skin and clothing. Wash with soap and water after handling. Keep away from acids and other incompatibles. Keep containers tightly closed when not in use. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

# Conditions for safe storage

Store in a cool, dry, well-ventilated area. Store away from areas of excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks.

# Incompatible materials

Strong oxidizing agents; Strong acids Strong bases; calcium hypochlorite; Perchloric acid.

# SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Butyl Carbitol** 

SDS Preparation Date (mm/dd/yyyy): 10/19/2015

Page 4 of 9

# SAFETY DATA SHEET

Exposure Limits:				
Chemical Name	ACGIH	<u>TLV</u>	OSHA	PEL
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Ethanol, 2-Butoxyethoxy	100 mg/m³ (inhalable) (vapor)	N/Av	N/Av	N/Av

#### **Exposure controls**

Ventilation and engineering measures

: Use sufficient mechanical ventilation to maintain exposures below the TLV. Use local

exhaust if mist or spray is generated.

**Respiratory protection**: Respiratory protection is required if the concentrations exceed the TLV.

NIOSH-approved respirators are recommended. Seek advice from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR

1910.134) or CSA Z94.4-02.

**Skin protection**: Wear appropriate chemical resistant gloves. Advice should be sought from glove

suppliers.

Eye / face protection : Chemical goggles are recommended when there is a potential for splashing.

Other protective equipment : Emergency showers and eyewash facilities should be nearby. Wear a chemically

resistant apron and long sleeves when dispensing, to prevent skin contact.

General hygiene considerations

Do not breathe mist or vapor. Avoid contact with eyes, skin and clothing. When using do not eat or drink. When using do not smoke. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and

wash it thoroughly before reuse.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance**: Clear, colourless liquid.

Odour : Ether like odour.

Odour threshold : N/Av pH : N/Av

 $\label{eq:Melting/Freezing point} \mbox{ : -68.1°C(-90.58°F)}$ 

Initial boiling point and boiling range

230.4°C (446.72°F)

Flash point : 78°C (172.4°F)
Flashpoint (Method) : closed cup

Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

Not available.

Upper flammable limit (% by vol.)

Not available.

Oxidizing properties : None known.

Explosive properties : Not explosive

Vapour pressure : 0.003 kPa

Vapour density : 5.58

Relative density / Specific gravity

: 0.95

Solubility in water : Complete

Other solubility(ies) : Soluble in most organic solvents.



**Butyl Carbitol** 

SDS Preparation Date (mm/dd/yyyy): 10/19/2015

Page 5 of 9

# SAFETY DATA SHEET

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

• 1

Auto-ignition temperature : 204°C (399.2°F)

Decomposition temperature : Not available.

Viscosity : Not available.

Volatiles (% by weight) : No information available.

Volatile organic Compounds (VOC's)

: N/Av

Absolute pressure of container

: N/Ap

Flame projection length : N/Ap

Other physical/chemical comments

: Molecular formula: C8-H18-O3 Molecular Weight: 162.23 g/mol

# SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not normally reactive.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Avoid excessive heat, sparks and open flame. Do not use in areas without adequate

ventilation. Avoid contact with incompatible materials.

Incompatible materials : Strong oxidizing agents; Strong acids Strong bases; calcium hypochlorite ; Perchloric

acid. .

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

# SECTION 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES

Routes of exposure skin absorption

: YES

**Potential Health Effects:** 

#### Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: If mists are inhaled, may cause tearing, general anesthesia, headache, coughing, respiratory stimulation, nausea, vomiting, pulmonary, kidney and liver damage.

Sign and symptoms ingestion

: Ingestion can cause gastrointestinal irritation, nausea, and diarrhea.

Sign and symptoms skin : Direct skin contact may cause temporary redness.

Sign and symptoms eyes : Causes serious eye irritation. Symptoms may include redness, pain, tearing and

conjunctivitis.

**Potential Chronic Health Effects** 

: Prolonged or repeated ingestion may cause bladder or kidney stones.

Mutagenicity : Not expected to be mutagenic.

**Carcinogenicity** : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.



SDS Preparation Date (mm/dd/yyyy): 10/19/2015

Page 6 of 9

# **SAFETY DATA SHEET**

# Reproductive effects & Teratogenicity

: Not expected to cause reproductive effects.

Sensitization to material : Not expected to be a skin or respiratory sensitizer.

Specific target organ effects : According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200)

(Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through

single or repeated exposures.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye or nervous system disorders.

Synergistic materials : Not available.

**Toxicological data** : See below for toxicological data on the substance.

	LC50(4hr)	LD <sub>50</sub>	
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)
Ethanol, 2-Butoxyethoxy	0.136 mg/L (No mortality)	6560 mg/kg	2764 mg/kg

# Other important toxicological hazards

: CNS depression may result from extreme exposures.

# SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

: See the following tables for individual ingredient ecotoxicity data. Do not allow material to contaminate ground water system.

# Ecotoxicity data:

lu mus di suts	040 N	Toxicity to Fish				
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
Ethanol, 2-Butoxyethoxy	112-34-5	1300 mg/L (Bluegill sunfish)	N/Av	None.		

<u>Ingredients</u>	CAS No	Toxicity to Daphnia					Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor					
Ethanol, 2-Butoxyethoxy	112-34-5	> 100 mg/L (Daphnia magna)	N/Av	None.					

<u>Ingredients</u>	CAS No	Toxicity to Algae				
			NOEC / 96h or 72h	M Factor		
Ethanol, 2-Butoxyethoxy	112-34-5	> 100 mg/L/96hr (Green algae)	>100 mg/L (Green algae)	None.		

#### Persistence and degradability

: Readily biodegradable.

Bioaccumulation potential : No data is available on the product itself.

<u>Components</u>	Partition coefficent n-octanol/ater (log Kow)	Bioconcentration factor (BCF)
Ethanol, 2-Butoxyethoxy (CAS 112-34-5)	1	1.4



SDS Preparation Date (mm/dd/yyyy): 10/19/2015

Page 7 of 9

# SAFETY DATA SHEET

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

# SECTION 13. DISPOSAL CONSIDERATIONS

**Handling for Disposal**: Handle waste according to recommendations in Section 7.

Methods of Disposal : Dispose in accordance with all applicable federal, state, provincial and local

regulations.

RCRA : If this product, as supplied, becomes a waste in the United States, it may meet the

criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and

federal environmental agencies.

#### SECTION 14. TRANSPORTATION INFORMATION Transport Packing Regulatory hazard Label Information **UN Number** UN proper shipping name Group class(es) not regulated 49CFR/DOT None Not regulated. none 49CFR/DOT None. Additional information TDG None Not regulated. Not none regulated **TDG** None. Additional information ICAO/IATA not regulated None. Not regulated. none ICAO/IATA None. Additional information not regulated **IMDG** Not regulated. None none **IMDG** None. Additional information

Special precautions for user

: Keep away from flames and hot surfaces. - No smoking.

Environmental hazards

: See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

# SECTION 15 - REGULATORY INFORMATION

#### **US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:



SDS Preparation Date (mm/dd/yyyy): 10/19/2015

Page 8 of 9

# SAFETY DATA SHEET

		TSCA	CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Se 372, Specific To	•
<u>Ingredients</u>	CAS#	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration
Ethanol, 2-Butoxyethoxy	112-34-5	Yes	N/Ap	N/Av	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Fire Hazard ;Immediate (Acute) health hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

# **US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:

Ingredients	CAS#	Californi	a Proposition 65		State	"Right to	Know" Li	ists	
<u></u>		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Ethanol, 2-Butoxyethoxy	112-34-5	No	N/Ap	No	No	No	No	No	No

# **Canadian Information:**

WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product. All ingredients are present on the DSL.

# **International Information:**

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Ethanol, 2-Butoxyethoxy	112-34-5	203-961-6	Present	Present	(7)-97; (2)-422	KE-10466	Present	HSR001075

# **SECTION 16. OTHER INFORMATION**

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations CNS: Central Nervous System COC: Cleveland Open Cup

CSA: Canadian Standards Association DOT: Department of Transportation EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System

HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer


Inh: Inhalation

LC: Lethal Concentration

LD: Lethal Dose

MA: Massachusetts

MN: Minnesota





SDS Preparation Date (mm/dd/yyyy): 10/19/2015

Page 9 of 9

# SAFETY DATA SHEET

N/Ap: Not Applicable N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit TLV: Threshold Limit Values TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

: OECD - The Global Portal to Information on Chemical Substances - eChemPortal,

2015

Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015

(Chempendium, RTECs, HSDB, INCHEM). 2015

European Chemicals Agency, Classification Legislation, 2015

Material Safety Data Sheet from manufacturer.

Preparation Date (mm/dd/yyyy)

: 10/19/2015

#### Other special considerations for handling

: Provide adequate information, instruction and training for operators.

#### Prepared for:

References

Comet Chemical Company Ltd. 3463 Thomas Street Innisfill, ON L9S 3W4

Information (M-F 8:00-5:00): 705-436-5580

www.cometchemical.com

# COMET CHEMICAL COMPANY LTD.

# Prepared by:

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



# **DISCLAIMER**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Comet Chemical Company Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Comet Chemical Company Ltd.. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Comet Chemical Company Ltd..

# END OF DOCUMENT