

Brake & Parts Clean, Non-Chlorinated, 55

**Gallon Drum** 

Revision: 12/14/2016 Supersedes Revision: 08/22/2014

Page: 1

## 1. Product and Company Identification

**Product Code:** C116C

Brake & Parts Clean, Non-Chlorinated, 55 Gallon Drum **Product Name:** 

CYCLO INDUSTRIES, INC. **Phone Number: Company Name:** (800)843-7813

902 SOUTH US HIGHWAY 1

JUPITER, FL 33477

Web site address: www.cyclo.com ehs@cyclo.com **Email address:** 

First Aid Emergency (800)752-7869 **Emergency Contact:** 

> CHEMTREC (703) 527-3887 (800)424-9300

Information: First Aid Emergency (Outside U.S.) (312)906-6194

## 2. Hazards Identification

Flammable Liquids, Category 2

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A

Toxic To Reproduction, Category 2

Specific Target Organ Toxicity (single exposure), Category 3 Specific Target Organ Toxicity (repeated exposure), Category 2

Aspiration Toxicity, Category 1







**GHS Signal Word:** Danger

**GHS Hazard Phrases:** H225: Highly flammable liquid and vapor.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H361: Suspected of damaging fertility or the unborn child.

H335: May cause respiratory irritation.

H373: May cause damage to organs through prolonged or repeated exposure.

H304: May be fatal if swallowd and enters airways. H411: Toxic to aquatic life with long lasting effects.

P233: Keep container tightly closed. **GHS Precaution Phrases:** 

> P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking. P280: Wear protective gloves/protective clothing/eye protection/face protection.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment. P243: Take precautionary measures against static discharge.

P242: Use only non-sparking tools.

P264: Wash hands thoroughly after handling.

P362+364: Take off contaminated clothing and wash it before reuse.

P271: Use only outdoors or in a well-ventilated area. P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P273: Avoid release to the environment.

P370+378: In case of fire, use carbon dioxide, dry chemicals or foam to extinguish. **GHS Response Phrases:** 

P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.



Brake & Parts Clean, Non-Chlorinated, 55 Gallon Drum

Revision: 12/14/2016 Supersedes Revision: 08/22/2014

Page: 2

P363: Wash contaminated clothing before reuse.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P309+311: Call a POISON CENTER or doctor/physician if exposed or you feel unwell.

**GHS Storage and Disposal** 

P501: Dispose of contents/container in accordance with

Phrases:

local/regional/national/international regulation.

P403+233: Store container tightly closed in well-ventilated place.

**Potential Health Effects** (Acute and Chronic):

No data available.

# 3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
67-64-1	Acetone	40.0 -50.0 %
108-88-3	Toluene	20.0 -30.0 %
142-82-5	Heptane	10.0 -20.0 %

## 4. First Aid Measures

**Emergency and First Aid** Procedures:

If ingested, seek medical attention immediately. Aspiration hazard: Do not induce vomiting or give anything by mouth because this material can enter the lungs and cause severe lung damage. Do not leave individual unattended. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Wash skin with soap and water. Remove contaminated clothing and shoes, and launder before reuse. If in eyes, rinse cautiously with water for several minutes, Remove contact lenses, if present and easy to do. Continue rinsing Call physician immediately if adverse reaction occurs.

# 5. Fire Fighting Measures

-4.00 F (-20.0 C) Method Used: TAG Closed Cup Flash Pt: **Explosive Limits:** LEL: No data. UEL: No data.

**Autoignition Pt:** No data.

Suitable Extinguishing Media: Carbon dioxide, dry chemicals, foam.

SCBA should be used whenever chemical fires are present. Contents under pressure. **Fire Fighting Instructions:** 

Cool exposed containers with water spray to prevent bursting.

Flammable Properties and

No data available.

Hazards:

**Hazardous Combustion** Carbon dioxide, carbon monoxide.

**Products:** 

### 6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:

Wear appropriate protective clothing and equipment to prevent skin and eye contact. Contain any liquid from leaking containers. Remove sources of ignition. Increase area ventilation. Sweep or gather up material and place in proper container for disposal or recovery. Do not allow to enter sanitary drains, sewer or surface and subsurface waters.

# 7. Handling and Storage

Precautions To Be Taken in Handling:

Keep away from heat/sparks/open flames/hot surfaces - No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take precautionary measures against static discharge. Use only non-sparking tools. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before



Brake & Parts Clean, Non-Chlorinated, 55

**Gallon Drum** 

Revision: 12/14/2016 Supersedes Revision: 08/22/2014

Page: 3

Limits

reuse. Use only outdoors or in a well-ventilated area. Do not breathe

dust/fume/gas/mist/vapours/spray. Avoid release to the environment. Keep out of the

reach of children.

Precautions To Be Taken in

Keep container tightly closed.

Storing:

CAS#

8. Exposure Controls/Personal Protection						
Partial Chemical Name	OSHA TWA	ACGIH TWA	Other			
Acetone	PFI: 1000 ppm	TI V: 500 ppm	No data			

67-64-1 Acetone No data. TLV: 500 ppm STEL: 750 ppm

TLV: 50 ppm Toluene PEL: 200 ppm No data. 108-88-3

> STEL: 500 ppm/(10min) CEIL: 300 ppm

142-82-5 Heptane PEL: 500 ppm TLV: 400 ppm No data.

Use and approved NIOSH organic vapor respirator below the TLV. IF TLV is exceeded or **Respiratory Equipment** 

(Specify Type): overexposure is likely, use positive pressure self contained breathing apparatus.

**Eye Protection:** Wear safety glasses or goggles to protect against exposure.

Use chemical resistant gloves for prolonged skin contact. **Protective Gloves:** 

Other Protective Clothing: Rubber apron.

**Engineering Controls** 

(Ventilation etc.):

Exhaust ventilation. Showers. Eyewash stations.

# 9. Physical and Chemical Properties

[X] Liquid **Physical States:** [ ] Gas [ ] Solid

Clear liquid Typical solvent odor. Appearance and Odor: NΡ

pH: **Melting Point:** No data. **Boiling Point:** No data.

Flash Pt: -4.00 F (-20.0 C) Method Used: TAG Closed Cup

**Evaporation Rate:** No data.

Flammability (solid, gas): No data available.

LEL: No data. UEL: No data. **Explosive Limits:** 

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1): No data. No data. Specific Gravity (Water = 1): Negligible Solubility in Water: Octanol/Water Partition No data.

Coefficient:

45.0 % by weight. **Percent Volatile:** 

No data. **Autoignition Pt: Decomposition Temperature:** No data. No data. Viscosity:



Brake & Parts Clean, Non-Chlorinated, 55 Gallon Drum

Revision: 12/14/2016 Supersedes Revision: 08/22/2014

Page: 4

# 10. Stability and Reactivity

Stability: Unstable [ ] Stable [X]

**Conditions To Avoid -**

Keep away from heat, sparks and flame. Temperature over 120 degrees F.

Instability:

**Incompatibility - Materials To** Strong acids. Strong oxidizing agents.

Avoid:

Hazardous Decomposition or Carbon monoxide. Carbon dioxide.

**Byproducts:** 

**Possibility of Hazardous** 

Will occur [ ] Will not occur [X]

Reactions:

**Conditions To Avoid -**No data available.

**Hazardous Reactions:** 

# 11. Toxicological Information

CAS# 142-82-5: **Toxicological Information:** 

Other Studies:, TDLo, Oral, Rat, 60.00 GM/KG, 3 W.

Results:

Kidney, Ureter, Bladder: Changes in liver weight.

- National Technical Information Service, Vol/p/yr: OTS0571116,

Other Studies:, TDLo, Oral, Rat, 260.0 GM/KG, 13 W.

Results:

Kidney, Ureter, Bladder: Changes in bladder weight.

Endocrine: Hypoglycemia.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

- National Technical Information Service, Vol/p/yr: OTS0571116,

Other Studies:, TCLo, Inhalation, Rat, 4000. PPM, 6 D.

Results:

Brain and Coverings: Recordings from specific areas of CNS.

Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Ear: Changes in

cochlear structure or function.

Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

- Pharmacology and Toxicology, Munksgaard International Pub., POB 2148, Copenhagen

K Denmark, Vol/p/yr: 76,41, 1995

Other Studies:, TDLo, Intraperitoneal, Rat, 9625. MG/KG, 7 D.

Results:

Liver: Other changes.

Blood: Changes in serum composition (e.g.

Biochemical: Enzyme inhibition, induction, or change in blood or tissue levels: Multiple enzyme effects.

- Toxicology Letters., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam 1000 AE Netherlands, Vol/p/yr: 14,169, 1982

Other Studies:, TDLo, Intraperitoneal, Rat, 8840. MG/KG, 45 D.

Results:

Liver: Other changes.

Biochemical: Enzyme inhibition, induction, or change in blood or tissue levels:

Phosphatases.

Biochemical: Enzyme inhibition, induction, or change in blood or tissue levels: Hepatic



Page: 5

Brake & Parts Clean, Non-Chlorinated, 55 Gallon Drum

Supersedes Revision: 08/22/2014

Revision: 12/14/2016

microsomal mixed oxidase (dealkylation, hydroxylation, etc.)

- JAT, Journal of Applied Toxicology., John Wiley & Sons Ltd., Baffins Lane, Chichester, W.Sussex PO19 1UD UK, Vol/p/yr: 8,81, 1988

Acute toxicity, TCLo, Inhalation, Human, 1000. PPM, 6 M.

Results:

Behavioral: Hallucinations, distorted perceptions.

- "U.S. Bureau of Mines Report of Investigation No. 2979," Patty, F.A., and W.P. Yant, 1929 Volume, Vol/p/yr: 2979,-, 1929

Acute toxicity, LC50, Inhalation, Rat, 103.0 GM/M3, 4 H.

Behavioral: Change in motor activity (specific assay).

Behavioral: Alteration of classical conditioning.

- Gigiena Truda i Professional'nye Zabolevaniya.(Labor Hygiene and Occupational Disease), V/O Mezhdunarodnaya Kniga, Moscow 113095 Russia, Vol/p/yr: 32(10),23, 1988

Acute toxicity, LCLO, Inhalation, Mouse, 59.00 GM/M3, 41 M.

Results:

Behavioral: Convulsions or effect on seizure threshold.

- Biochemische Zeitschrift., For publisher information, see EJBCAI, Berlin Germany, Vol/p/yr: 115,235, 1921

Acute toxicity, LD50, Intravenous, Mouse, 222.0 MG/KG.

Results:

Brain and Coverings: Changes in circulation (hemorrhage,thrombosis, etc.

Lungs, Thorax, or Respiration: Dyspnea.

Gastrointestinal: Nausea or vomiting.

- Journal of Pharmaceutical Sciences., American Pharmaceutical Assoc., 2215 Constitution Ave., NW, Washington, DC 20037, Vol/p/yr: 67,566, 1978

C	AS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
	67-64-1	Acetone	n.a.	n.a.	A4	n.a.
	108-88-3	Toluene	n.a.	3	A4	n.a.
	142-82-5	Heptane	n.a.	n.a.	n.a.	n.a.

# 12. Ecological Information

#### **General Ecological** Information:

CAS# 142-82-5:

Effective concentration to 50% of test organisms., Water Flea (Daphnia magna), 82500.

UG/L, 96 H, Intoxication,, Water temperature: 28.00 C (82.4 F) C.

Results:

No observed effect.

- Acute Toxicity of Petroleum Products, Crude Oil andOil Refinery Effluent on Plankton, Benthic Invertebrates and Fish, Das, P.K.M.K., and S.K. Konar, 1988

LC50, Water Flea (Daphnia magna), 50.00 MG/L, 24 H, Intoxication,, Water temperature: 20.00 C (68.0 F) - 22.00 C (71.6 F) C, pH: 7.70, Hardness: 16.00 dH.

Results:

No observed effect.

Brake & Parts Clean, Non-Chlorinated, 55

Gallon Drum

Supersedes Revision: 08/22/2014

Page: 6

Revision: 12/14/2016

- Results of the Damaging Effect of Water Pollutants on Daphnia magna (Befunde der Schadwirkung Wassergefahrdender Stoffe Gegen Daphnia magna), Bringmann, G., and R. Kuhn, 1977

LC50, Western Mosquitofish (Gambusia affinis), adult(s), 4924000. UG/L, 48 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

Age Effects.

- Toxicity to Gambusia affinis of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

LC50, Western Mosquitofish (Gambusia affinis), adult(s), 4924000. UG/L, 24 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

Age Effects.

- Toxicity to Gambusia affinis of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

Not reported., Western Mosquitofish (Gambusia affinis), adult(s), 5600000. UG/L, 96 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90. Results:

No observed effect.

- Toxicity to Gambusia affinis of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

LC50, Western Mosquitofish (Gambusia affinis), adult(s), 4924000. UG/L, 96 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

No observed effect.

- Toxicity to Gambusia affinis of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

Not reported., Coho Salmon, Silver Salmon (Oncorhynchus kisutch), 100000. UG/L, 96 H, Mortality, Water temperature: 8.00 C (46.4 F) C, pH: 8.10.

Results:

Age Effects.

- Effects of Some Components of Crude Oil on Young Coho Salmon, Morrow, J.E., R.L. Gritz, and M.P. Kirton, 1975

LC50, Mozambique Tilapia (Oreochromis mossambicus), 375000. UG/L, 96 H, Mortality, Water temperature: 27.80 C (82.0 F) C.

Results:

No observed effect.

- Acute Toxicity of n-Heptane and n-Hexane on Worm and Fish, Ghatak, D.B., M.M. Hossain, and S.K. Konar, 1988

LC50, Midge Family (Chironomidae), larva(e), 838000. UG/L, 96 H, Intoxication,, Water temperature: 28.00 C (82.4 F) C, pH: 7.00, Hardness: 260.00 MG/L.

Results:

No observed effect.

- Acute Toxicity of Petroleum Products, Crude Oil andOil Refinery Effluent on Plankton, Benthic Invertebrates and Fish, Das, P.K.M.K., and S.K. Konar, 1988



Brake & Parts Clean, Non-Chlorinated, 55

Gallon Drum

Revision: 12/14/2016 Supersedes Revision: 08/22/2014

Page: 7

Effective concentration to 50% of test organisms., Algae (Algae), 1500. UG/L, 8 H, Physiology.

Results:

No observed effect.

- Gulf Underwater Flare Experiment (GUFEX): Effects of Hydrocarbons on Phytoplankton, Brooks, J.M., G.A. Fryxell, D.F. Reid, and W.M. Sackett, 1977

Not reported., Pacific Oyster (Crassostrea gigas), egg(s), 3400000. UG/L, 48 H, Mortality, Water temperature: 20.00 C (68.0 F) - 21.50 C (70.7 F) C.

Results:

No observed effect.

- The Effect of Alaskan Crude Oil and Selected Hydrocarbon Compounds on Embryonic Development of the Pacfic Oyster, Crassostrea gigas, Legore, R.S., 1974

LC50, Oligochaete (Branchiura sowerbyi), 2500000. UG/L, 96 H, Mortality, Water temperature: 27.80 C (82.0 F) C.

Results:

No observed effect.

- Acute Toxicity of n-Heptane and n-Hexane on Worm and Fish, Ghatak, D.B., M.M. Hossain, and S.K. Konar, 1988

Effective concentration to 50% of test organisms., Snail (Viviparus bengalensis), 472000. UG/L, 96 H, Intoxication,, Water temperature: 28.00 C (82.4 F) C.

Results:

No observed effect.

- Acute Toxicity of Petroleum Products, Crude Oil andOil Refinery Effluent on Plankton, Benthic Invertebrates and Fish, Das, P.K.M.K., and S.K. Konar, 1988

Lethal concentration to 0% of test organisms., Carp (Leuciscus idus ssp. melanotus), 220.0 MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizitat mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

LC50, Carp (Leuciscus idus ssp. melanotus), 270.0 MG/L, 48 H, Mortality. Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizitat mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

Lethal concentration to 100% of test organisms., Carp (Leuciscus idus ssp. melanotus), 350.0 MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizitat mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

Lethal concentration to 0% of test organisms., Carp (Leuciscus idus ssp. melanotus), 1370. MG/L, 48 H, Mortality.



Brake & Parts Clean, Non-Chlorinated, 55 Gallon Drum

Revision: 12/14/2016 Supersedes Revision: 08/22/2014

Page: 8

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizitat mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

LC50, Carp (Leuciscus idus ssp. melanotus), 2940. MG/L, 48 H, Mortality. Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizitat mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

Lethal concentration to 100% of test organisms., Carp (Leuciscus idus ssp. melanotus), 3420. MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizitat mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

# 13. Disposal Considerations

Dispose of contents/container in accordance with local/regional/national/international **Waste Disposal Method:** 

regulation.

# 14. Transport Information

#### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Flammable Liquid, n.o.s (Acetone, Toluene, Heptane)

**DOT Hazard Class:** FLAMMABLE LIQUID 3

**UN/NA Number:** UN1993 Ш **Packing Group:** 



#### MARINE TRANSPORT (IMDG/IMO):

**IMDG/IMO Shipping Name:** Flammable Liquid, n.o.s (Acetone, Toluene, Heptane)

**UN Number:** 1993 **Packing Group:** Ш **Hazard Class:** 3 - FLAMMABLE LIQUID **IMDG Classification:** 3

**IMDG MFAG Number:** 

**IMDG EMS Page: Marine Pollutant:** No

## 15. Regulatory Information

## EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
67-64-1	Acetone	No	Yes 5000 LB	No
108-88-3	Toluene	No	Yes 1000 LB	Yes
142-82-5	Heptane	No	No	No

CAS# **Hazardous Components (Chemical Name)** Other US EPA or State Lists

CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -67-64-1 Acetone

> Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ



Page: 9

Revision: 12/14/2016

## Brake & Parts Clean, Non-Chlorinated, 55

Gallon Drum

Supersedes Revision: 08/22/2014 EHS: No; NY Part 597: Yes; PA HSL: Yes - E; SC TAP: No;

WI Air: Yes

108-88-3 Toluene CAA HAP, ODC: HAP; CWA NPDES: Yes; TSCA: Yes -

> Inventory, 8A CAIR; CA PROP.65: Yes; CA TAC, Title 8: TAC, Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: CMR, Part 5; NC TAP: Yes; NJ EHS: Yes - 1866; NY Part 597: Yes; PA

HSL: Yes - E; SC TAP: Yes; WI Air: Yes

CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -142-82-5 Heptane

> Inventory, 4 Test, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: Title 8: MA Oil/HazMat: Yes: MI CMR, Part 5: No: NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC

TAP: No; WI Air: No

CAS# **Hazardous Components (Chemical Name)** 

**International Regulatory Lists** 67-64-1 Acetone

Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:

Yes

108-88-3 Toluene Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:

142-82-5 Heptane Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:

Yes

# 16. Other Information

12/14/2016 **Revision Date:** 

**Hazard Rating System:** 

Flammability Instability Health NFPA: Special Hazard

Additional Information About Not for sale in CA, UT, DE, NH.

**This Product:** 

**Company Policy or** 

Disclaimer:

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting from use of or reliance upon this information.